




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A63B 71/12, A41D 13/00	A1	(11) International Publication Number: WO 99/00161 (43) International Publication Date: 7 January 1999 (07.01.99)
(21) International Application Number: PCT/AU98/00494 (22) International Filing Date: 26 June 1998 (26.06.98) (30) Priority Data: PO 7603 27 June 1997 (27.06.97) AU (71)(72) Applicants and Inventors: THOMSEN, Peter, Neils [AU/AU]; 21 Wybalena Road, Hunters Hill, NSW 2110 (AU). BYRNE, Patrick, Joseph [AU/AU]; 8 Thomas Road, Galston, NSW 2159 (AU). (74) Agent: MAXWELL, Peter, Francis; Patent Attorney, Peter Maxwell & Associates, Level 6, 60 Pitt Street, Sydney, NSW 2000 (AU).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>

(54) Title: A PROTECTOR PAD**(57) Abstract**

A protector pad (10) for a sportsman includes and outer protector (11) adapted to at least partially assume the shape of the area to be protected and an inner shock absorbing pad (12) in the form of an air cushioned pad. The outer protector (11) is formed from moulded plastics material and has longitudinal ribs (13) which permit the protector to achieve a curvature fit around the area to be protected.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

A PROTECTOR PAD

FIELD OF INVENTION

This invention relates to protector pads and more particularly to protector pads that are used by sportsmen.

5 BACKGROUND ART

For the sake of convenience, the invention will be described in relation to a leg protector for footballers but it is to be understood that the invention is not limited thereto as the protector pad may be used in other sports such as baseball and cricket and for protecting other parts of the
10 body.

Hitherto, leg protector pads have been heavy, uncomfortable due to the rigid construction and have not readily absorbed shock. It is, therefore, an object of the invention to provide a protector pad which is flexible and which incorporates a shock absorbing medium.

15 SUMMARY OF INVENTION

According to one aspect of the invention there is provided a protector pad comprising an outer protector adapted to at least partially assume the shape of the area to be protected and an inner shock absorbing pad.

20 Preferably the outer protector is longitudinally profiled so that it may be curved laterally around the area to be protected. In one form of the invention, the outer is formed from moulded plastics material and has longitudinal ribs which permit the protector to achieve a full curvature fit around the area to be protected.

25 The inner shock absorbing pad may be in the form of an air cushioned pad. The air cushioned pad may consist of an inner and outer web separated by a plurality of substantially half-spherical air pockets.

BRIEF DESCRIPTION OF THE DRAWINGS

- Fig. 1 is a rear view of a protector pad according to one embodiment of the invention,
- Fig. 2 is a cross-sectional view of the outer of the protector pad shown in Fig. 1,
- Fig. 3 is a cross-sectional view of the inner shock absorbing pad of the protector pad shown in Fig. 1,
- Fig. 4 is a cross-sectional view of the protector pad shown in Fig. 1 in its curved configuration,
- Fig. 5 is a cross-section view of the protector pad of Fig. 1 in its underformed configuration showing preferred dimensions,
- Fig. 6 is a side elevational view of a protective pad according to a second embodiment of the invention positioned within the sock of a wearer,
- Fig. 7 is a cross-sectional view of the protector pad shown in Fig. 6,
- Fig. 8 is a cross-sectional view of the outer of the protector pad shown in Fig. 6, and
- Fig. 9 is a cross-sectional view of the protector pad shown in Fig. 6.

MODES FOR CARRYING OUT THE INVENTION

The protector pad 10 shown in Fig. 1 includes an outer protector 11 and an inner shock absorbing pad 12. As can be seen in Figs. 2, 4 and 5, the outer protector 11 has a plurality of elongated ribs 13 projecting outwardly from a base 14. The outer protector 11 may be extruded from any suitable plastics material and as is indicated in Fig. 5 may be 3/16 inch

thick. The longitudinal ribs 13 extend from adjacent the top 15 of the outer 11 and terminate at the boundary 16 as shown in Fig. 1.

The inner shock absorbing pad 12 consists of a plurality of substantially semi-spherical air bubbles 17 formed between two sheets 18 and 19. The bubbles 17 may have a radius of 1/2 inch and height of 5/16 inch and a centre to centre spacing of 1 1/4 inch as shown in Fig. 5.

The protector pad 20 shown in Fig. 6 is somewhat similar to that shown in Fig. 1 except that the outer 21 has opposed longitudinal ribs 22, 23 extending outwardly from opposite faces of the base 24. The inner 25 is similar to that of Fig. 1 in that it consists of substantially semi-spherical air bubbles 26.

The protector pad 20 is shown in Fig. 6 positioned within a sock 27 and, as can be seen in Fig. 7, the protector pad 20 assumes the curved shape of the footballer's leg. Dimensions of one form of the outer 21 are shown in Fig. 8 where the thickness of the outer is 6mm, the width of each rib 2.5mm and the spacing between each rib 1.5mm.

The invention provides an improved protector pad which may be used in various contact sports such as soccer, rugby, baseball and cricket. The longitudinally profiled outer allows a full curvature fit around the area of the body to be protected and may be constructed from high strength plastics material.

The inner shock absorbing pad may be made from two webs of suitable plastics material with the inner web vacuum-formed to create the substantially half spherical pockets with the outer web being sealed to the inner web to create a number of air filled pockets.

Due to the unique design and combination of selected rigid as well as flexible materials, the protector pad of the invention will not only fit the

individual player better and protect the player better than prior art protectors, it will provide improved comfort level and will enable the player to feel less inhibited towards an unforeseen direct strike or kick. The participant may therefore move faster and speed up the game.

- 5 Various modifications may be made in details of design and construction without departure from the scope and ambit of the invention.

CLAIMS

1. A protector pad for a sportsman comprising an outer protector adapted to at least partially assume the shape of the area to be protected and an inner shock absorbing pad.
- 5 2. A protector pad according to claim 1 wherein the outer protector is longitudinally profiled so that it may be curved laterally around the area to be protected.
- 10 3. A protector pad according to claim 2 wherein the outer protector is formed for moulded plastics material and has longitudinal ribs which permit the protector to achieve a curvature fit around the area to be protected.
4. A protector pad according to any one of the preceding claims
- 15 wherein the shock absorbing pad is in the form of an air cushioned pad.
5. A protector pad according to claim 4 wherein the air cushion pad consists of an inner and outer web separated by a plurality of substantially half-spherical air pockets.

1/3








FIG. 1






FIG. 6




FIG. 7




FIG. 8




FIG. 9

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/AU 98/00494

A. CLASSIFICATION OF SUBJECT MATTER

Int Cl⁶: A63B 71/12; A41D 13/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
A63B 71/08, 71/12; A41D 13/00, 13/06, 13/08

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
WPAT

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	US 5384913 A (HENDRY) 13 January 1995 Whole document	1-3 4, 5
Y	US 4602385 A (WARREN) 29 July 1986 Whole document figure 5	4, 5
Y	US 4185327 A (MARKVE) 29 January 1980 Whole document	4, 5

☒ Further documents are listed in the
continuation of Box C

☒ See patent family annex

<p>* Special categories of cited documents:</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>		<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>
--	--	---

Date of the actual completion of the international search
10 July 1998

Date of mailing of the international search report
15 JUL 1998

Name and mailing address of the ISA/AU
AUSTRALIAN PATENT OFFICE
PO BOX 200
WODEN ACT 2606
AUSTRALIA
Facsimile No.: (02) 6285 3929

Authorized officer

R. STOPFORD
Telephone No.: (02) 6283 2177

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/AU 98/00494

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 686188 A1 (J H BEAU & COMPANY LIMITED) 21 January 1953	1-3
Y	Whole document	4, 5
X	GB 664623 A1 (J H BEAN & COMPANY LIMITED) 9 January 1952	1-3
Y	Whole document	4, 5
X	GB 228701 A1 (J W BOWMAN) 29 October 1924	1-3
Y	Whole document	4, 5
X	DE 3220887 A1 (DR WALTER VAN LAACK) 12 August 1983	1-5
X	DE 1952413 A1 (J G KARL SCHMIDT & CO) 29 April 1971	1-3
Y	Whole document	4, 5
X	DE 809396 A1 (ALFRED MAUS) 30 July 1951	1-3
Y	Whole document	4, 5
P, X	DE 29708868 U1 (LUTZ KUHN) 31 July 1997	1-4
Y	Whole document	5

Information on patent family members

PCT/AU 98/00494

Patent Document Cited in Search Report				Patent Family Member			
US	5384913	AU	68871/91	EP	502057	GB	2238708
		NO	922128	WO	91/08028		