

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(10) International Publication Number

WO 2016/160742 A1

(43) International Publication Date
6 October 2016 (06.10.2016)

(51) International Patent Classification:
G01N 33/48 (2006.01) *G06F 19/20* (2011.01)
G01N 33/50 (2006.01)

(21) International Application Number:
PCT/US2016/024588

(22) International Filing Date:
28 March 2016 (28.03.2016)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
62/139,328 27 March 2015 (27.03.2015) US

(71) Applicant: THE TRANSLATIONAL GENOMICS RESEARCH INSTITUTE [US/US]; 445 North Fifth Street, Suite 600, Phoenix, Arizona 85004 (US).

(72) Inventors: VAN KEUREN-JENSEN, Kendall; 445 North Fifth Street, Suite 600, Phoenix, Arizona 85004 (US). HUENTELMAN, Matthew; 445 North Fifth Street, Suite 600, Phoenix, Arizona 85004 (US). YERI, Ashish; 445 North Fifth Street, Suite 600, Phoenix, Arizona 85004 (US).

(74) Agent: FULLER, Rodney J.; Booth Udall Fuller, PLC, 1255 West Rio Salado Parkway Suite 215, Tempe, Arizona 85281 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: BIOMARKERS AND METHODS OF DIAGNOSING AND PROGNOSING MILD TRAUMATIC BRAIN INJURIES

(57) Abstract: The invention provides biomarkers and methods for determining the risk of a subject for developing mild traumatic brain injuries (mTBI). In some aspects, the methods of the invention also determine the fitness of a subject for participating in an activity with increased chances of receiving a head impact. Some embodiments of the invention are directed to kits for determining the risk of a subject for developing mTBI or the fitness of a subject for participating in an activity with increased chances of receiving a head impact.

Biomarkers and Methods of Diagnosing and Prognosing Mild Traumatic Brain Injuries

RELATED APPLICATION DATA

[0001] This application claims priority to and the benefit of U.S. Provisional Application No. 62/139,328 filed March 27, 2015, the contents of which are hereby incorporated by reference in their entirety.

FIELD OF THE INVENTION

[0002] The present invention is related to biomarkers and methods for determining the risk of a subject for developing mild traumatic brain injuries (mTBI). In some aspects, embodiments of the invention are directed to kits and apparatuses.

BACKGROUND OF THE INVENTION

[0003] Despite significant benefits to the physical, mental, and social development of adolescents and young adults participating athletics, sport-related injuries are a significant risk in this population. Particularly, playing contact sports such as football and hockey involves a significant risk of brain injury due to impact to the head. During such physical activity, the head or other body part of the individual is often subjected to direct contact to the head, which results in impact to the skull and brain of the individual as well as movement of the head or body part itself. Sport-related concussion is the most commonly cited athletic injury in the lay and professional literature during the past decade. These injuries are a significant public health issue because of concerns with the developing brain following head trauma, recurrent and cumulative effects of concussion, recovery following concussion, as well as more global issues concerning academic performance and psychosocial issues.

[0004] The Center for Disease Control and Prevention (CDC) estimates estimated that 1.6 to 3.8 million sport-related concussion injuries occurring annually and that the incidence of sports-related mild traumatic brain injury (mTBI) approaches 300,000 annually in the United States. It is not uncommon that a typical range of concussions per year for a football team of 90 players is 4-6 (7%) and for a hockey

team with 28 players is 6 (21%). In rugby, concussion can affect as many as 40% of players on a team each year. Approximately a third of these injuries occur in football. Head injuries accounted for 13.3% of all football injuries to boys and 4.4% of all soccer injuries to both boys and girls in a large study of high school sports injuries. Approximately 62,800 mTBI cases occur annually among high school varsity athletes, with football accounting for about 63% of cases. Concussions in hockey affect 10% of the athletes and make up 12%-14% of all injuries.

[0005] The CDC statistics on mTBI does not even include such incidences in the United States Armed Forces. In the army, the incidence of TBI in the armed forces is around 20,000 annually, and for the Navy, Airforce, and the Marines, the incidence of TBI for each branch is around 2,500 annually.

[0006] Concussions, particularly when repeated multiple times, significantly threaten the long-term health of the person. The health care costs associated with mTBI in sports are estimated to be in the hundreds of millions annually. The National Center for Injury Prevention and Control considers sports-related traumatic brain injury (mild and severe) an important public health problem because of the high incidence of these injuries, the relative youth of those being injured with possible long term disability, and the danger of cumulative effects from repeat incidences.

[0007] Sport-related concussion has been linked to various markers of health, including an increase in symptom reports, cognitive deficits, balance impairments, as well as depression, mood disturbances, sleep disturbances, and attention/concentration issues, which are all mediators that may affect one's perception of their quality of life. While there have been great strides in the evaluation of clinical assessment tools for evaluating the concussed athlete, concussion remains a clinical diagnosis based primarily on self-reported signs and symptoms, cognitive deficits, and balance impairments. These tools are helpful in tracking recovery post-injury, but they rely on self-reporting by an individual who is motivate to remain participating in sport and lack the sensitivity to be a diagnostic tool.

[0008] The health risks of subsequent head impact increases significantly, for example subsequent impacts following an initial concussion (mTBI) may be 4-6 times more likely to result in a second, often more severe, brain injury. Although

increased brain tissue strain, pressure waves, and pressure gradients within the skull have been linked with specific brain injury mechanisms, much remains unknown about the response of the brain to head impacts. There is even less known about the correspondence between specific impact forces and injury, particularly with respect to injuries caused by repeated exposure to impact forces of a lower level than those that result in a catastrophic injury or fatality.

[0009] Detecting changes that are a direct result of head impact and mild traumatic brain injury are challenging. Conventional imaging techniques are usually insufficient to identify damage associated with mTBI. However, the presence of lingering symptoms indicates that functional changes resulting from repeated and/or acute exposure to head impact do occur and can typically last several days. These functional changes possibly result from structural damage to torn axons and synaptic connections and inflammation. Therefore, there is an opportunity to detect either physical injury and/or repair processes going on in the brain as a head impact that do not result in a concussion diagnosis or only result in mTBI. Unfortunately, there is limited data on the molecular changes associated with mTBI or from the effect repeated head impacts that do not result in a diagnosis of concussion such as those that occur during routine practices and games of contact sports.

SUMMARY OF THE INVENTION

[0010] Embodiments of the invention provide methods for determining the risk of a subject for developing mTBI. The methods comprise obtaining a biological sample from a subject; measuring the biological sample for an amount of at least one biomarker selected from the group consisting of the biomarkers selected from biomarkers listed in any one of Tables 1-53; and comparing the amount of the at least biomarker with the amount of the at least one biomarker in a control biological sample, wherein a change in the amount of the at least one biomarker from the subject compared with the control is indicative of the subject having an increased risk for mTBI.

[0011] Embodiments of the invention further provides methods for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact comprising: obtaining a biological sample from a

subject; measuring the biological sample for an amount of at least one biomarker selected from biomarkers listed in any one of Tables 1-53; and comparing the amount of the at least one biomarker with the amount of the at least one biomarker in a control sample; and wherein a change in the amount of the at least one biomarker from the subject compared with the control is indicative of the subject being unfit for participating in the activity with increased chances of receiving a head impact.

[0012] The amount of the at least one biomarker is preferably the amount of biomarkers' extracellular RNA expression in the biological sample. Some implementations of the methods of the invention comprise measuring the biological sample for an amount of at least two, at least three, at least four, at least five, at least six, at least seven, at least eight, at least nine, at least ten, at least eleven, at least twelve, at least thirteen, at least fourteen, at least fifteen, at least sixteen, at least seventeen, at least eighteen, at least nineteen, or at least twenty biomarkers selected from biomarkers listed in any one of Tables 1-53.

[0013] In some embodiments, the methods of the invention provide that a subject has an increased risk for developing mTBI or is not fit for participating in an activity with increased chances of receiving a head impact when the change in amount of the amount of at least one biomarker selected from biomarkers listed in any one of Tables 6-32 and 53 corresponds with the indicated change in expression of the at least one biomarker shown in Tables 6-32 and 53.

[0014] In some aspects, the biological sample is obtained after the subject has received a head impact incident, for example within 48 hours, within 24 hours, within 12 hours, or within 6 hours of the subject having had a head impact incident or is suspected of having a head impact incident.

[0015] The invention also provides kits for determining the risk of a subject for developing mTBI or for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact, wherein the kits detect the expression of at least one biomarker selected from the biomarkers listed in any one of Tables 1-53. In some embodiments, the kit comprises a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 6-53 in the subject. The kits may further comprise a dataset comprising the

expression level of the at least one biomarker in normal subjects and/or a control sample.

[0016] The kits may further comprise instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the dataset or the control that demonstrates the subject has increased risk of the subject for developing mTBI. In some embodiments, the direction of change in the expression corresponds to the changes as depicted in any one of Tables 6-53.

[0017] In some embodiments, the kits determine the probability score for a subject's exposure to potentially injurious head impact. Such kits comprise a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32 and a control sample or a dataset comprising the expression level of the at least one biomarker in normal subjects. Correlating the change in the expression of the at least one biomarker with the changes as depicted in any one of Tables 31 and 32 determines the subject's probability score for a subject's risk for concussion.

[0018] Additional objectives, advantages and novel features will be set forth in the description which follows or will become apparent to those skilled in the art upon examination of the drawings and detailed description which follows.

DETAILED DESCRIPTION

[0019] As used herein, the verb "comprise" as is used in this description and in the claims and its conjugations are used in its non-limiting sense to mean that items following the word are included, but items not specifically mentioned are not excluded. In addition, reference to an element by the indefinite article "a" or "an" does not exclude the possibility that more than one of the elements are present, unless the context clearly requires that there is one and only one of the elements. The indefinite article "a" or "an" thus usually means "at least one."

[0020] As used herein, the term "subject" or "patient" refers to any vertebrate including, without limitation, humans and other primates (e.g., chimpanzees and other apes and monkey species), farm animals (e.g., cattle, sheep, pigs, goats and horses), domestic mammals (e.g., dogs and cats), laboratory animals (e.g., rodents

such as mice, rats, and guinea pigs), and birds (e.g., domestic, wild and game birds such as chickens, turkeys and other gallinaceous birds, ducks, geese, and the like). In some implementations, the subject may be a mammal, preferably a human.

[0021] As used herein, the term “acute head injury” refers to head injury received by subjects who do not have a history chronic cumulative head impact exposure. For example, the subject may play non-contact sports.

[0022] As used herein, the term “biological sample” or “biofluid” includes blood samples, salivary samples, and urine samples. However, other biological samples are also contemplated, for example, cerebral spinal fluid samples, plasma samples, and tear samples. Thus biological sample, as used herein, refers to biological fluids (biofluids) of the subject.

[0023] As used herein, the term “head impact,” refers generally to measurable impact to the head. Determination that head impact has occurred may, for example, be based on readings from protective headgear, such as helmets made by Riddell (Chicago, IL, USA).

[0024] As used herein, the term “expression” in relation to biomarkers refers both genetic expression and protein expression. Measuring genetic expression includes measuring the expression of DNA and/or RNA, including measuring non-coding RNA molecules, such as microRNAs. Such measurements include measuring extracellular RNA expression. Measuring protein expression includes measuring the presence of whole proteins and/or peptides. For RNA expression, a biomarker is considered expressed if a sample has at least 10 read counts of the mRNA.

[0025] As referenced herein, ENSEMBL ID described contain the sequences of ENSEMBL 75, Gencode release 19, the contents of which are incorporated herein.

[0026] The invention relates to the discovery that subjects who are contact sports athletes (e.g. football or baseball players) and subject who are not contact sports athletes (e.g. track and field athletes or swimmers) have unique transcriptomes. The invention also relates to the discovery that the transcriptomes of contact sports athletes who recently had or did not have any head impact incidents are unique. Furthermore,

the uniqueness of the transcriptome can distinguish based on the force of the head impact (as measured by linear or rotational acceleration or an impact score such as HITsp from helmets made by Riddell), the number of hits, and the frequency of the head impact. Thus, the invention provides biomarkers for determining the risk of a subject for developing mTBI and for concussion. In some aspects, the disclosed biomarkers have been found to be significant in at least four comparisons.

[0027] Table 1 lists the biomarkers that differentiate (based on linear regression analysis, differential expression analysis, or random forest algorithm) various case and control samples. For linear regression, simple linear regression was performed where the players' impact data from the helmets were regressed were on the gene expression measured in counts which have been normalized for sequencing depth between the samples. The impact data from the helmets are the total number of all head impacts sustained by the player in the game (Total Hits or the number of hits), the highest impact sustained by the player in the game, where the impact can be measured by linear acceleration sustained by the head (Max_Lin_acc), the rotational acceleration (Max_Rot_acc) and a combined score of the location of impact, linear and rotational acceleration (HITsp), and the sum of all impacts sustained by the player in the game (Cum_Lin_acc, Cum_Rot_acc, or Cum HITsp). Genes with a $|slope| > 0.1$ and a p-value < 0.05 were considered significant and included in Table 1. In some aspects, the biomarkers of Table 1 were determined based comparisons between the following pairs of samples:

- A subject who is a contact sport athlete and experienced the most forceful head impact (Max_HITsp) and the subject's baseline;
- Subjects who are contact sport athletes and experienced the most forceful head impact (Max_HITsp) and subjects who are contact sport athletes and experienced the least forceful head impact (Min_HITsp);
- Subjects who are contact sport athletes and experienced the most forceful head impact (Max_HITsp) and subjects with normal exposure to head impact (e.g. athletes who do not play contact sports) (Track_field_control);
- A subject who is a contact sport athlete and experienced the least forceful head impact (Min_HITsp) and the subject's baseline;

- A subject who is a contact sport athlete and experienced the most frequent head impact (Max_freq_hits) and the subject's baseline;
- Subject who are contact sport athletes and experienced the most frequent head impact (Max_freq_hits) and subjects who are a contact sport athletes and experienced the least frequent head impact (Min_freq_hits);
- Subjects who are contact sport athletes and experienced the most frequent head impact (Max_freq_hits) and subjects with normal exposure to head impact (e.g. athletes who do not play contact sports) (Track_field_control);
- Subjects who experienced most frequent head impact (Max_freq_hits) and the subject's baseline or subjects who are not contact sport athletes (Track_field_control);
- A subject who is a contact sport athlete and experienced the least frequent head impact (Min_freq_hits) and the subject's baseline;
- Subjects who experienced th least frequent head impact (Min_freq_hits) and the subject's baseline or subjects who are not contact sport athletes (Track_field_control);
- Subjects who are contact sport athletes (baseline) and subjects who are not contact sport athletes (Track_field_control);
- A subject who is a contact sport athlete and experienced the least forceful head impact (Min_HITsp) and the subject's baseline;
- Subjects who experienced least forceful head impact (Min_HITsp) and the subject's baseline or subjects who are not contact sport athletes (Track_field_control);
- Subjects with mild exposure to potentially injurious head impact (probability score of 0-0.1) and subjects with least exposure to potentially injurious head impact (probability score of 0);
- Subjects with moderate exposure potentially injurious head impact (probability score of 0.1-0.5) and subjects with least exposure potentially injurious head impact (probability score of 0);

- Subjects with moderate exposure potentially injurious head impact (probability score of 0.1-0.5) and subjects with mild exposure potentially injurious head impact (probability score of 0-0.1);
- Subjects with high exposure potentially injurious head impact (probability score of >0.5) and subjects with least exposure potentially injurious head impact (probability score of 0);
- Subjects with high exposure potentially injurious head impact (probability score of >0.5) and subjects with mild exposure potentially injurious head impact (probability score of 0-0.1); and
- Subjects with high exposure potentially injurious head impact (probability score of >0.5) and subject with moderate exposure potentially injurious head impact (probability score of 0.1-0.5).

In comparisons using the probability score for risk of concussion, the scores are calculated using the linear and rotational acceleration was studied previously by Rowson et. al ("Brain Injury Prediction: Assessing the Combined Probability of Concussion Using Linear and Rotational Head Acceleration." *Ann of Biomed. Engg* 2013).

[0028] Table 2 list the biomarkers that are differentially expressed, regardless of whether the biological sample is from blood, urine, or saliva, that can be used for determining the risk of a subject for developing mTBI and for concussion. Table 3 is a subset of the biomarkers that are differentially expressed in blood samples. Table 4 is a subset of the biomarkers that are differentially expressed in saliva samples. Table 5 is a subset of the biomarkers that are differentially expressed urine samples.

[0029] Tables 6-15 lists the significant genes from linear regression analysis with year 1 and year 2 samples. The analysis was performed with two levels of stringency: (1) only those genes which had measurable expression in at least 50% of the samples (Expr in 0.5 samples) and (2) only those genes which had expression in at least 80% of the samples (Expr in 0.8 samples). Genes with a $|slope| > 0.1$ and a p-value < 0.05 were considered significant. Tables 6-11 contain the significant genes in plasma samples. Tables 12-15 list the significant genes in urine samples.

[0030] Accordingly, the invention provides methods for determining the risk of a subject for developing mTBI. The methods comprise obtaining a biological sample from a subject; measuring the biological sample for an amount of at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 1-15; and comparing the amount of the at least one biomarker in the biological sample with the amount of the at least one biomarker in a control sample, wherein a change in the amount of the at least one biomarker from the subject compared with the control sample is indicative of the subject being at an increased risk for developing mTBI. In some aspects, the biomarkers detect the risk of developing mTBI after a head impact incident.

[0031] The invention also provides methods for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact. The methods comprise obtaining a biological sample from a subject; measuring the biological sample for an amount of at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 1-15; and comparing the amount of the at least one biomarker with the amount of the at least one biomarker in a control sample, wherein a change in the amount of the at least one biomarker from the subject compared with the control is indicative of the subject being unfit for participating in the activity with increased chances of receiving a head impact.

[0032] In some aspects, the methods of the invention further comprises determining, based on the biomarker measurement, whether the subject should be hospitalized for the head impact incident, whether the subject should be monitored while continuing or halting the activity that resulted in the head impact, or the whether the subject incurred no significant increases in risk for developing mTBI due to the head impact incident.

[0033] In some aspects, measuring the biological sample of the methods of the invention comprises measuring the biological sample for an amount of at least two, at least three, at least four, at least five, at least six, at least seven, at least eight, at least nine, at least ten, at least eleven, at least twelve, at least thirteen, at least fourteen, at least fifteen, at least sixteen, at least seventeen, at least eighteen, at least

nineteen, or at least twenty biomarkers selected from the group consisting of the biomarkers listed in any one of Tables 1-15.

[0034] In some embodiments of the invention, the biological sample from a subject is obtained after known head impact, for example head impact that is detected by helmet, such as one by Riddell. In some aspects, the biological sample may be collected immediately after known head impact or within one hour, three hours, six hours, eight hours, 12 hours, 18 hours, 24 hours, or 48 hours after known head impact or the time of suspected head impact incident. The biological sample may also be collected at least one hour, at least three hours, at least six, at least eight hours, at least 12 hours, at least 18 hours, or at least 24 hours after known head impact the time of suspected head impact incident.

[0035] In some implementations, the control sample is the baseline sample of the subject. The baseline sample of the subject may be collected prior the immediate head trauma, which may or may not reflect a history of frequent head impacts, such as in athletes playing contact sports. For example, the baseline sample of a football player collected before the start of the athlete's competitive season or during the practice week may reflect a baseline comprising changes due to the subject having a history of frequent head impacts. Though if the baseline sample of a football player were collected before the start of the athlete's first competitive season or if the baseline sample were from a subject not participating in contact sports, the baseline sample would not reflect a baseline comprising such changes.

[0036] In other implementations, the control sample is not the baseline sample of the subject. For example, the control sample may be a matched sample (for example by age and sex) from a different subject or a predicted control sample calculated from the general population. The predicted control sample may be further made representative by characterizing the general population by age. Thus prepubescent athletes and post-pubescent athletes would have separate predicted control samples. The representative sample for the general population of post-pubescent athletes may be further refined by sex and additional age brackets, for example, for a population of males between the ages of 18 to 24, females between the

ages of 18 to 24, males between the ages of 25 to 30, females between the ages of 25 to 30, males between the ages of 30 to 40, or females between the ages of 30 to 40.

[0037] Methods for measuring the biological sample for an amount of at least one biomarker are well established in the art. Such methods include detection of the at least one biomarker by reacting the biological sample with primers to detect gene expression or reaction the biological sample with antibodies to detect protein expression. Particular methods for measuring the biological sample for an amount of at least one biomarker include PCR, real-time PCR, immunoassays, gene or protein arrays, and western blotting. In some implementations, detection of protein biomarkers in the biological sample may be through mass spectrometry, protein arrays, antibody arrays, ELISA, and other forms of immunoassays.

[0038] When more than one biomarker is measured, the determination of the risk of a subject for developing mTBI may be based on a uniform increase in the expression of a set of biomarkers selected from the biomarkers listed in any one of Tables 1-53, a uniform decrease in the expression of a set of biomarkers selected from the biomarkers listed in any one of Tables 1-53, or a combination of increased expression of some biomarkers listed in any one of Tables 1-53 and decrease expression of other biomarkers listed in any one of Tables 1-53.

[0039] For example, an increased risk may be reflected by the detection of increased expression in the measured biomarkers. An increased risk may also be reflected by the detection of decreased expression in the measured biomarkers. An increased risk may additionally be reflected by the detection of decreased expression in some of the measured biomarkers in combination with the detection of increased expression in the other measured biomarkers. In some implementations, the determination of the risk of a subject for developing mTBI may be based a combination of biomarker listed in any one of Tables 1-53 having increased expression, decreased expression, and no change in expression.

[0040] Gradations of risk may also be determined by comparing the amount of the at least one biomarker in the biological sample with the amount of the at least one biomarker in a control sample. The magnitude of the change in expression is correlated to increased or decreased risk of the subject developing mTBI. The

combination of particularly changes or lack of change in the expression of biomarker is also correlated is correlated to increased or decreased risk of the subject developing mTBI.

[0041] The invention further encompasses kits for determining the risk of a subject for developing mTBI or for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact, wherein the kits detect the expression of at least one biomarker selected from the biomarkers listed in any one of Tables 1-53. In some embodiments, the kit comprises a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 1-53 in the subject. In some implementations, the probe is covalently attached to the surface of a solid support. The kits may further comprise a dataset comprising the expression level of the at least one biomarker in normal subjects and/or a control sample.

[0042] The kits may further comprise instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the dataset or the control that demonstrates the subject has increased risk of the subject for developing mTBI. In some embodiments, the direction of change in the expression corresponds to the changes as depicted in any one of Tables 6-53.

[0043] In some embodiments, the kits determine the probability of a subject's exposure to potentially injurious head impact, for example least exposure (probability score of 0), mild exposure (probability score of 0-0.1), moderate exposure (probability score of 0.1-0.5), and high exposure (probability score of >0.5). Such kits comprise a primer or probe that specifically determines the expression level of at least one biomarker selected from Table 32 or 33 and a control sample or a dataset comprising the expression level of the at least one biomarker in normal subjects. Correlating the change in the expression of the at least one biomarker with the changes as depicted in Table 32 or 33 determines the subject's probability score exposure to potentially injurious head impact.

[0044] In some aspects, the kits provide rapid onsite determination of the risk of a subject for developing mTBI. An example of such a kit comprises a detection agent for at least one biomarker at least one biomarker selected from the group

consisting of the biomarkers listed in any one of Tables 1-53 and reagents facilitating the detection of the at least one biomarker. The detection agent may be antibodies that recognize the at least one biomarker, which can be fluorescence-conjugated. The detection agent may also be a nucleotide sequence that recognize the at least one biomarker. Reagents facilitating the detection of the at least one biomarker by using the aforementioned detection agents are well known in the art. In some embodiments, the kits may comprise a DNA polymerase and a buffer.

EXAMPLES

[0045] It should be understood that while particular embodiments have been illustrated and described, various modifications can be made thereto without departing from the spirit and scope of the invention as will be apparent to those skilled in the art. Such changes and modifications are within the scope and teachings of this invention as defined in the claims appended hereto.

1. Identification of biomarkers for determining the risk for developing mTBI or concussion

A. Sample collection:

[0046] Samples of saliva, urine and blood were collected from players on youth, high school, and collegiate football players and matched non-contact athletes. The samples were collected at baseline (prior to the first contact practice) and once each week of the season (from summer training camp to the Pac-12 championship game at the end of the season). Post-season, return to baseline, samples were also collected and stored. In order to correlate molecular changes with head impact exposure, the athletes were outfitted with the Riddell Sideline Response System (SRS) (U.S. Patent Application No. 13/603,319), which recorded the magnitude and frequency of every head impact during each practice and game in one season. Head injury samples were generally collected as soon after the head injury as possible. In cases where the samples were labeled "previous day," the samples were collected a day after a

game took place. Thus the samples were collected a day after a head impact incident or suspected time of a head impact incident.

B. Sample selection for RNASeq:

[0047] Sample selection for RNA sequencing was carried based on the following criteria:

a) Players who were hit more frequently between two sample collections/games than others. These constitute the groups Max_freq_hits and Min_freq_hits respectively. The number of hits between two games/ sample collections range from 128-200 for the Max_freq_hits and 2-20 for the Min_freq_hits groups respectively.

b) Players who were hit with a high impact as evidenced by the HITsp values from the helmet data between two sample collections/games than others. These constitute the groups Max_hitsp and Min_hitsp respectively. The HITsp values take into account the linear and rotational acceleration and the location of impact amongst others. The HITsp values range from 120-200 for the Max_hitsp and 15-30 for the Min_hitsp groups respectively.

c) The baselines for the aforementioned players and other non-footballer athletes (track and field, swimmers, wrestlers, etc.) were sequenced.

2. Verification of biomarkers for determining the risk for developing mTBI or concussion

A. Analysis methodology for differential expression

[0048] The sequenced samples were aligned to the human genome (Gencode release 19, ENSEMBL 75) using the Spliced Transcripts Alignment to a Reference (STAR) software¹. The aligned reads were then counted for gene features using htseq-count. The output from htseq-count, which is a list of genes and their corresponding counts for each sample, is then analyzed for differential expression by DESeq². DESeq² estimates variance-mean dependence in count data arising from the htseq-count in this case, and tests for differential expression based on a model using

the negative binomial distribution. The raw counts for the samples were normalized using the median ratio method, which is used by the DESeq2 software by default to minimize the effect of large expression outliers across the samples. Only samples with a sufficient number of coding genes discovered (>10,000 coding genes with at least 10 counts) were allowed for further analysis.

[0049] The three major steps in the DESeq2 software are a) estimation of size factors; b) estimation of dispersion; and c) negative binomial GLM fitting and Wald statistics.

[0050] For year 1 samples, pairwise comparisons were performed for Max_freq_hits/Max_HITsp versus their baselines and Min_freq_hits/Min_HITsp. Comparisons were also made with non-footballer controls. Only genes with an adjusted p-value of less than 0.05 and a log2foldchange > +2 or < -2 were deemed to be significantly over-expressed and under-expressed respectively for each pairwise comparison. This analysis was carried out for all three biofluids, namely blood, urine and saliva, separately owing to the difference in the constitution of the exRNA (extra-cellular RNA) present in them. Tables 16-26 depict the fold change in the expression of these markers in the pairwise comparisons. Positive values indicate increased expression while negative values indicate decreased expression.

[0051] Table 16 lists the markers that are differentially expressed when the blood sample of subjects who experienced most forceful head impact (Max_HITsp) as compared to the subject's baseline, subjects who experienced least forceful head impact (Min_HITsp), or subjects who are not contact sports athletes (Track_field_control). Table 17 lists markers that are differentially expressed when the urine or saliva sample of subjects who experienced most forceful head impact (Max_HITsp) as compared to the subject's baseline or subjects who are not contact sports athletes (Track_field_control).

[0052] Table 18 lists markers that are differentially expressed when the blood sample of subjects who experienced most frequent head impact (Max_freq_hits) are compared to the subjects' baseline or subjects who are not contact sports athletes (Track_field_control). Table 19 lists markers that are differentially expressed when the urine sample of subjects who experienced most frequent head impacts (Max_freq_hits)

are compared to the subjects' baseline, subjects with least frequent head impacts (Min_freq_hits), or subjects who are not contact sports athletes (Track_field_control). Table 20 lists markers that are differentially expressed when the saliva sample of subjects who experienced most frequent head impact (Max_freq_hits) are compared to the subjects' baseline or subjects who experienced least frequent head impact (Min_freq_hits).

[0053] Table 21 lists markers that are differentially expressed when the blood sample of subjects who experienced least forceful head impact (Min_HITsp) are compared to the subject's baseline or subjects who are not contact sports athletes (Track_field_control). Table 22 lists markers that are differentially expressed when the urine sample of subjects who experienced least forceful head impact (Min_HITsp) are compared to subjects who are not contact sports athletes (Track_field_control).

[0054] Table 23 lists markers that are differentially expressed when the blood sample of subjects who experienced frequent head impact (Min_freq_hits) are compared to the subjects' baseline or subjects who are not contact sports athletes (Track_field_control). Table 24 lists markers that are differentially expressed when the urine sample of subjects who experienced frequent head impact (Min_freq_hits) are compared to the subjects who are not contact sports athletes (Track_field_control).

[0055] Table 25 lists markers that are differentially expressed when the baseline blood sample of subjects who are contact sport athletes (baseline) are compared to subjects who are not contact sports athletes (Track_field_control). Table 26 lists markers that are differentially expressed when the baseline urine sample of subjects who are contact sport athletes (baseline) are compared to the subjects who are not contact sports athletes (Track_field_control).

[0056] Another analysis was carried for the combination of year 1 and years 2 samples. In year 2, there were 240 samples sequenced in all for small RNA, which consisted of 91 plasma and 149 urine samples. The cut-off employed for sample selection was that each sample has at least 7500 protein coding genes with at least 10 read counts. Since no new saliva samples were sequenced from year 2, the analyses are restricted to plasma and urine only. All the analyses conducted were with respect to

the player's hit data on the previous day. The analysis for the combination of year 1 and year 2 samples was performed in two ways.

[0057] The first way comprises dividing the sample set by sample source into various categories based on a single measurement: Number of hits sustained on the previous day or the highest impact sustained on the previous day (HITsp). The categories here are:

Sl no	Case	Control
1	Max_hitsp	Min_hitsp
2	Max_hitsp	Baseline
3	Min_hitsp	Baseline
4	High_freq_hits	Low_freq_hits
5	High_freq_hits	Baseline
6	Low_freq_hits	Baseline

Max_HITsp represents players who sustain a hit greater than or equal to 85 the previous day. Min_HITsp represents players who sustain a hit less than or equal to 30 the previous day. High_freq_hits represents players who were hit greater than or equal to 60 times the previous day. Low_freq_hits represents players who were hit less than or equal to 15 times the previous day. Baseline represents sample acquired from players before the season began. Concussion represents players with a diagnosed concussion.

[0058] Tables 27-30 list the differentially expressed biomarkers based on the above comparisons and depict the fold change in the expression of these markers in the pairwise comparisons. Positive values indicate increased expression while negative values indicate decreased expression.

[0059] Table 27 lists a subset of markers that are differentially expressed in plasma when considering the frequency of head impact. Table 28 lists a subset of markers that are differentially expressed in plasma when considering the level of head impact. The listed markers in Tables 27 and 28 are significant in at least four differential expression comparisons. Table 29 lists markers that are differentially expressed in urine when considering the frequency of head impact. Table 30 lists markers that are differentially expressed in urine when considering the level of head impact.

[0060] The second way comprises weighting each impact sustained the previous day by the linear and rotational acceleration for each impact to determine the probability for concussion using the algorithms of Rowson et. al (“Brain Injury Prediction: Assessing the Combined Probability of Concussion Using Linear and Rotational Head Acceleration.” *Ann of Biomed. Engg* 2013). The methods of Rowson et al. was used to determine risk of exposure associated with each impact. Briefly, each impact sustained by the player is given a probability score that informs the risk of exposure to potentially injurious impacts. These probabilities are summed up for the previous day hit data to get a cumulative risk score. The players are then categorized as 0 (least risk: baseline samples), 1 (risk between 0-0.1), 2 (0.1-0.5) and 3 (0.5 and above). Differential expression analysis was then conducted for the following categories:

SI no	Case	Control
1	3	0
2	3	1
3	3	2
4	2	0
5	2	1
6	1	0

[0061] The above analysis therefore takes into account the number of impacts sustained by the player the previous day along with their corresponding impact information (linear and rotational acceleration associated with each hit). Tables 31 and 32 lists differentially expressed biomarkers based on the above comparisons in plasma and urine samples, respectively, and depict the fold change in the expression of these markers in the pairwise comparisons. Positive values indicate increased expression while negative values indicate decreased expression. The listed markers in Table 31 are a subset of differentially expressed biomarkers that are significant in at least four differential expression comparisons.

B. Analysis methodology for linear regression

[0062] Simple linear regression was performed in year 1 and years 2 samples where the players’ impact data from the helmets, in seven categories, were regressed up on the RNA expression. The categories are: the total number of all head

impacts sustained by the player in the game (Total Hits), the highest impact sustained by the player in the game, where the impact can be measured by linear acceleration sustained by the head (Max_Lin_acc), the rotational acceleration (Max_Rot_acc), and a combined score of the location of impact, linear and rotational acceleration (HITsp) (Max HITsp), and sum of all impacts sustained by the player in the game (Cum_Lin_acc, Cum_Rot_acc, and Cum HITsp). These data were regressed on the gene expression measured in counts which have been normalized for sequencing depth between the samples.

[0063] The analysis was performed with two levels of stringency, firstly with only those genes which had measurable expression in at least 50% of the samples (Expr in 0.5 samples) and secondly with only those genes which had expression in at least 80% of the samples (Expr in 0.8 samples). Genes with a $|slope| > 0.1$ and a p-value < 0.05 were considered significant. Here expressed is defined as having at least 10 read counts of the mRNA. Tables 6-15 disclose the significant biomarkers from linear regression.

C. Methodology for random forest machine learning algorithm

[0064] To arrive at the smallest set of genes that could comprehensively discriminate between cases and controls, random forests machine learning algorithm was used. Random forest is a machine learning technique for classification and regression which instead of using all predictors (genes) and all individuals (samples) to make a single classification tree, it uses a forest of many trees each based on a random selection of predictors and individuals. Each tree is fit using a bootstrap sample of data drawn with replacement and grown until each node is pure. The trees all act as weak classifiers and when there are ~10,000 weak classifiers, the average result from all these classifiers give a robust and accurate estimate of the data. Random forest gives us a set of genes ranked by their importance or discriminating power between the samples - case or control. This is especially useful when dealing with a large set of genes which are significantly differentially expressed or when too few are differentially expressed.

[0065] Tables 33-53 present the set of the genes that discriminate between various cases and controls using blood samples and urine samples. Tables 33 and 34 list markers that discriminate between contact sport athletes and non-contact sports athletes from their blood and urine samples, respectively. Tables 35-39 list the markers that differentiate subjects who had the most frequent head impact by using blood and urine samples. Tables 40-45 list markers that differentiate subjects who had the most forceful head impact from the subject by using blood and urine samples. Tables 46-49 lists the markers that differentiate subjects who had the least frequent head impact by using blood and urine samples. Tables 50-52 list the markers that differentiate subjects who had the least frequent head impact by using blood and urine samples. Table 53 lists markers with expression that is significant different across the different biological samples.

[0066] Elevations or reductions in the expression of these RNA indicate frequent head contact and might increase risk for injury. In some implementations, an expression profile wherein the changes in marker expression completely corresponds with the changes depicted in Table 53 is indicative of the subject being at increased risk for mTBI. Though in other implementations, just decreased expression of ENSG00000113889, ENSG00000164825, ENSG00000165685, ENSG00000169344, ENSG00000184908, and ENSG00000270103 or just increased expression of ENSG00000125652, ENSG00000145113, ENSG00000153802, ENSG00000196352, ENSG00000197674, ENSG00000206652, ENSG00000210194, ENSG00000230140, ENSG00000254325, ENSG00000258406, ENSG00000267706, ENSG00000269364, and ENSG00000271043 is indicative of the subject being at increased risk for mTBI. Accordingly, in some embodiments, a change in the expression of at least 6 markers listed in Table 53 is indicative of the subject being at increased risk for mTBI.

Table 1.

Ensembl ID	Hgnc symbol	Description
ENSG00000004864	SLC25A13	solute carrier family 25 (aspartate/glutamate carrier), member 13 [Source:HGNC Symbol;Acc:HGNC:10983]
ENSG00000005175	RPAP3	RNA polymerase II associated protein 3 [Source:HGNC Symbol;Acc:HGNC:26151]
ENSG00000005249	PRKAR2B	protein kinase, cAMP-dependent, regulatory, type II, beta [Source:HGNC Symbol;Acc:HGNC:9392]
ENSG00000005961	ITGA2B	integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41) [Source:HGNC Symbol;Acc:HGNC:6138]
ENSG00000006432	MAP3K9	mitogen-activated protein kinase kinase kinase 9 [Source:HGNC Symbol;Acc:HGNC:6861]
ENSG00000006715	VPS41	vacuolar protein sorting 41 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:12713]
ENSG00000010318	PHF7	PHD finger protein 7 [Source:HGNC Symbol;Acc:HGNC:18458]
ENSG00000011275	RNF216	ring finger protein 216 [Source:HGNC Symbol;Acc:HGNC:21698]
ENSG00000011638	TMEM159	transmembrane protein 159 [Source:HGNC Symbol;Acc:HGNC:30136]
ENSG00000012779	ALOX5	arachidonate 5-lipoxygenase [Source:HGNC Symbol;Acc:HGNC:435]
ENSG00000013016	EHD3	EH-domain containing 3 [Source:HGNC Symbol;Acc:HGNC:3244]
ENSG00000025293	PHF20	PHD finger protein 20 [Source:HGNC Symbol;Acc:HGNC:16098]
ENSG00000029725	RABEP1	rabaptin, RAB GTPase binding effector protein 1 [Source:HGNC Symbol;Acc:HGNC:17677]
ENSG00000031003	FAM13B	family with sequence similarity 13, member B [Source:HGNC Symbol;Acc:HGNC:1335]
ENSG00000034677	RNF19A	ring finger protein 19A, RBR E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:13432]
ENSG00000035403	VCL	vinculin [Source:HGNC Symbol;Acc:HGNC:12665]
ENSG00000041353	RAB27B	RAB27B, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:9767]
ENSG00000044090	CUL7	cullin 7 [Source:HGNC Symbol;Acc:HGNC:21024]
ENSG00000048405	ZNF800	zinc finger protein 800 [Source:HGNC Symbol;Acc:HGNC:27267]
ENSG00000064012	CASP8	caspase 8, apoptosis-related cysteine peptidase [Source:HGNC Symbol;Acc:HGNC:1509]
ENSG00000064102	ASUN	asunder spermatogenesis regulator [Source:HGNC Symbol;Acc:HGNC:20174]
ENSG00000064313	TAF2	TAF2 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 150kDa [Source:HGNC Symbol;Acc:HGNC:11536]
ENSG00000065054	SLC9A3R2	solute carrier family 9, subfamily A (NHE3, cation proton antiporter 3), member 3 regulator 2 [Source:HGNC Symbol;Acc:HGNC:11076]
ENSG00000066322	ELOVL1	ELOVL fatty acid elongase 1 [Source:HGNC Symbol;Acc:HGNC:14418]
ENSG00000067369	TP53BP1	tumor protein p53 binding protein 1 [Source:HGNC Symbol;Acc:HGNC:11999]
ENSG00000068796	KIF2A	kinesin heavy chain member 2A [Source:HGNC Symbol;Acc:HGNC:6318]
ENSG00000070190	DAPP1	dual adaptor of phosphotyrosine and 3-phosphoinositides [Source:HGNC Symbol;Acc:HGNC:16500]

Ensembl ID	Hgnc symbol	Description
ENSG00000074755	ZZEF1	zinc finger, ZZ-type with EF-hand domain 1 [Source:HGNC Symbol;Acc:HGNC:29027]
ENSG00000075624	ACTB	actin, beta [Source:HGNC Symbol;Acc:HGNC:132]
ENSG00000078124	ACER3	alkaline ceramidase 3 [Source:HGNC Symbol;Acc:HGNC:16066]
ENSG00000079459	FDFT1	farnesyl-diphosphate farnesyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:3629]
ENSG00000080608	KIAA0020	KIAA0020 [Source:HGNC Symbol;Acc:HGNC:29676]
ENSG00000081087	OSTM1	osteopetrosis associated transmembrane protein 1 [Source:HGNC Symbol;Acc:HGNC:21652]
ENSG00000081320	STK17B	serine/threonine kinase 17b [Source:HGNC Symbol;Acc:HGNC:11396]
ENSG00000081791	KIAA0141	KIAA0141 [Source:HGNC Symbol;Acc:HGNC:28969]
ENSG00000081803	CADPS2	Ca++-dependent secretion activator 2 [Source:HGNC Symbol;Acc:HGNC:16018]
ENSG00000087494	PTHLH	parathyroid hormone-like hormone [Source:HGNC Symbol;Acc:HGNC:9607]
ENSG00000100023	PPIL2	peptidylprolyl isomerase (cyclophilin)-like 2 [Source:HGNC Symbol;Acc:HGNC:9261]
ENSG00000100181	TPTEP1	transmembrane phosphatase with tensin homology pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43648]
ENSG00000100345	MYH9	myosin, heavy chain 9, non-muscle [Source:HGNC Symbol;Acc:HGNC:7579]
ENSG00000100580	TMED8	transmembrane emp24 protein transport domain containing 8 [Source:HGNC Symbol;Acc:HGNC:18633]
ENSG00000100592	DAAM1	dishevelled associated activator of morphogenesis 1 [Source:HGNC Symbol;Acc:HGNC:18142]
ENSG00000101210	EEF1A2	eukaryotic translation elongation factor 1 alpha 2 [Source:HGNC Symbol;Acc:HGNC:3192]
ENSG00000102243	VGLL1	vestigial-like family member 1 [Source:HGNC Symbol;Acc:HGNC:20985]
ENSG00000102572	STK24	serine/threonine kinase 24 [Source:HGNC Symbol;Acc:HGNC:11403]
ENSG00000102804	TSC22D1	TSC22 domain family, member 1 [Source:HGNC Symbol;Acc:HGNC:16826]
ENSG00000103194	USP10	ubiquitin specific peptidase 10 [Source:HGNC Symbol;Acc:HGNC:12608]
ENSG00000103569	AQP9	aquaporin 9 [Source:HGNC Symbol;Acc:HGNC:643]
ENSG00000104447	TRPS1	trichorhinophalangeal syndrome I [Source:HGNC Symbol;Acc:HGNC:12340]
ENSG00000105186	ANKRD27	ankyrin repeat domain 27 (VPS9 domain) [Source:HGNC Symbol;Acc:HGNC:25310]
ENSG00000105778	AVL9	AVL9 homolog (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:28994]
ENSG00000106615	RHEB	Ras homolog enriched in brain [Source:HGNC Symbol;Acc:HGNC:10011]
ENSG00000107438	PDLIM1	PDZ and LIM domain 1 [Source:HGNC Symbol;Acc:HGNC:2067]
ENSG00000107669	ATE1	arginyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:782]
ENSG00000108094	CUL2	cullin 2 [Source:HGNC Symbol;Acc:HGNC:2552]
ENSG00000108389	MTMR4	myotubularin related protein 4 [Source:HGNC Symbol;Acc:HGNC:7452]

Ensembl ID	Hgnc symbol	Description
ENSG00000108883	EFTUD2	elongation factor Tu GTP binding domain containing 2 [Source:HGNC Symbol;Acc:HGNC:30858]
ENSG00000109084	TMEM97	transmembrane protein 97 [Source:HGNC Symbol;Acc:HGNC:28106]
ENSG00000109272	PF4V1	platelet factor 4 variant 1 [Source:HGNC Symbol;Acc:HGNC:8862]
ENSG00000109320	NFKB1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 [Source:HGNC Symbol;Acc:HGNC:7794]
ENSG00000109854	HTATIP2	HIV-1 Tat interactive protein 2, 30kDa [Source:HGNC Symbol;Acc:HGNC:16637]
ENSG00000110002	VWA5A	von Willebrand factor A domain containing 5A [Source:HGNC Symbol;Acc:HGNC:6658]
ENSG00000110060	PUS3	pseudouridylate synthase 3 [Source:HGNC Symbol;Acc:HGNC:25461]
ENSG00000110906	KCTD10	potassium channel tetramerization domain containing 10 [Source:HGNC Symbol;Acc:HGNC:23236]
ENSG00000111215	PRR4	proline rich 4 (lacrimal) [Source:HGNC Symbol;Acc:HGNC:18020]
ENSG00000111237	VPS29	vacuolar protein sorting 29 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:14340]
ENSG00000111348	ARHGDI	Rho GDP dissociation inhibitor (GDI) beta [Source:HGNC Symbol;Acc:HGNC:679]
ENSG00000112118	MCM3	minichromosome maintenance complex component 3 [Source:HGNC Symbol;Acc:HGNC:6945]
ENSG00000112541	PDE10A	phosphodiesterase 10A [Source:HGNC Symbol;Acc:HGNC:8772]
ENSG00000112561	TFEB	transcription factor EB [Source:HGNC Symbol;Acc:HGNC:11753]
ENSG00000112893	MAN2A1	mannosidase, alpha, class 2A, member 1 [Source:HGNC Symbol;Acc:HGNC:6824]
ENSG00000113494	PRLR	prolactin receptor [Source:HGNC Symbol;Acc:HGNC:9446]
ENSG00000113649	TCERG1	transcription elongation regulator 1 [Source:HGNC Symbol;Acc:HGNC:15630]
ENSG00000113658	SMAD5	SMAD family member 5 [Source:HGNC Symbol;Acc:HGNC:6771]
ENSG00000114013	CD86	CD86 molecule [Source:HGNC Symbol;Acc:HGNC:1705]
ENSG00000114166	KAT2B	K(lysine) acetyltransferase 2B [Source:HGNC Symbol;Acc:HGNC:8638]
ENSG00000114638	UPK1B	uroplakin 1B [Source:HGNC Symbol;Acc:HGNC:12578]
ENSG00000114805	PLCH1	phospholipase C, eta 1 [Source:HGNC Symbol;Acc:HGNC:29185]
ENSG00000115159	GPD2	glycerol-3-phosphate dehydrogenase 2 (mitochondrial) [Source:HGNC Symbol;Acc:HGNC:4456]
ENSG00000115641	FHL2	four and a half LIM domains 2 [Source:HGNC Symbol;Acc:HGNC:3703]
ENSG00000116117	PARD3B	par-3 family cell polarity regulator beta [Source:HGNC Symbol;Acc:HGNC:14446]
ENSG00000116191	RALGPS2	Ral GEF with PH domain and SH3 binding motif 2 [Source:HGNC Symbol;Acc:HGNC:30279]
ENSG00000116580	GON4L	gon-4-like (C. elegans) [Source:HGNC Symbol;Acc:HGNC:25973]
ENSG00000116984	MTR	5-methyltetrahydrofolate-homocysteine methyltransferase [Source:HGNC Symbol;Acc:HGNC:7468]
ENSG00000117335	CD46	CD46 molecule, complement regulatory protein [Source:HGNC Symbol;Acc:HGNC:6953]
ENSG00000117461	PIK3R3	phosphoinositide-3-kinase, regulatory subunit 3 (gamma) [Source:HGNC Symbol;Acc:HGNC:8981]

Ensembl ID	Hgnc symbol	Description
ENSG00000119242	CCDC92	coiled-coil domain containing 92 [Source:HGNC Symbol;Acc:HGNC:29563]
ENSG00000119684	MLH3	mutL homolog 3 [Source:HGNC Symbol;Acc:HGNC:7128]
ENSG00000119888	EPCAM	epithelial cell adhesion molecule [Source:HGNC Symbol;Acc:HGNC:11529]
ENSG00000119943	PYROXD2	pyridine nucleotide-disulphide oxidoreductase domain 2 [Source:HGNC Symbol;Acc:HGNC:23517]
ENSG00000120586	NA	NA
ENSG00000120690	ELF1	E74-like factor 1 (ets domain transcription factor) [Source:HGNC Symbol;Acc:HGNC:3316]
ENSG00000120889	TNFRSF10B	tumor necrosis factor receptor superfamily, member 10b [Source:HGNC Symbol;Acc:HGNC:11905]
ENSG00000121594	CD80	CD80 molecule [Source:HGNC Symbol;Acc:HGNC:1700]
ENSG00000121989	ACVR2A	activin A receptor, type IIA [Source:HGNC Symbol;Acc:HGNC:173]
ENSG00000122779	TRIM24	tripartite motif containing 24 [Source:HGNC Symbol;Acc:HGNC:11812]
ENSG00000125676	THOC2	THO complex 2 [Source:HGNC Symbol;Acc:HGNC:19073]
ENSG00000125945	ZNF436	zinc finger protein 436 [Source:HGNC Symbol;Acc:HGNC:20814]
ENSG00000127588	GNG13	guanine nucleotide binding protein (G protein), gamma 13 [Source:HGNC Symbol;Acc:HGNC:14131]
ENSG00000127947	PTPN12	protein tyrosine phosphatase, non-receptor type 12 [Source:HGNC Symbol;Acc:HGNC:9645]
ENSG00000127952	STYXL1	serine/threonine/tyrosine interacting-like 1 [Source:HGNC Symbol;Acc:HGNC:18165]
ENSG00000128245	YWHAH	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, eta [Source:HGNC Symbol;Acc:HGNC:12853]
ENSG00000128266	GNAZ	guanine nucleotide binding protein (G protein), alpha z polypeptide [Source:HGNC Symbol;Acc:HGNC:4395]
ENSG00000128383	APOBEC3A	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3A [Source:HGNC Symbol;Acc:HGNC:17343]
ENSG00000129315	CCNT1	cyclin T1 [Source:HGNC Symbol;Acc:HGNC:1599]
ENSG00000129353	SLC44A2	solute carrier family 44 (choline transporter), member 2 [Source:HGNC Symbol;Acc:HGNC:17292]
ENSG00000129422	MTUS1	microtubule associated tumor suppressor 1 [Source:HGNC Symbol;Acc:HGNC:29789]
ENSG00000130600	H19	H19, imprinted maternally expressed transcript (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:4713]
ENSG00000132530	XAF1	XIAP associated factor 1 [Source:HGNC Symbol;Acc:HGNC:30932]
ENSG00000133116	KL	klotho [Source:HGNC Symbol;Acc:HGNC:6344]
ENSG00000133136	GNG5P2	guanine nucleotide binding protein (G protein), gamma 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:24826]
ENSG00000133606	MKRN1	makorin ring finger protein 1 [Source:HGNC Symbol;Acc:HGNC:7112]
ENSG00000134265	NAPG	N-ethylmaleimide-sensitive factor attachment protein, gamma [Source:HGNC Symbol;Acc:HGNC:7642]
ENSG00000134627	PIWIL4	piwi-like RNA-mediated gene silencing 4 [Source:HGNC Symbol;Acc:HGNC:18444]
ENSG00000135365	PHF21A	PHD finger protein 21A [Source:HGNC Symbol;Acc:HGNC:24156]
ENSG00000135521	LTV1	LTV1 ribosome biogenesis factor [Source:HGNC Symbol;Acc:HGNC:21173]

Ensembl ID	Hgnc symbol	Description
ENSG00000135677	GNS	glucosamine (N-acetyl)-6-sulfatase [Source:HGNC Symbol;Acc:HGNC:4422]
ENSG00000135828	RNASEL	ribonuclease L (2',5'-oligoisoadenylate synthetase-dependent) [Source:HGNC Symbol;Acc:HGNC:10050]
ENSG00000135966	TGFBRAP1	transforming growth factor, beta receptor associated protein 1 [Source:HGNC Symbol;Acc:HGNC:16836]
ENSG00000136193	SCRN1	secernin 1 [Source:HGNC Symbol;Acc:HGNC:22192]
ENSG00000136457	CHAD	chondroadherin [Source:HGNC Symbol;Acc:HGNC:1909]
ENSG00000136689	IL1RN	interleukin 1 receptor antagonist [Source:HGNC Symbol;Acc:HGNC:6000]
ENSG00000136715	SAP130	Sin3A-associated protein, 130kDa [Source:HGNC Symbol;Acc:HGNC:29813]
ENSG00000136738	STAM	signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 [Source:HGNC Symbol;Acc:HGNC:11357]
ENSG00000136861	CDK5RAP2	CDK5 regulatory subunit associated protein 2 [Source:HGNC Symbol;Acc:HGNC:18672]
ENSG00000136872	ALDOB	aldolase B, fructose-bisphosphate [Source:HGNC Symbol;Acc:HGNC:417]
ENSG00000136925	TSTD2	thiosulfate sulfurtransferase (rhodanese)-like domain containing 2 [Source:HGNC Symbol;Acc:HGNC:30087]
ENSG00000137073	UBAP2	ubiquitin associated protein 2 [Source:HGNC Symbol;Acc:HGNC:14185]
ENSG00000139055	ERP27	endoplasmic reticulum protein 27 [Source:HGNC Symbol;Acc:HGNC:26495]
ENSG00000139192	TAPBPL	TAP binding protein-like [Source:HGNC Symbol;Acc:HGNC:30683]
ENSG00000140299	BNIP2	BCL2/adenovirus E1B 19kDa interacting protein 2 [Source:HGNC Symbol;Acc:HGNC:1083]
ENSG00000140374	ETFA	electron-transfer-flavoprotein, alpha polypeptide [Source:HGNC Symbol;Acc:HGNC:3481]
ENSG00000140740	UQCRC2	ubiquinol-cytochrome c reductase core protein II [Source:HGNC Symbol;Acc:HGNC:12586]
ENSG00000140750	ARHGAP17	Rho GTPase activating protein 17 [Source:HGNC Symbol;Acc:HGNC:18239]
ENSG00000141076	CIRH1A	cirrhosis, autosomal recessive 1A (cirhin) [Source:HGNC Symbol;Acc:HGNC:1983]
ENSG00000141179	PCTP	phosphatidylcholine transfer protein [Source:HGNC Symbol;Acc:HGNC:8752]
ENSG00000141194	OR4D1	olfactory receptor, family 4, subfamily D, member 1 [Source:HGNC Symbol;Acc:HGNC:8293]
ENSG00000142669	SH3BGRL3	SH3 domain binding glutamate-rich protein like 3 [Source:HGNC Symbol;Acc:HGNC:15568]
ENSG00000143179	UCK2	uridine-cytidine kinase 2 [Source:HGNC Symbol;Acc:HGNC:12562]
ENSG00000143409	FAM63A	family with sequence similarity 63, member A [Source:HGNC Symbol;Acc:HGNC:25648]
ENSG00000145439	CBR4	carbonyl reductase 4 [Source:HGNC Symbol;Acc:HGNC:25891]
ENSG00000146192	FGD2	FYVE, RhoGEF and PH domain containing 2 [Source:HGNC Symbol;Acc:HGNC:3664]
ENSG00000147183	CPXCR1	CPX chromosome region, candidate 1 [Source:HGNC Symbol;Acc:HGNC:2332]
ENSG00000147394	ZNF185	zinc finger protein 185 (LIM domain) [Source:HGNC Symbol;Acc:HGNC:12976]

Ensembl ID	Hgnc symbol	Description
ENSG00000147419	CCDC25	coiled-coil domain containing 25 [Source:HGNC Symbol;Acc:HGNC:25591]
ENSG00000147606	SLC26A7	solute carrier family 26 (anion exchanger), member 7 [Source:HGNC Symbol;Acc:HGNC:14467]
ENSG00000148396	SEC16A	SEC16 homolog A (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:29006]
ENSG00000148498	PARD3	par-3 family cell polarity regulator [Source:HGNC Symbol;Acc:HGNC:16051]
ENSG00000148840	PPRC1	peroxisome proliferator-activated receptor gamma, coactivator-related 1 [Source:HGNC Symbol;Acc:HGNC:30025]
ENSG00000148848	ADAM12	ADAM metallopeptidase domain 12 [Source:HGNC Symbol;Acc:HGNC:190]
ENSG00000148908	RGS10	regulator of G-protein signaling 10 [Source:HGNC Symbol;Acc:HGNC:9992]
ENSG00000150054	MPP7	membrane protein, palmitoylated 7 (MAGUK p55 subfamily member 7) [Source:HGNC Symbol;Acc:HGNC:26542]
ENSG00000150093	ITGB1	integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12) [Source:HGNC Symbol;Acc:HGNC:6153]
ENSG00000152127	MGAT5	mannosyl (alpha-1,6)-glycoprotein beta-1,6-N-acetyl-glucosaminyltransferase [Source:HGNC Symbol;Acc:HGNC:7049]
ENSG00000152457	DCLRE1C	DNA cross-link repair 1C [Source:HGNC Symbol;Acc:HGNC:17642]
ENSG00000152601	MBNL1	muscleblind-like splicing regulator 1 [Source:HGNC Symbol;Acc:HGNC:6923]
ENSG00000153071	DAB2	Dab, mitogen-responsive phosphoprotein, homolog 2 (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:2662]
ENSG00000155827	RNF20	ring finger protein 20, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:10062]
ENSG00000155903	RASA2	RAS p21 protein activator 2 [Source:HGNC Symbol;Acc:HGNC:9872]
ENSG00000156650	KAT6B	K(lysine) acetyltransferase 6B [Source:HGNC Symbol;Acc:HGNC:17582]
ENSG00000158710	TAGLN2	transgelin 2 [Source:HGNC Symbol;Acc:HGNC:11554]
ENSG00000158856	DMTN	dematin actin binding protein [Source:HGNC Symbol;Acc:HGNC:3382]
ENSG00000159186		
ENSG00000159231	CBR3	carbonyl reductase 3 [Source:HGNC Symbol;Acc:HGNC:1549]
ENSG00000159256	MORC3	MORC family CW-type zinc finger 3 [Source:HGNC Symbol;Acc:HGNC:23572]
ENSG00000159267	HLCS	holocarboxylase synthetase (biotin-(propionyl-CoA-carboxylase (ATP-hydrolysing)) ligase) [Source:HGNC Symbol;Acc:HGNC:4976]
ENSG00000159840	ZYX	zyxin [Source:HGNC Symbol;Acc:HGNC:13200]
ENSG00000160094	ZNF362	zinc finger protein 362 [Source:HGNC Symbol;Acc:HGNC:18079]
ENSG00000160584	SIK3	SIK family kinase 3 [Source:HGNC Symbol;Acc:HGNC:29165]
ENSG00000160917	CPSF4	cleavage and polyadenylation specific factor 4, 30kDa [Source:HGNC Symbol;Acc:HGNC:2327]
ENSG00000161533	ACOX1	acyl-CoA oxidase 1, palmitoyl [Source:HGNC Symbol;Acc:HGNC:119]

Ensembl ID	Hgnc symbol	Description
ENSG00000162105	SHANK2	SH3 and multiple ankyrin repeat domains 2 [Source:HGNC Symbol;Acc:HGNC:14295]
ENSG00000162236	STX5	syntaxin 5 [Source:HGNC Symbol;Acc:HGNC:11440]
ENSG00000162434	JAK1	Janus kinase 1 [Source:HGNC Symbol;Acc:HGNC:6190]
ENSG00000162722	TRIM58	tripartite motif containing 58 [Source:HGNC Symbol;Acc:HGNC:24150]
ENSG00000162817	C1orf115	chromosome 1 open reading frame 115 [Source:HGNC Symbol;Acc:HGNC:25873]
ENSG00000163029	SMC6	structural maintenance of chromosomes 6 [Source:HGNC Symbol;Acc:HGNC:20466]
ENSG00000163602	RYBP	RING1 and YY1 binding protein [Source:HGNC Symbol;Acc:HGNC:10480]
ENSG00000163793	DNAJC5G	Dnaj (Hsp40) homolog, subfamily C, member 5 gamma [Source:HGNC Symbol;Acc:HGNC:24844]
ENSG00000163993	S100P	S100 calcium binding protein P [Source:HGNC Symbol;Acc:HGNC:10504]
ENSG00000164056	SPRY1	sprouty homolog 1, antagonist of FGF signaling (Drosophila) [Source:HGNC Symbol;Acc:HGNC:11269]
ENSG00000164124	TMEM144	transmembrane protein 144 [Source:HGNC Symbol;Acc:HGNC:25633]
ENSG00000164134	NAA15	N(alpha)-acetyltransferase 15, NatA auxiliary subunit [Source:HGNC Symbol;Acc:HGNC:30782]
ENSG00000164181	ELOVL7	ELOVL fatty acid elongase 7 [Source:HGNC Symbol;Acc:HGNC:26292]
ENSG00000164237	CMBL	carboxymethylenebutenolidase homolog (Pseudomonas) [Source:HGNC Symbol;Acc:HGNC:25090]
ENSG00000164266	SPINK1	serine peptidase inhibitor, Kazal type 1 [Source:HGNC Symbol;Acc:HGNC:11244]
ENSG00000164305	CASP3	caspase 3, apoptosis-related cysteine peptidase [Source:HGNC Symbol;Acc:HGNC:1504]
ENSG00000164402	8-Sep	septin 8 [Source:HGNC Symbol;Acc:HGNC:16511]
ENSG00000164691	TAGAP	T-cell activation RhoGTPase activating protein [Source:HGNC Symbol;Acc:HGNC:15669]
ENSG00000164808	SPIDR	scaffolding protein involved in DNA repair [Source:HGNC Symbol;Acc:HGNC:28971]
ENSG00000165406	8-Mar	membrane-associated ring finger (C3HC4) 8, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:23356]
ENSG00000165819	METTL3	methyltransferase like 3 [Source:HGNC Symbol;Acc:HGNC:17563]
ENSG00000165841	CYP2C19	cytochrome P450, family 2, subfamily C, polypeptide 19 [Source:HGNC Symbol;Acc:HGNC:2621]
ENSG00000166086	JAM3	junctional adhesion molecule 3 [Source:HGNC Symbol;Acc:HGNC:15532]
ENSG00000166387	PPFIBP2	PTPRF interacting protein, binding protein 2 (liprin beta 2) [Source:HGNC Symbol;Acc:HGNC:9250]
ENSG00000166428	PLD4	phospholipase D family, member 4 [Source:HGNC Symbol;Acc:HGNC:23792]
ENSG00000166478	ZNF143	zinc finger protein 143 [Source:HGNC Symbol;Acc:HGNC:12928]
ENSG00000166579	NDEL1	nudE neurodevelopment protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:17620]
ENSG00000166963	MAP1A	microtubule-associated protein 1A [Source:HGNC Symbol;Acc:HGNC:6835]

Ensembl ID	Hgnc symbol	Description
ENSG00000167230	NA	NA
ENSG00000167257	RNF214	ring finger protein 214 [Source:HGNC Symbol;Acc:HGNC:25335]
ENSG00000167258	CDK12	cyclin-dependent kinase 12 [Source:HGNC Symbol;Acc:HGNC:24224]
ENSG00000167491	GATAD2A	GATA zinc finger domain containing 2A [Source:HGNC Symbol;Acc:HGNC:29989]
ENSG00000167671	UBXN6	UBX domain protein 6 [Source:HGNC Symbol;Acc:HGNC:14928]
ENSG00000167693	NXN	nucleoredoxin [Source:HGNC Symbol;Acc:HGNC:18008]
ENSG00000167740	CYB5D2	cytochrome b5 domain containing 2 [Source:HGNC Symbol;Acc:HGNC:28471]
ENSG00000168067	MAP4K2	mitogen-activated protein kinase kinase kinase kinase 2 [Source:HGNC Symbol;Acc:HGNC:6864]
ENSG00000168394	TAP1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP) [Source:HGNC Symbol;Acc:HGNC:43]
ENSG00000168992	OR7E102P	olfactory receptor, family 7, subfamily E, member 102 pseudogene [Source:HGNC Symbol;Acc:HGNC:15043]
ENSG00000170049	KCNAB3	potassium voltage-gated channel, shaker-related subfamily, beta member 3 [Source:HGNC Symbol;Acc:HGNC:6230]
ENSG00000170485	NPAS2	neuronal PAS domain protein 2 [Source:HGNC Symbol;Acc:HGNC:7895]
ENSG00000170606	HSPA4	heat shock 70kDa protein 4 [Source:HGNC Symbol;Acc:HGNC:5237]
ENSG00000170802	FOXN2	forkhead box N2 [Source:HGNC Symbol;Acc:HGNC:5281]
ENSG00000171794	UTF1	undifferentiated embryonic cell transcription factor 1 [Source:HGNC Symbol;Acc:HGNC:12634]
ENSG00000172183	ISG20	interferon stimulated exonuclease gene 20kDa [Source:HGNC Symbol;Acc:HGNC:6130]
ENSG00000172476	RAB40A	RAB40A, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:18283]
ENSG00000172594	SMPDL3A	sphingomyelin phosphodiesterase, acid-like 3A [Source:HGNC Symbol;Acc:HGNC:17389]
ENSG00000172769	OR5B3	olfactory receptor, family 5, subfamily B, member 3 [Source:HGNC Symbol;Acc:HGNC:8324]
ENSG00000173210	ABLIM3	actin binding LIM protein family, member 3 [Source:HGNC Symbol;Acc:HGNC:29132]
ENSG00000173728	C1orf100	chromosome 1 open reading frame 100 [Source:HGNC Symbol;Acc:HGNC:30435]
ENSG00000175224	ATG13	autophagy related 13 [Source:HGNC Symbol;Acc:HGNC:29091]
ENSG00000175602	CCDC85B	coiled-coil domain containing 85B [Source:HGNC Symbol;Acc:HGNC:24926]
ENSG00000176043		
ENSG00000176928	GCNT4	glucosaminyl (N-acetyl) transferase 4, core 2 [Source:HGNC Symbol;Acc:HGNC:17973]
ENSG00000177125	ZBTB34	zinc finger and BTB domain containing 34 [Source:HGNC Symbol;Acc:HGNC:31446]
ENSG00000177200	CHD9	chromodomain helicase DNA binding protein 9 [Source:HGNC Symbol;Acc:HGNC:25701]
ENSG00000177602	GSG2	germ cell associated 2 (haspin) [Source:HGNC Symbol;Acc:HGNC:19682]
ENSG00000177628	GBA	glucosidase, beta, acid [Source:HGNC Symbol;Acc:HGNC:4177]

Ensembl ID	Hgnc symbol	Description
ENSG00000177685	CRACR2B	calcium release activated channel regulator 2B [Source:HGNC Symbol;Acc:HGNC:28703]
ENSG00000177853	ZNF518A	zinc finger protein 518A [Source:HGNC Symbol;Acc:HGNC:29009]
ENSG00000178222	RNF212	ring finger protein 212 [Source:HGNC Symbol;Acc:HGNC:27729]
ENSG00000179914	ITLN1	intelectin 1 (galactofuranose binding) [Source:HGNC Symbol;Acc:HGNC:18259]
ENSG00000180488	FAM73A	family with sequence similarity 73, member A [Source:HGNC Symbol;Acc:HGNC:24741]
ENSG00000180694	TMEM64	transmembrane protein 64 [Source:HGNC Symbol;Acc:HGNC:25441]
ENSG00000181227		
ENSG00000182393	IFNL1	interferon, lambda 1 [Source:HGNC Symbol;Acc:HGNC:18363]
ENSG00000182446	NPLOC4	nuclear protein localization 4 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:18261]
ENSG00000182606	TRAK1	trafficking protein, kinesin binding 1 [Source:HGNC Symbol;Acc:HGNC:29947]
ENSG00000183346	C10orf107	chromosome 10 open reading frame 107 [Source:HGNC Symbol;Acc:HGNC:28678]
ENSG00000184108	TRIML1	tripartite motif family-like 1 [Source:HGNC Symbol;Acc:HGNC:26698]
ENSG00000184319	RPL23AP8 2	ribosomal protein L23a pseudogene 82 [Source:HGNC Symbol;Acc:HGNC:33730]
ENSG00000184602	SNN	stannin [Source:HGNC Symbol;Acc:HGNC:11149]
ENSG00000184674	NA	NA
ENSG00000185008	ROBO2	roundabout, axon guidance receptor, homolog 2 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:10250]
ENSG00000185187	SIGIRR	single immunoglobulin and toll-interleukin 1 receptor (TIR) domain [Source:HGNC Symbol;Acc:HGNC:30575]
ENSG00000185296		
ENSG00000186038	HTR3E	5-hydroxytryptamine (serotonin) receptor 3E, ionotropic [Source:HGNC Symbol;Acc:HGNC:24005]
ENSG00000186298	PPP1CC	protein phosphatase 1, catalytic subunit, gamma isozyme [Source:HGNC Symbol;Acc:HGNC:9283]
ENSG00000186453	FAM228A	family with sequence similarity 228, member A [Source:HGNC Symbol;Acc:HGNC:34418]
ENSG00000187109	NAP1L1	nucleosome assembly protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:7637]
ENSG00000187689	AMTN	amelotin [Source:HGNC Symbol;Acc:HGNC:33188]
ENSG00000187990	NA	NA
ENSG00000188060	RAB42	RAB42, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:28702]
ENSG00000188536	HBA2	hemoglobin, alpha 2 [Source:HGNC Symbol;Acc:HGNC:4824]
ENSG00000189339	SLC35E2B	solute carrier family 35, member E2B [Source:HGNC Symbol;Acc:HGNC:33941]
ENSG00000189403	HMGB1	high mobility group box 1 [Source:HGNC Symbol;Acc:HGNC:4983]
ENSG00000196116	TDRD7	tudor domain containing 7 [Source:HGNC Symbol;Acc:HGNC:30831]
ENSG00000196565	HBG2	hemoglobin, gamma G [Source:HGNC Symbol;Acc:HGNC:4832]
ENSG00000196782	MAML3	mastermind-like 3 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:16272]

Ensembl ID	Hgnc symbol	Description
ENSG00000197170	PSMD12	proteasome (prosome, macropain) 26S subunit, non-ATPase, 12 [Source:HGNC Symbol;Acc:HGNC:9557]
ENSG00000197417	SHPK	sedoheptulokinase [Source:HGNC Symbol;Acc:HGNC:1492]
ENSG00000197568	HHLA3	HERV-H LTR-associating 3 [Source:HGNC Symbol;Acc:HGNC:4906]
ENSG00000197753	LHFPL5	lipoma HMGIC fusion partner-like 5 [Source:HGNC Symbol;Acc:HGNC:21253]
ENSG00000198466	ZNF587	zinc finger protein 587 [Source:HGNC Symbol;Acc:HGNC:30955]
ENSG00000198478	SH3BGRL2	SH3 domain binding glutamate-rich protein like 2 [Source:HGNC Symbol;Acc:HGNC:15567]
ENSG00000198682	PAPSS2	3'-phosphoadenosine 5'-phosphosulfate synthase 2 [Source:HGNC Symbol;Acc:HGNC:8604]
ENSG00000198712	MT-CO2	mitochondrially encoded cytochrome c oxidase II [Source:HGNC Symbol;Acc:HGNC:7421]
ENSG00000198787	OR4D12P	olfactory receptor, family 4, subfamily D, member 12 pseudogene [Source:HGNC Symbol;Acc:HGNC:19587]
ENSG00000198818	SFT2D1	SFT2 domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21102]
ENSG00000198829	SUCNR1	succinate receptor 1 [Source:HGNC Symbol;Acc:HGNC:4542]
ENSG00000198840	MT-ND3	mitochondrially encoded NADH dehydrogenase 3 [Source:HGNC Symbol;Acc:HGNC:7458]
ENSG00000198938	MT-CO3	mitochondrially encoded cytochrome c oxidase III [Source:HGNC Symbol;Acc:HGNC:7422]
ENSG00000199287	NA	NA
ENSG00000199470		Small nucleolar RNA SNORA64/SNORA10 family [Source:RFAM;Acc:RF00264]
ENSG00000200492		Small nucleolar RNA U3 [Source:RFAM;Acc:RF00012]
ENSG00000200510	NA	NA
ENSG00000200702		Y RNA [Source:RFAM;Acc:RF00019]
ENSG00000200753		Small nucleolar RNA SNORD56 [Source:RFAM;Acc:RF00275]
ENSG00000200783	RN7SKP180	RNA, 7SK small nuclear pseudogene 180 [Source:HGNC Symbol;Acc:HGNC:45904]
ENSG00000201271	RNU1-112P	RNA, U1 small nuclear 112, pseudogene [Source:HGNC Symbol;Acc:HGNC:48454]
ENSG00000201955	RNY3P1	RNA, Ro-associated Y3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:42477]
ENSG00000203426	NA	NA
ENSG00000203691	NA	NA
ENSG00000203849	NA	NA
ENSG00000204250	LINC00587	long intergenic non-protein coding RNA 587 [Source:HGNC Symbol;Acc:HGNC:31372]
ENSG00000204310	AGPAT1	1-acylglycerol-3-phosphate O-acyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:324]
ENSG00000204389	HSPA1A	heat shock 70kDa protein 1A [Source:HGNC Symbol;Acc:HGNC:5232]
ENSG00000206053	HN1L	hematological and neurological expressed 1-like [Source:HGNC Symbol;Acc:HGNC:14137]
ENSG00000206637		Small nucleolar RNA SNORA70 [Source:RFAM;Acc:RF00156]
ENSG00000206848	RNU6-890P	RNA, U6 small nuclear 890, pseudogene [Source:HGNC Symbol;Acc:HGNC:47853]

Ensembl ID	Hgnc symbol	Description
ENSG00000207712	MIR627	microRNA 627 [Source:HGNC Symbol;Acc:HGNC:32883]
ENSG00000209082	MT-TL1	mitochondrially encoded tRNA leucine 1 (UUA/G) [Source:HGNC Symbol;Acc:HGNC:7490]
ENSG00000210049	MT-TF	mitochondrially encoded tRNA phenylalanine [Source:HGNC Symbol;Acc:HGNC:7481]
ENSG00000210077	MT-TV	mitochondrially encoded tRNA valine [Source:HGNC Symbol;Acc:HGNC:7500]
ENSG00000210107	MT-TQ	mitochondrially encoded tRNA glutamine [Source:HGNC Symbol;Acc:HGNC:7495]
ENSG00000210140	MT-TC	mitochondrially encoded tRNA cysteine [Source:HGNC Symbol;Acc:HGNC:7477]
ENSG00000210156	MT-TK	mitochondrially encoded tRNA lysine [Source:HGNC Symbol;Acc:HGNC:7489]
ENSG00000210176	MT-TH	mitochondrially encoded tRNA histidine [Source:HGNC Symbol;Acc:HGNC:7487]
ENSG00000210191	MT-TL2	mitochondrially encoded tRNA leucine 2 (CUN) [Source:HGNC Symbol;Acc:HGNC:7491]
ENSG00000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]
ENSG00000210195	MT-TT	mitochondrially encoded tRNA threonine [Source:HGNC Symbol;Acc:HGNC:7499]
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]
ENSG00000211538	MIR501	microRNA 501 [Source:HGNC Symbol;Acc:HGNC:32135]
ENSG00000211967	IGHV3-53	immunoglobulin heavy variable 3-53 [Source:HGNC Symbol;Acc:HGNC:5610]
ENSG00000212338		Small nucleolar RNA SNORA67 [Source:RFAM;Acc:RF00272]
ENSG00000212564	RNU6-1326P	RNA, U6 small nuclear 1326, pseudogene [Source:HGNC Symbol;Acc:HGNC:48289]
ENSG00000213014	VN2R17P	vomeronasal 2 receptor 17 pseudogene [Source:HGNC Symbol;Acc:HGNC:33223]
ENSG00000213023	SYT3	synaptotagmin III [Source:HGNC Symbol;Acc:HGNC:11511]
ENSG00000213048	OR5S1P	olfactory receptor, family 5, subfamily S, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15040]
ENSG00000213144		
ENSG00000213401	MAGEA12	melanoma antigen family A, 12 [Source:HGNC Symbol;Acc:HGNC:6799]
ENSG00000213516	RBMXL1	RNA binding motif protein, X-linked-like 1 [Source:HGNC Symbol;Acc:HGNC:25073]
ENSG00000213626	LBH	limb bud and heart development [Source:HGNC Symbol;Acc:HGNC:29532]
ENSG00000214049	UCA1	urothelial cancer associated 1 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:37126]
ENSG00000215030	RPL13P12	ribosomal protein L13 pseudogene 12 [Source:HGNC Symbol;Acc:HGNC:35701]
ENSG00000215089	KRT18P11	keratin 18 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:6431]
ENSG00000215271	HOMEZ	homeobox and leucine zipper encoding [Source:HGNC Symbol;Acc:HGNC:20164]
ENSG00000215834	FMO9P	flavin containing monooxygenase 9 pseudogene [Source:HGNC Symbol;Acc:HGNC:32210]

Ensembl ID	Hgnc symbol	Description
ENSG00000217557		
ENSG00000219188	CACYBPP3	calcyclin binding protein pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:45124]
ENSG00000219368	ZNF299P	zinc finger protein 299, pseudogene [Source:HGNC Symbol;Acc:HGNC:13088]
ENSG00000220505	EIF4EBP2P3	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:49318]
ENSG00000221083		Small nucleolar RNA SNORA77 [Source:RFAM;Acc:RF00599]
ENSG00000221096	NA	NA
ENSG00000221291		
ENSG00000222036	POTEG	POTE ankyrin domain family, member G [Source:HGNC Symbol;Acc:HGNC:33896]
ENSG00000222524	RN7SKP109	RNA, 7SK small nuclear pseudogene 109 [Source:HGNC Symbol;Acc:HGNC:45833]
ENSG00000223026	RN7SKP247	RNA, 7SK small nuclear pseudogene 247 [Source:HGNC Symbol;Acc:HGNC:45971]
ENSG00000223554		
ENSG00000223783		
ENSG00000223881		
ENSG00000224288		
ENSG00000224418	STK24-AS1	STK24 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:39935]
ENSG00000224618		
ENSG00000224924	LINC00320	long intergenic non-protein coding RNA 320 [Source:HGNC Symbol;Acc:HGNC:19690]
ENSG00000225112		
ENSG00000225181		
ENSG00000225216		
ENSG00000225630	MTND2P28	MT-ND2 pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:42129]
ENSG00000225785		
ENSG00000225906		
ENSG00000225972	MTND1P23	MT-ND1 pseudogene 23 [Source:HGNC Symbol;Acc:HGNC:42092]
ENSG00000226104	NA	NA
ENSG00000226272	ARHGAP26-AS1	ARHGAP26 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:40792]
ENSG00000226659		
ENSG00000226801	OSTCP8	oligosaccharyltransferase complex subunit pseudogene 8 [Source:HGNC Symbol;Acc:HGNC:42869]
ENSG00000226939		
ENSG00000226981	ABHD17A P6	abhydrolase domain containing 17A pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:34044]
ENSG00000227011	C17orf112	chromosome 17 open reading frame 112 [Source:HGNC Symbol;Acc:HGNC:42963]
ENSG00000227159	DDX11L16	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11 like 16 [Source:HGNC Symbol;Acc:HGNC:37115]
ENSG00000227274		

Ensembl ID	Hgnc symbol	Description
ENSG00000227438		
ENSG00000227468		
ENSG00000227593		
ENSG00000227676	LINC01068	long intergenic non-protein coding RNA 1068 [Source:HGNC Symbol;Acc:HGNC:49106]
ENSG00000227790		
ENSG00000227970	NR1H5P	nuclear receptor subfamily 1, group H, member 5, pseudogene [Source:HGNC Symbol;Acc:HGNC:32673]
ENSG00000228253	MT-ATP8	mitochondrially encoded ATP synthase 8 [Source:HGNC Symbol;Acc:HGNC:7415]
ENSG00000228513		
ENSG00000228648		
ENSG00000229031		
ENSG00000229196		
ENSG00000229338		
ENSG00000229344		
ENSG00000229485	KSR1P1	kinase suppressor of ras 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44977]
ENSG00000229775		
ENSG00000230019	YWHAQP9	YWHAQ pseudogene 9 [Source:HGNC Symbol;Acc:HGNC:37688]
ENSG00000230022	FNTAP2	farnesyltransferase, CAAX box, alpha pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:3784]
ENSG00000230495		
ENSG00000230515		
ENSG00000230528	NOS2P3	nitric oxide synthase 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:35124]
ENSG00000230589	IMP3P1	IMP3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49385]
ENSG00000230645		
ENSG00000230867		
ENSG00000231680		
ENSG00000231682		
ENSG00000231957	GNAI2P2	guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:45110]
ENSG00000232111		
ENSG00000232120		
ENSG00000232491		
ENSG00000232578		
ENSG00000232650		
ENSG00000233265	MICF	MHC class I polypeptide-related sequence F (pseudogene) [Source:HGNC Symbol;Acc:HGNC:16801]
ENSG00000233545	CYCSP33	cytochrome c, somatic pseudogene 33 [Source:HGNC Symbol;Acc:HGNC:24407]
ENSG00000233614	DDX11L10	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11 like 10 [Source:HGNC Symbol;Acc:HGNC:14125]
ENSG00000233643		

Ensembl ID	Hgnc symbol	Description
ENSG00000234113		
ENSG00000234420	ZNF37BP	zinc finger protein 37B, pseudogene [Source:HGNC Symbol;Acc:HGNC:13103]
ENSG00000234456	MAGI2-AS3	MAGI2 antisense RNA 3 [Source:HGNC Symbol;Acc:HGNC:40862]
ENSG00000234619	RPL7P11	ribosomal protein L7 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:35667]
ENSG00000234683		
ENSG00000234713		
ENSG00000234723		
ENSG00000234724	HDAC1P1	histone deacetylase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45190]
ENSG00000234975	FTH1P2	ferritin, heavy polypeptide 1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:3989]
ENSG00000235147		
ENSG00000235154		
ENSG00000235186		
ENSG00000235902		
ENSG00000235938	NA	NA
ENSG00000236090	LDHAP3	lactate dehydrogenase A pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:6538]
ENSG00000236852		
ENSG00000236876	TMSB4XP1	thymosin beta 4, X-linked pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:11883]
ENSG00000237256	PGAM3P	phosphoglycerate mutase 3, pseudogene [Source:HGNC Symbol;Acc:HGNC:16557]
ENSG00000237356		
ENSG00000237621	OR9A1P	olfactory receptor, family 9, subfamily A, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:8486]
ENSG00000237731	RNGTP1	RNA guanylyltransferase and 5'-phosphatase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39652]
ENSG00000237973	MIR6723	microRNA 6723 [Source:HGNC Symbol;Acc:HGNC:50152]
ENSG00000238083	LRRC37A2	leucine rich repeat containing 37, member A2 [Source:HGNC Symbol;Acc:HGNC:32404]
ENSG00000238460		
ENSG00000238617	NA	NA
ENSG00000238754		Small nucleolar RNA U109 [Source:RFAM;Acc:RF01233]
ENSG00000238763	NA	NA
ENSG00000238858	NA	NA
ENSG00000239011	NA	NA
ENSG00000239072	NA	NA
ENSG00000239073	NA	NA
ENSG00000239547	RN7SL843P	RNA, 7SL, cytoplasmic 843, pseudogene [Source:HGNC Symbol;Acc:HGNC:46859]
ENSG00000239617		
ENSG00000239791		

Ensembl ID	Hgnc symbol	Description
ENSG00000240286	MEAF6P1	MYST/Esa1-associated factor 6 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:42660]
ENSG00000240545	RN7SL492 P	RNA, 7SL, cytoplasmic 492, pseudogene [Source:HGNC Symbol;Acc:HGNC:46508]
ENSG00000240808		
ENSG00000241468	ATP5J2	ATP synthase, H+ transporting, mitochondrial Fo complex, subunit F2 [Source:HGNC Symbol;Acc:HGNC:848]
ENSG00000241656	UBA52P7	ubiquitin A-52 residue ribosomal protein fusion product 1 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:36615]
ENSG00000241757	RN7SL714 P	RNA, 7SL, cytoplasmic 714, pseudogene [Source:HGNC Symbol;Acc:HGNC:46730]
ENSG00000241945	PWP2	PWP2 periodic tryptophan protein homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:9711]
ENSG00000241954		
ENSG00000242716	NA	NA
ENSG00000243136	RN7SL22P	RNA, 7SL, cytoplasmic 22, pseudogene [Source:HGNC Symbol;Acc:HGNC:46038]
ENSG00000243290	IGKV1-12	immunoglobulin kappa variable 1-12 [Source:HGNC Symbol;Acc:HGNC:5730]
ENSG00000243370	RN7SL775 P	RNA, 7SL, cytoplasmic 775, pseudogene [Source:HGNC Symbol;Acc:HGNC:46791]
ENSG00000243824		
ENSG00000244414	CFHR1	complement factor H-related 1 [Source:HGNC Symbol;Acc:HGNC:4888]
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]
ENSG00000244921		
ENSG00000248360	LINC00504	long intergenic non-protein coding RNA 504 [Source:HGNC Symbol;Acc:HGNC:43555]
ENSG00000248538		
ENSG00000248891		
ENSG00000248898		
ENSG00000249072		
ENSG00000249307	LINC01088	long intergenic non-protein coding RNA 1088 [Source:HGNC Symbol;Acc:HGNC:49148]
ENSG00000249429		
ENSG00000249465	RBMXP4	RNA binding motif protein, X-linked pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:34028]
ENSG00000249941		
ENSG00000250067	YJEFN3	YjeF N-terminal domain containing 3 [Source:HGNC Symbol;Acc:HGNC:24785]
ENSG00000250256		
ENSG00000250347		
ENSG00000250360		
ENSG00000250392		
ENSG00000250461		
ENSG00000250508		
ENSG00000250519		
ENSG00000250612		

Ensembl ID	Hgnc symbol	Description
ENSG00000250770		
ENSG00000251062		
ENSG00000251354		
ENSG00000251751	RN7SKP46	RNA, 7SK small nuclear pseudogene 46 [Source:HGNC Symbol;Acc:HGNC:45770]
ENSG00000251983	RN7SKP15 7	RNA, 7SK small nuclear pseudogene 157 [Source:HGNC Symbol;Acc:HGNC:45881]
ENSG00000252164	RNA5SP28 2	RNA, 5S ribosomal pseudogene 282 [Source:HGNC Symbol;Acc:HGNC:43182]
ENSG00000252180	NA	NA
ENSG00000252343	RNU2-34P	RNA, U2 small nuclear 34, pseudogene [Source:HGNC Symbol;Acc:HGNC:48527]
ENSG00000252497	RPPH1-2P	ribonuclease P RNA component H1, 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:47029]
ENSG00000252596	NA	NA
ENSG00000252670	NA	NA
ENSG00000252672	NA	NA
ENSG00000252863	RNU6- 1183P	RNA, U6 small nuclear 1183, pseudogene [Source:HGNC Symbol;Acc:HGNC:48146]
ENSG00000252904		Small nucleolar RNA SNORA76 [Source:RFAM;Acc:RF00598]
ENSG00000253008	MIR2355	microRNA 2355 [Source:HGNC Symbol;Acc:HGNC:38328]
ENSG00000253377		
ENSG00000253603		
ENSG00000253729	PRKDC	protein kinase, DNA-activated, catalytic polypeptide [Source:HGNC Symbol;Acc:HGNC:9413]
ENSG00000253780	IGHVIII-2-1	immunoglobulin heavy variable (III)-2-1 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5695]
ENSG00000253784		
ENSG00000253849		
ENSG00000254070		
ENSG00000254273		
ENSG00000254683	SNRPCP6	small nuclear ribonucleoprotein polypeptide C pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:49821]
ENSG00000254845	NA	NA
ENSG00000255003	CYCSP28	cytochrome c, somatic pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:24402]
ENSG00000255031		
ENSG00000255408	PCDHA3	protocadherin alpha 3 [Source:HGNC Symbol;Acc:HGNC:8669]
ENSG00000256257	CACNA1C- IT2	CACNA1C intronic transcript 2 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41313]
ENSG00000256972		
ENSG00000257004		
ENSG00000257519		
ENSG00000257723	CHCHD3P 2	coiled-coil-helix-coiled-coil-helix domain containing 3 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44698]
ENSG00000257777		

Ensembl ID	Hgnc symbol	Description
ENSG00000257915	GLULP5	glutamate-ammonia ligase (glutamine synthetase) pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:37989]
ENSG00000258088		
ENSG00000258273		
ENSG00000258642		
ENSG00000258790	KIAA0391	KIAA0391 [Source:HGNC Symbol;Acc:HGNC:19958]
ENSG00000258828	KRT8P2	keratin 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:20282]
ENSG00000258845		
ENSG00000259045		
ENSG00000259047		
ENSG00000259145	NA	NA
ENSG00000259411	HNRNPA1 P45	heterogeneous nuclear ribonucleoprotein A1 pseudogene 45 [Source:HGNC Symbol;Acc:HGNC:48775]
ENSG00000259418		
ENSG00000259479	SORD2P	sorbitol dehydrogenase 2, pseudogene [Source:HGNC Symbol;Acc:HGNC:49919]
ENSG00000259588		
ENSG00000259604		
ENSG00000259761		
ENSG00000259802		
ENSG00000260198		
ENSG00000260229		
ENSG00000260282	EIF4EBP2 P2	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:49317]
ENSG00000261340		
ENSG00000261665	TUBA8P2	tubulin, alpha 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44569]
ENSG00000263253		
ENSG00000263435		
ENSG00000263493	NA	NA
ENSG00000263542		
ENSG00000263740	RN7SL4P	RNA, 7SL, cytoplasmic 4, pseudogene [Source:HGNC Symbol;Acc:HGNC:10039]
ENSG00000263774		
ENSG00000263929	NA	NA
ENSG00000264235		
ENSG00000264296		
ENSG00000264386	MIR4513	microRNA 4513 [Source:HGNC Symbol;Acc:HGNC:41855]
ENSG00000264439		
ENSG00000264469		
ENSG00000264910	RN7SL525 P	RNA, 7SL, cytoplasmic 525, pseudogene [Source:HGNC Symbol;Acc:HGNC:46541]
ENSG00000265334		
ENSG00000265408		
ENSG00000265565	MIR3143	microRNA 3143 [Source:HGNC Symbol;Acc:HGNC:38284]

Ensembl ID	Hgnc symbol	Description
ENSG00000265946		
ENSG00000266187	RN7SL480P	RNA, 7SL, cytoplasmic 480, pseudogene [Source:HGNC Symbol;Acc:HGNC:46496]
ENSG00000266399		
ENSG00000266596	NA	NA
ENSG00000266603	NA	NA
ENSG00000266667		
ENSG00000266941		
ENSG00000267513		
ENSG00000267650		
ENSG00000267670		
ENSG00000268230		
ENSG00000268357	VN1R81P	vomeronasal 1 receptor 81 pseudogene [Source:HGNC Symbol;Acc:HGNC:37401]
ENSG00000268995	VN1R82P	vomeronasal 1 receptor 82 pseudogene [Source:HGNC Symbol;Acc:HGNC:37402]
ENSG00000269028	MTRNR2L12	MT-RNR2-like 12 [Source:HGNC Symbol;Acc:HGNC:37169]
ENSG00000269069		
ENSG00000270371		
ENSG00000270377		
ENSG00000270457		
ENSG00000270496	BNIP3P7	BCL2/adenovirus E1B 19kDa interacting protein 3 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:49101]
ENSG00000270680		
ENSG00000270683	FAM71BP1	family with sequence similarity 71, member B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49805]
ENSG00000270798		
ENSG00000271361	HTATSF1P2	HIV-1 Tat specific factor 1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:38586]
ENSG00000271415		
ENSG00000272468		
ENSG00000272626		
ENSG00000273154		

Table 2. All biological sample sources collected in year 1: blood, urine, and saliva

Ensembl_ID	HGNC_symbol	Description
ENSG00000178172	SPINK6	serine peptidase inhibitor, Kazal type 6 [Source:HGNC Symbol;Acc:HGNC:29486]
ENSG00000204566	C10orf115	chromosome 10 open reading frame 115 [Source:HGNC Symbol;Acc:HGNC:31449]
ENSG00000223881		
ENSG00000237027		
ENSG00000243075	RN7SL519P	RNA, 7SL, cytoplasmic 519, pseudogene [Source:HGNC Symbol;Acc:HGNC:46535]
ENSG00000256721	CACNA1C-IT3	CACNA1C intronic transcript 3 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41314]
ENSG00000268280	NA	NA
ENSG00000273185		
ENSG00000260265		
ENSG00000256915		
ENSG00000236559		
ENSG00000258406		
ENSG00000212297	RNU6-821P	RNA, U6 small nuclear 821, pseudogene [Source:HGNC Symbol;Acc:HGNC:47784]
ENSG00000230140		
ENSG00000068366	ACSL4	acyl-CoA synthetase long-chain family member 4 [Source:HGNC Symbol;Acc:HGNC:3571]
ENSG00000175879	HOXD8	homeobox D8 [Source:HGNC Symbol;Acc:HGNC:5139]
ENSG00000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]
ENSG00000206652	RNU1-1	RNA, U1 small nuclear 1 [Source:HGNC Symbol;Acc:HGNC:10120]
ENSG00000219074	SOD1P1	superoxide dismutase 1, soluble pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45134]
ENSG00000232833	NA	NA
ENSG00000270878		
ENSG00000234629	WDR82P1	WD repeat domain 82 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:32447]
ENSG00000236641		
ENSG00000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]
ENSG00000228857		
ENSG00000257718		
ENSG00000253759	IGHV3-57	immunoglobulin heavy variable 3-57 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5612]
ENSG00000259770		
ENSG00000264280	NA	NA
ENSG00000200087	SNORA73B	small nucleolar RNA, H/ACA box 73B [Source:HGNC Symbol;Acc:HGNC:10116]
ENSG00000206634	SNORA22	small nucleolar RNA, H/ACA box 22 [Source:HGNC Symbol;Acc:HGNC:32612]
ENSG00000239002	SCARNA10	small Cajal body-specific RNA 10 [Source:HGNC Symbol;Acc:HGNC:32567]
ENSG00000185640	KRT79	keratin 79 [Source:HGNC Symbol;Acc:HGNC:28930]

Ensembl_ID	HGNC_symbol	Description
ENSG00000184261	KCNK12	potassium channel, subfamily K, member 12 [Source:HGNC Symbol;Acc:HGNC:6274]
ENSG00000237181		
ENSG00000222040	NA	NA
ENSG00000168993	CPLX1	complexin 1 [Source:HGNC Symbol;Acc:HGNC:2309]
ENSG00000169683	LRRC45	leucine rich repeat containing 45 [Source:HGNC Symbol;Acc:HGNC:28302]
ENSG00000258991	DUX4L19	double homeobox 4 like 19 [Source:HGNC Symbol;Acc:HGNC:37718]
ENSG00000196911	KPNA5	karyopherin alpha 5 (importin alpha 6) [Source:HGNC Symbol;Acc:HGNC:6398]
ENSG00000171612	SLC25A33	solute carrier family 25 (pyrimidine nucleotide carrier), member 33 [Source:HGNC Symbol;Acc:HGNC:29681]
ENSG00000265933	LINC00668	long intergenic non-protein coding RNA 668 [Source:HGNC Symbol;Acc:HGNC:44328]
ENSG00000154822	PLCL2	phospholipase C-like 2 [Source:HGNC Symbol;Acc:HGNC:9064]
ENSG00000109536	FRG1	FSHD region gene 1 [Source:HGNC Symbol;Acc:HGNC:3954]
ENSG00000047662	FAM184B	family with sequence similarity 184, member B [Source:HGNC Symbol;Acc:HGNC:29235]
ENSG00000062524	LTK	leukocyte receptor tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:6721]
ENSG00000109680	TBC1D19	TBC1 domain family, member 19 [Source:HGNC Symbol;Acc:HGNC:25624]
ENSG00000112992	NNT	nicotinamide nucleotide transhydrogenase [Source:HGNC Symbol;Acc:HGNC:7863]
ENSG00000119523	ALG2	ALG2, alpha-1,3/1,6-mannosyltransferase [Source:HGNC Symbol;Acc:HGNC:23159]
ENSG00000127990	SGCE	sarcoglycan, epsilon [Source:HGNC Symbol;Acc:HGNC:10808]
ENSG00000132825	PPP1R3D	protein phosphatase 1, regulatory subunit 3D [Source:HGNC Symbol;Acc:HGNC:9294]
ENSG00000135637	CCDC142	coiled-coil domain containing 142 [Source:HGNC Symbol;Acc:HGNC:25889]
ENSG00000152465	NMT2	N-myristoyltransferase 2 [Source:HGNC Symbol;Acc:HGNC:7858]
ENSG00000160993	ALKBH4	alkB, alkylation repair homolog 4 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21900]
ENSG00000164078	MST1R	macrophage stimulating 1 receptor (c-met-related tyrosine kinase) [Source:HGNC Symbol;Acc:HGNC:7381]
ENSG00000167524		uncharacterized serine/threonine-protein kinase SgK494 [Source:EntrezGene;Acc:124923]
ENSG00000171243	SOSTDC1	sclerostin domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21748]
ENSG00000173212	MAB21L3	mab-21-like 3 (C. elegans) [Source:HGNC Symbol;Acc:HGNC:26787]
ENSG00000177947	ODF3	outer dense fiber of sperm tails 3 [Source:HGNC Symbol;Acc:HGNC:19905]
ENSG00000196123	KIAA0895L	KIAA0895-like [Source:HGNC Symbol;Acc:HGNC:34408]
ENSG00000223358	EHHADH-AS1	EHHADH antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44133]
ENSG00000226742	HSBP1L1	heat shock factor binding protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:37243]

Ensembl_ID	HGNC_symbol	Description
ENSG00000233393		
ENSG00000237037	NDUFA6-AS1	NDUFA6 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:45273]
ENSG00000255537		
ENSG00000258705		
ENSG00000157593	SLC35B2	solute carrier family 35 (adenosine 3'-phospho 5'-phosphosulfate transporter), member B2 [Source:HGNC Symbol;Acc:HGNC:16872]
ENSG00000160588	MPZL3	myelin protein zero-like 3 [Source:HGNC Symbol;Acc:HGNC:27279]
ENSG00000170044	ZPLD1	zona pellucida-like domain containing 1 [Source:HGNC Symbol;Acc:HGNC:27022]
ENSG00000198382	UVRAG	UV radiation resistance associated [Source:HGNC Symbol;Acc:HGNC:12640]
ENSG00000131732	ZCCHC9	zinc finger, CCHC domain containing 9 [Source:HGNC Symbol;Acc:HGNC:25424]
ENSG00000141582	CBX4	chromobox homolog 4 [Source:HGNC Symbol;Acc:HGNC:1554]
ENSG00000162591	MEGF6	multiple EGF-like-domains 6 [Source:HGNC Symbol;Acc:HGNC:3232]
ENSG00000206149	HERC2P9	hect domain and RLD 2 pseudogene 9 [Source:HGNC Symbol;Acc:HGNC:30495]
ENSG00000070950	RAD18	RAD18 E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:18278]
ENSG00000100299	ARSA	arylsulfatase A [Source:HGNC Symbol;Acc:HGNC:713]
ENSG00000259959		
ENSG00000075336	TIMM21	translocase of inner mitochondrial membrane 21 homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:25010]
ENSG00000088833	NSFL1C	NSFL1 (p97) cofactor (p47) [Source:HGNC Symbol;Acc:HGNC:15912]
ENSG00000104756	KCTD9	potassium channel tetramerization domain containing 9 [Source:HGNC Symbol;Acc:HGNC:22401]
ENSG00000152763	WDR78	WD repeat domain 78 [Source:HGNC Symbol;Acc:HGNC:26252]
ENSG00000138346	DNA2	DNA replication helicase/nuclease 2 [Source:HGNC Symbol;Acc:HGNC:2939]
ENSG00000144909	OSBPL11	oxysterol binding protein-like 11 [Source:HGNC Symbol;Acc:HGNC:16397]
ENSG00000199237	RNU6-834P	RNA, U6 small nuclear 834, pseudogene [Source:HGNC Symbol;Acc:HGNC:47797]
ENSG00000254014		
ENSG00000172201	ID4	inhibitor of DNA binding 4, dominant negative helix-loop-helix protein [Source:HGNC Symbol;Acc:HGNC:5363]
ENSG00000214772		
ENSG00000253469		
ENSG00000235858		
ENSG00000244060	RPS2P41	ribosomal protein S2 pseudogene 41 [Source:HGNC Symbol;Acc:HGNC:36357]
ENSG00000250535	STK19B	serine/threonine kinase 19B, pseudogene [Source:HGNC Symbol;Acc:HGNC:21668]
ENSG00000120699	EXOSC8	exosome component 8 [Source:HGNC Symbol;Acc:HGNC:17035]

Ensembl_ID	HGNC_symbol	Description
ENSG00000163577	EIF5A2	eukaryotic translation initiation factor 5A2 [Source:HGNC Symbol;Acc:HGNC:3301]
ENSG00000164114	MAP9	microtubule-associated protein 9 [Source:HGNC Symbol;Acc:HGNC:26118]
ENSG00000180708	OR10K2	olfactory receptor, family 10, subfamily K, member 2 [Source:HGNC Symbol;Acc:HGNC:14826]
ENSG00000221571	RNU6ATAC35P	RNA, U6atac small nuclear 35, pseudogene [Source:HGNC Symbol;Acc:HGNC:46934]
ENSG00000226471		
ENSG00000228445	UGT1A2P	UDP glucuronosyltransferase 1 family, polypeptide A2 pseudogene [Source:HGNC Symbol;Acc:HGNC:12534]
ENSG00000228695	CES1P1	carboxylesterase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:18546]
ENSG00000229571	PRAMEF26	PRAME family member 26 [Source:HGNC Symbol;Acc:HGNC:49178]
ENSG00000230205		
ENSG00000251634		
ENSG00000255040		
ENSG00000256660	CLEC12B	C-type lectin domain family 12, member B [Source:HGNC Symbol;Acc:HGNC:31966]
ENSG00000270423		
ENSG00000272729		
ENSG00000223963	PRKRIRP8	protein-kinase, interferon-inducible double stranded RNA dependent inhibitor, repressor of (P58 repressor) pseudogene 8 [Source:HGNC Symbol;Acc:HGNC:39572]
ENSG00000259431	THTPA	thiamine triphosphatase [Source:HGNC Symbol;Acc:HGNC:18987]
ENSG00000224682	SOCS5P2	suppressor of cytokine signaling 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44598]
ENSG00000250437		
ENSG00000258590	NBEAP1	neurobeachin pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:1007]
ENSG00000060762	MPC1	mitochondrial pyruvate carrier 1 [Source:HGNC Symbol;Acc:HGNC:21606]
ENSG00000120306	CYSTM1	cysteine-rich transmembrane module containing 1 [Source:HGNC Symbol;Acc:HGNC:30239]
ENSG00000164825	DEFB1	defensin, beta 1 [Source:HGNC Symbol;Acc:HGNC:2766]
ENSG00000165685	TMEM52B	transmembrane protein 52B [Source:HGNC Symbol;Acc:HGNC:26438]
ENSG00000169344	UMOD	uromodulin [Source:HGNC Symbol;Acc:HGNC:12559]
ENSG00000184908	CLCNKB	chloride channel, voltage-sensitive Kb [Source:HGNC Symbol;Acc:HGNC:2027]
ENSG00000185275	CD24P4	CD24 molecule pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:1649]
ENSG00000197061	HIST1H4C	histone cluster 1, H4c [Source:HGNC Symbol;Acc:HGNC:4787]
ENSG00000205795	CYS1	cystin 1 [Source:HGNC Symbol;Acc:HGNC:18525]
ENSG00000210127	MT-TA	mitochondrially encoded tRNA alanine [Source:HGNC Symbol;Acc:HGNC:7475]
ENSG00000269900	RMRP	RNA component of mitochondrial RNA processing endoribonuclease [Source:HGNC Symbol;Acc:HGNC:10031]

Ensembl_ID	HGNC_symbol	Description
ENSG00000270103	RNU11	RNA, U11 small nuclear [Source:HGNC Symbol;Acc:HGNC:10108]
ENSG00000104327	CALB1	calbindin 1, 28kDa [Source:HGNC Symbol;Acc:HGNC:1434]
ENSG00000113889	KNG1	kininogen 1 [Source:HGNC Symbol;Acc:HGNC:6383]
ENSG00000107485	GATA3	GATA binding protein 3 [Source:HGNC Symbol;Acc:HGNC:4172]
ENSG00000008438	PGLYRP1	peptidoglycan recognition protein 1 [Source:HGNC Symbol;Acc:HGNC:8904]
ENSG00000105647	PIK3R2	phosphoinositide-3-kinase, regulatory subunit 2 (beta) [Source:HGNC Symbol;Acc:HGNC:8980]
ENSG00000116032	GRIN3B	glutamate receptor, ionotropic, N-methyl-D-aspartate 3B [Source:HGNC Symbol;Acc:HGNC:16768]
ENSG00000122862	SRGN	serglycin [Source:HGNC Symbol;Acc:HGNC:9361]
ENSG00000128645	HOXD1	homeobox D1 [Source:HGNC Symbol;Acc:HGNC:5132]
ENSG00000134809	TIMM10	translocase of inner mitochondrial membrane 10 homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:11814]
ENSG00000138207	RBP4	retinol binding protein 4, plasma [Source:HGNC Symbol;Acc:HGNC:9922]
ENSG00000143546	S100A8	S100 calcium binding protein A8 [Source:HGNC Symbol;Acc:HGNC:10498]
ENSG00000160181	TFF2	trefoil factor 2 [Source:HGNC Symbol;Acc:HGNC:11756]
ENSG00000161992	PRR35	proline rich 35 [Source:HGNC Symbol;Acc:HGNC:14139]
ENSG00000163209	SPRR3	small proline-rich protein 3 [Source:HGNC Symbol;Acc:HGNC:11268]
ENSG00000164729	SLC35G3	solute carrier family 35, member G3 [Source:HGNC Symbol;Acc:HGNC:26848]
ENSG00000165799	RNASE7	ribonuclease, RNase A family, 7 [Source:HGNC Symbol;Acc:HGNC:19278]
ENSG00000168746	C20orf62	chromosome 20 open reading frame 62 [Source:HGNC Symbol;Acc:HGNC:16195]
ENSG00000173915	USMG5	up-regulated during skeletal muscle growth 5 homolog (mouse) [Source:HGNC Symbol;Acc:HGNC:30889]
ENSG00000175197	DDIT3	DNA-damage-inducible transcript 3 [Source:HGNC Symbol;Acc:HGNC:2726]
ENSG00000175283	DOLK	dolichol kinase [Source:HGNC Symbol;Acc:HGNC:23406]
ENSG00000176125	UFSP1	UFM1-specific peptidase 1 (non-functional) [Source:HGNC Symbol;Acc:HGNC:33821]
ENSG00000179751	SYCN	syncollin [Source:HGNC Symbol;Acc:HGNC:18442]
ENSG00000181499	OR6T1	olfactory receptor, family 6, subfamily T, member 1 [Source:HGNC Symbol;Acc:HGNC:14848]
ENSG00000187186		HCG2040265, isoform CRA_a; Uncharacterized protein; cDNA FLJ50015 [Source:UniProtKB/TrEMBL;Acc:B7Z3J9]
ENSG00000187808	SOWAHD	sosondowah ankyrin repeat domain family member D [Source:HGNC Symbol;Acc:HGNC:32960]
ENSG00000194297	RNU1-75P	RNA, U1 small nuclear 75, pseudogene [Source:HGNC Symbol;Acc:HGNC:48417]
ENSG00000197674	OR51C1P	olfactory receptor, family 51, subfamily C, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15191]
ENSG00000198518	NA	NA
ENSG00000199212	RNU105C	RNA, U105C small nucleolar [Source:HGNC Symbol;Acc:HGNC:10104]

Ensembl_ID	HGNC_symbol	Description
ENSG00000199378		Y RNA [Source:RFAM;Acc:RF00019]
ENSG00000199536	RNU6-315P	RNA, U6 small nuclear 315, pseudogene [Source:HGNC Symbol;Acc:HGNC:47278]
ENSG00000200131	RN7SKP77	RNA, 7SK small nuclear pseudogene 77 [Source:HGNC Symbol;Acc:HGNC:45801]
ENSG00000200408	RNA5SP74	RNA, 5S ribosomal pseudogene 74 [Source:HGNC Symbol;Acc:HGNC:42851]
ENSG00000201098	RNY1	RNA, Ro-associated Y1 [Source:HGNC Symbol;Acc:HGNC:10242]
ENSG00000201640	RN7SKP28	RNA, 7SK small nuclear pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:45752]
ENSG00000201984		Y RNA [Source:RFAM;Acc:RF00019]
ENSG00000203616	RHOT1P2	ras homolog family member T1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:37838]
ENSG00000204444	APOM	apolipoprotein M [Source:HGNC Symbol;Acc:HGNC:13916]
ENSG00000204544	MUC21	mucin 21, cell surface associated [Source:HGNC Symbol;Acc:HGNC:21661]
ENSG00000205559	CHKB-AS1	CHKB antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:40146]
ENSG00000207010	RNU6-1295P	RNA, U6 small nuclear 1295, pseudogene [Source:HGNC Symbol;Acc:HGNC:48258]
ENSG00000212497	RNA5SP465	RNA, 5S ribosomal pseudogene 465 [Source:HGNC Symbol;Acc:HGNC:43365]
ENSG00000213343	RPL21P18	ribosomal protein L21 pseudogene 18 [Source:HGNC Symbol;Acc:HGNC:28362]
ENSG00000213871	TAF9BP1	TAF9B RNA polymerase II, TATA box binding protein (TBP)-associated factor, 31kDa pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:30687]
ENSG00000213896		
ENSG00000214070		
ENSG00000214381	LINC00488	long intergenic non-protein coding RNA 488 [Source:HGNC Symbol;Acc:HGNC:32675]
ENSG00000214759		
ENSG00000215043	GLULP6	glutamate-ammonia ligase (glutamine synthetase) pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:37990]
ENSG00000215481	BCRP3	breakpoint cluster region pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:1016]
ENSG00000216966		
ENSG00000218180	SLC25A5P7	solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:513]
ENSG00000218803	GSTM2P1	glutathione S-transferase mu 2 (muscle) pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:38009]
ENSG00000222281	RN7SKP111	RNA, 7SK small nuclear pseudogene 111 [Source:HGNC Symbol;Acc:HGNC:45835]
ENSG00000222460	RN7SKP271	RNA, 7SK small nuclear pseudogene 271 [Source:HGNC Symbol;Acc:HGNC:45995]
ENSG00000222678	RN7SKP213	RNA, 7SK small nuclear pseudogene 213 [Source:HGNC Symbol;Acc:HGNC:45937]
ENSG00000222985	RNU2-14P	RNA, U2 small nuclear 14, pseudogene [Source:HGNC Symbol;Acc:HGNC:48507]

Ensembl_ID	HGNC_symbol	Description
ENSG00000223581		
ENSG00000223916		
ENSG00000225770		
ENSG00000226403		
ENSG00000226868		
ENSG00000227401	RPL37P1	ribosomal protein L37 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:16337]
ENSG00000227415		
ENSG00000227646	STEAP2-AS1	STEAP2 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:40820]
ENSG00000227704		
ENSG00000227818		
ENSG00000227864	ARL5AP1	ADP-ribosylation factor-like 5A pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43933]
ENSG00000228366		
ENSG00000228436		
ENSG00000229242		
ENSG00000229313		
ENSG00000229376	CICP3	capicua transcriptional repressor pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:37742]
ENSG00000229925		
ENSG00000229932	YWHAZP3	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:31101]
ENSG00000230696		
ENSG00000230706		
ENSG00000230710	LINC00332	long intergenic non-protein coding RNA 332 [Source:HGNC Symbol;Acc:HGNC:42049]
ENSG00000231937		
ENSG00000232015	HSPE1P25	heat shock 10kDa protein 1 pseudogene 25 [Source:HGNC Symbol;Acc:HGNC:49344]
ENSG00000232464		
ENSG00000232524		
ENSG00000232658		
ENSG00000233558		
ENSG00000235573		
ENSG00000235578		
ENSG00000235942	LCE6A	late cornified envelope 6A [Source:HGNC Symbol;Acc:HGNC:31824]
ENSG00000236209		
ENSG00000236751	LINC01186	long intergenic non-protein coding RNA 1186 [Source:HGNC Symbol;Acc:HGNC:49573]
ENSG00000236824	BCYRN1	brain cytoplasmic RNA 1 [Source:HGNC Symbol;Acc:HGNC:1022]
ENSG00000237213	RPL23AP22	ribosomal protein L23a pseudogene 22 [Source:HGNC Symbol;Acc:HGNC:35505]
ENSG00000237979		

Ensembl_ID	HGNC_symbol	Description
ENSG00000237991	RPL35P1	ribosomal protein L35 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:36695]
ENSG00000238073	RBMY2HP	RNA binding motif protein, Y-linked, family 2, member H pseudogene [Source:HGNC Symbol;Acc:HGNC:23893]
ENSG00000238337	NA	NA
ENSG00000238609	RNU7-94P	RNA, U7 small nuclear 94 pseudogene [Source:HGNC Symbol;Acc:HGNC:45628]
ENSG00000239126	NA	NA
ENSG00000239183	SNORA84	small nucleolar RNA, H/ACA box 84 [Source:HGNC Symbol;Acc:HGNC:33615]
ENSG00000239196	NA	NA
ENSG00000239272	RPL21P10	ribosomal protein L21 pseudogene 10 [Source:HGNC Symbol;Acc:HGNC:19795]
ENSG00000239542	RN7SL399P	RNA, 7SL, cytoplasmic 399, pseudogene [Source:HGNC Symbol;Acc:HGNC:46415]
ENSG00000239857	GET4	golgi to ER traffic protein 4 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:21690]
ENSG00000240803	RN7SL231P	RNA, 7SL, cytoplasmic 231, pseudogene [Source:HGNC Symbol;Acc:HGNC:46247]
ENSG00000242229	RPS3AP14	ribosomal protein S3a pseudogene 14 [Source:HGNC Symbol;Acc:HGNC:35715]
ENSG00000243004		
ENSG00000243974	VTI1BP1	vesicle transport through interaction with t-SNAREs 1B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43727]
ENSG00000244063		
ENSG00000244260		
ENSG00000244582	RPL21P120	ribosomal protein L21 pseudogene 120 [Source:HGNC Symbol;Acc:HGNC:35743]
ENSG00000248240		
ENSG00000248370		
ENSG00000248834	MARK2P5	MAP/microtubule affinity-regulating kinase 2 pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:39796]
ENSG00000248890	HHIP-AS1	HHIP antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44182]
ENSG00000249014	HMGN2P4	high mobility group nucleosomal binding domain 2 pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:33567]
ENSG00000249256	ATP5LP3	ATP synthase, H ⁺ transporting, mitochondrial Fo complex, subunit g, pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:13216]
ENSG00000249942		
ENSG00000250120	PCDHA10	protocadherin alpha 10 [Source:HGNC Symbol;Acc:HGNC:8664]
ENSG00000250234		
ENSG00000250411		
ENSG00000251445		
ENSG00000251583		
ENSG00000252350	RPPH1-3P	ribonuclease P RNA component H1, 3 pseudogene [Source:HGNC Symbol;Acc:HGNC:47030]
ENSG00000252376	RNA5SP395	RNA, 5S ribosomal pseudogene 395 [Source:HGNC Symbol;Acc:HGNC:43295]

Ensembl_ID	HGNC_symbol	Description
ENSG00000252396	RN7SKP195	RNA, 7SK small nuclear pseudogene 195 [Source:HGNC Symbol;Acc:HGNC:45919]
ENSG00000252731		
ENSG00000253112		
ENSG00000253292	MIOXP1	myo-inositol oxygenase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:50748]
ENSG00000253560		
ENSG00000253597	NA	NA
ENSG00000253882		
ENSG00000253892		
ENSG00000253920	IGLV3-31	immunoglobulin lambda variable 3-31 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5913]
ENSG00000254057		
ENSG00000254082		
ENSG00000254086		
ENSG00000254260		
ENSG00000254389	RHPN1-AS1	RHPN1 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:28457]
ENSG00000254509		
ENSG00000254832	OR4A40P	olfactory receptor, family 4, subfamily A, member 40 pseudogene [Source:HGNC Symbol;Acc:HGNC:31259]
ENSG00000255038		
ENSG00000255142		
ENSG00000256037	MRPL40P1	mitochondrial ribosomal protein L40 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44532]
ENSG00000257022		
ENSG00000257241		
ENSG00000257292		
ENSG00000257476		
ENSG00000257640		
ENSG00000257803		
ENSG00000258225		
ENSG00000258379		
ENSG00000258486	RN7SL1	RNA, 7SL, cytoplasmic 1 [Source:HGNC Symbol;Acc:HGNC:10038]
ENSG00000259035		
ENSG00000259211		
ENSG00000259564		
ENSG00000260077		
ENSG00000260571	BNIP3P5	BCL2/adenovirus E1B 19kDa interacting protein 3 pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:39658]
ENSG00000260601		
ENSG00000261916		
ENSG00000261996		
ENSG00000262001	DLGAP1-AS2	DLGAP1 antisense RNA 2 [Source:HGNC Symbol;Acc:HGNC:28146]

Ensembl_ID	HGNC_symbol	Description
ENSG00000262313		
ENSG00000265713		
ENSG00000266021	NA	NA
ENSG00000267142		
ENSG00000267363		
ENSG00000267493	CIRBP-AS1	CIRBP antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:28588]
ENSG00000267706		
ENSG00000268582		
ENSG00000268798		
ENSG00000269364	LINC01233	long intergenic non-protein coding RNA 1233 [Source:HGNC Symbol;Acc:HGNC:49756]
ENSG00000269815		
ENSG00000270010		
ENSG00000270188	MTRNR2L11	MT-RNR2-like 11 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:37168]
ENSG00000270708		
ENSG00000271225		
ENSG00000271365		
ENSG00000271581		
ENSG00000271767	NA	NA
ENSG00000272870		
ENSG00000273106		
ENSG00000273327	OR6L2P	olfactory receptor, family 6, subfamily L, member 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:15125]
ENSG00000125652	ALKBH7	alkB, alkylation repair homolog 7 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21306]
ENSG00000127528	KLF2	Kruppel-like factor 2 [Source:HGNC Symbol;Acc:HGNC:6347]
ENSG00000170891	CYTL1	cytokine-like 1 [Source:HGNC Symbol;Acc:HGNC:24435]
ENSG00000185130	HIST1H2BL	histone cluster 1, H2bl [Source:HGNC Symbol;Acc:HGNC:4748]
ENSG00000224172		
ENSG00000227125		
ENSG00000233115	FAM90A11P	family with sequence similarity 90, member A11, pseudogene [Source:HGNC Symbol;Acc:HGNC:32259]
ENSG00000255079		
ENSG00000267762		
ENSG00000271029		
ENSG00000150201	FXYD4	FXYD domain containing ion transport regulator 4 [Source:HGNC Symbol;Acc:HGNC:4028]
ENSG00000211698	TRGV4	T cell receptor gamma variable 4 [Source:HGNC Symbol;Acc:HGNC:12289]
ENSG00000217643	PTGES3P2	prostaglandin E synthase 3 (cytosolic) pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:43822]
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]
ENSG00000254325		

Ensembl_ID	HGNC_symbol	Description
ENSG00000163739	CXCL1	chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha) [Source:HGNC Symbol;Acc:HGNC:4602]
ENSG00000215004	MESTP4	mesoderm specific transcript pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:38554]
ENSG00000230312		
ENSG00000230799		
ENSG00000242770		
ENSG00000254638		
ENSG00000258676		
ENSG00000234519		
ENSG00000236495		
ENSG00000216629	OR2W4P	olfactory receptor, family 2, subfamily W, member 4 pseudogene [Source:HGNC Symbol;Acc:HGNC:15071]
ENSG00000259108		
ENSG00000198868	MIR4461	microRNA 4461 [Source:HGNC Symbol;Acc:HGNC:41656]
ENSG00000086666	ZFAND6	zinc finger, AN1-type domain 6 [Source:HGNC Symbol;Acc:HGNC:30164]
ENSG00000129562	DAD1	defender against cell death 1 [Source:HGNC Symbol;Acc:HGNC:2664]
ENSG00000165480	SKA3	spindle and kinetochore associated complex subunit 3 [Source:HGNC Symbol;Acc:HGNC:20262]
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]
ENSG00000214114	MYCBP	MYC binding protein [Source:HGNC Symbol;Acc:HGNC:7554]
ENSG00000259834		potassium voltage-gated channel, shaker-related subfamily, member 3 [Source:EntrezGene;Acc:3738]
ENSG00000007306	CEACAM7	carcinoembryonic antigen-related cell adhesion molecule 7 [Source:HGNC Symbol;Acc:HGNC:1819]
ENSG00000043462	LCP2	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa) [Source:HGNC Symbol;Acc:HGNC:6529]
ENSG00000057657	PRDM1	PR domain containing 1, with ZNF domain [Source:HGNC Symbol;Acc:HGNC:9346]
ENSG00000059728	MXD1	MAX dimerization protein 1 [Source:HGNC Symbol;Acc:HGNC:6761]
ENSG00000101336	HCK	HCK proto-oncogene, Src family tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:4840]
ENSG00000103569	AQP9	aquaporin 9 [Source:HGNC Symbol;Acc:HGNC:643]
ENSG00000120738	EGR1	early growth response 1 [Source:HGNC Symbol;Acc:HGNC:3238]
ENSG00000122861	PLAU	plasminogen activator, urokinase [Source:HGNC Symbol;Acc:HGNC:9052]
ENSG00000123395	ATG101	autophagy related 101 [Source:HGNC Symbol;Acc:HGNC:25679]
ENSG00000140279	DUOX2	dual oxidase 2 [Source:HGNC Symbol;Acc:HGNC:13273]
ENSG00000140678	ITGAX	integrin, alpha X (complement component 3 receptor 4 subunit) [Source:HGNC Symbol;Acc:HGNC:6152]
ENSG00000140749	IGSF6	immunoglobulin superfamily, member 6 [Source:HGNC Symbol;Acc:HGNC:5953]

Ensembl_ID	HGNC_symbol	Description
ENSG00000145113	MUC4	mucin 4, cell surface associated [Source:HGNC Symbol;Acc:HGNC:7514]
ENSG00000147180	ZNF711	zinc finger protein 711 [Source:HGNC Symbol;Acc:HGNC:13128]
ENSG00000169429	CXCL8	chemokine (C-X-C motif) ligand 8 [Source:HGNC Symbol;Acc:HGNC:6025]
ENSG00000171223	JUNB	jun B proto-oncogene [Source:HGNC Symbol;Acc:HGNC:6205]
ENSG00000188215	DCUN1D3	DCN1, defective in cullin neddylation 1, domain containing 3 [Source:HGNC Symbol;Acc:HGNC:28734]
ENSG00000196352	CD55	CD55 molecule, decay accelerating factor for complement (Cromer blood group) [Source:HGNC Symbol;Acc:HGNC:2665]
ENSG00000212443	SNORA53	small nucleolar RNA, H/ACA box 53 [Source:HGNC Symbol;Acc:HGNC:32646]
ENSG00000223880	LINC01078	long intergenic non-protein coding RNA 1078 [Source:HGNC Symbol;Acc:HGNC:49121]
ENSG00000227056	RPL6P2	ribosomal protein L6 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:35964]
ENSG00000231259		
ENSG00000232990	MTATP6P7	mitochondrially encoded ATP synthase 6 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:44581]
ENSG00000241983	RN7SL566P	RNA, 7SL, cytoplasmic 566, pseudogene [Source:HGNC Symbol;Acc:HGNC:46582]
ENSG00000249588		
ENSG00000254124	EEF1A1P37	eukaryotic translation elongation factor 1 alpha 1 pseudogene 37 [Source:HGNC Symbol;Acc:HGNC:37915]
ENSG00000264462	MIR3648-1	microRNA 3648-1 [Source:HGNC Symbol;Acc:HGNC:38941]
ENSG00000268543		

Table 3. Some biomarkers differentially expressed in blood samples

Ensembl_ID	HGNC_symbol	Description
ENSG00000086666	ZFAND6	zinc finger, AN1-type domain 6 [Source:HGNC Symbol;Acc:HGNC:30164]
ENSG00000129562	DAD1	defender against cell death 1 [Source:HGNC Symbol;Acc:HGNC:2664]
ENSG00000165480	SKA3	spindle and kinetochore associated complex subunit 3 [Source:HGNC Symbol;Acc:HGNC:20262]
ENSG00000168993	CPLX1	complexin 1 [Source:HGNC Symbol;Acc:HGNC:2309]
ENSG00000169683	LRRC45	leucine rich repeat containing 45 [Source:HGNC Symbol;Acc:HGNC:28302]
ENSG00000172201	ID4	inhibitor of DNA binding 4, dominant negative helix-loop-helix protein [Source:HGNC Symbol;Acc:HGNC:5363]
ENSG00000178172	SPINK6	serine peptidase inhibitor, Kazal type 6 [Source:HGNC Symbol;Acc:HGNC:29486]
ENSG00000184261	KCNK12	potassium channel, subfamily K, member 12 [Source:HGNC Symbol;Acc:HGNC:6274]
ENSG00000185640	KRT79	keratin 79 [Source:HGNC Symbol;Acc:HGNC:28930]
ENSG00000204566	C10orf115	chromosome 10 open reading frame 115 [Source:HGNC Symbol;Acc:HGNC:31449]
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]

Ensembl_ID	HGNC_symbol	Description
ENSG00000212297	RNU6-821P	RNA, U6 small nuclear 821, pseudogene [Source:HGNC Symbol;Acc:HGNC:47784]
ENSG00000214114	MYCBP	MYC binding protein [Source:HGNC Symbol;Acc:HGNC:7554]
ENSG00000214772		
ENSG00000222040	NA	NA
ENSG00000223881		
ENSG00000230140		
ENSG00000235858		
ENSG00000236559		
ENSG00000237027		
ENSG00000237181		
ENSG00000243075	RN7SL519P	RNA, 7SL, cytoplasmic 519, pseudogene [Source:HGNC Symbol;Acc:HGNC:46535]
ENSG00000244060	RPS2P41	ribosomal protein S2 pseudogene 41 [Source:HGNC Symbol;Acc:HGNC:36357]
ENSG00000250535	STK19B	serine/threonine kinase 19B, pseudogene [Source:HGNC Symbol;Acc:HGNC:21668]
ENSG00000253469		
ENSG00000256721	CACNA1C-IT3	CACNA1C intronic transcript 3 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41314]
ENSG00000256915		
ENSG00000258406		
ENSG00000258991	DUX4L19	double homeobox 4 like 19 [Source:HGNC Symbol;Acc:HGNC:37718]
ENSG00000259834		potassium voltage-gated channel, shaker-related subfamily, member 3 [Source:EntrezGene;Acc:3738]
ENSG00000260265		
ENSG00000268280	NA	NA
ENSG00000273185		

Table 4. Some biomarkers differentially expressed in saliva samples

Ensembl_ID	HGNC_symbol	Description
ENSG00000120699	EXOSC8	exosome component 8 [Source:HGNC Symbol;Acc:HGNC:17035]
ENSG00000163577	EIF5A2	eukaryotic translation initiation factor 5A2 [Source:HGNC Symbol;Acc:HGNC:3301]
ENSG00000164114	MAP9	microtubule-associated protein 9 [Source:HGNC Symbol;Acc:HGNC:26118]
ENSG00000180708	OR10K2	olfactory receptor, family 10, subfamily K, member 2 [Source:HGNC Symbol;Acc:HGNC:14826]
ENSG00000221571	RNU6ATAC35P	RNA, U6atac small nuclear 35, pseudogene [Source:HGNC Symbol;Acc:HGNC:46934]
ENSG00000223963	PRKRIRP8	protein-kinase, interferon-inducible double stranded RNA dependent inhibitor, repressor of (P58 repressor) pseudogene 8 [Source:HGNC Symbol;Acc:HGNC:39572]
ENSG00000224682	SOCS5P2	suppressor of cytokine signaling 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44598]
ENSG00000226471		

Ensembl_ID	HGNC_symbol	Description
ENSG00000228445	UGT1A2P	UDP glucuronosyltransferase 1 family, polypeptide A2 pseudogene [Source:HGNC Symbol;Acc:HGNC:12534]
ENSG00000228695	CES1P1	carboxylesterase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:18546]
ENSG00000229571	PRAMEF26	PRAME family member 26 [Source:HGNC Symbol;Acc:HGNC:49178]
ENSG00000230205		
ENSG00000250437		
ENSG00000251634		
ENSG00000255040		
ENSG00000256660	CLEC12B	C-type lectin domain family 12, member B [Source:HGNC Symbol;Acc:HGNC:31966]
ENSG00000258590	NBEAP1	neurobeachin pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:1007]
ENSG00000259431	THTPA	thiamine triphosphatase [Source:HGNC Symbol;Acc:HGNC:18987]
ENSG00000270423		
ENSG00000272729		

Table 5. Some biomarkers differentially expressed in urine samples

Ensembl_ID	HGNC_symbol	Description
ENSG00000068366	ACSL4	acyl-CoA synthetase long-chain family member 4 [Source:HGNC Symbol;Acc:HGNC:3571]
ENSG00000175879	HOXD8	homeobox D8 [Source:HGNC Symbol;Acc:HGNC:5139]
ENSG00000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]
ENSG00000206652	RNU1-1	RNA, U1 small nuclear 1 [Source:HGNC Symbol;Acc:HGNC:10120]
ENSG00000219074	SOD1P1	superoxide dismutase 1, soluble pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45134]
ENSG00000232833	NA	NA
ENSG00000270878		
ENSG00000234629	WDR82P1	WD repeat domain 82 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:32447]
ENSG00000236641		
ENSG00000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]
ENSG00000228857		
ENSG00000257718		
ENSG00000253759	IGHV3-57	immunoglobulin heavy variable 3-57 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5612]
ENSG00000259770		
ENSG00000264280	NA	NA
ENSG00000200087	SNORA73B	small nucleolar RNA, H/ACA box 73B [Source:HGNC Symbol;Acc:HGNC:10116]
ENSG00000206634	SNORA22	small nucleolar RNA, H/ACA box 22 [Source:HGNC Symbol;Acc:HGNC:32612]
ENSG00000239002	SCARNA10	small Cajal body-specific RNA 10 [Source:HGNC Symbol;Acc:HGNC:32567]

Ensembl_ID	HGNC_symbol	Description
ENSG00000196911	KPNA5	karyopherin alpha 5 (importin alpha 6) [Source:HGNC Symbol;Acc:HGNC:6398]
ENSG00000171612	SLC25A33	solute carrier family 25 (pyrimidine nucleotide carrier), member 33 [Source:HGNC Symbol;Acc:HGNC:29681]
ENSG00000265933	LINC00668	long intergenic non-protein coding RNA 668 [Source:HGNC Symbol;Acc:HGNC:44328]
ENSG00000154822	PLCL2	phospholipase C-like 2 [Source:HGNC Symbol;Acc:HGNC:9064]
ENSG00000109536	FRG1	FSHD region gene 1 [Source:HGNC Symbol;Acc:HGNC:3954]
ENSG00000047662	FAM184B	family with sequence similarity 184, member B [Source:HGNC Symbol;Acc:HGNC:29235]
ENSG00000062524	LTK	leukocyte receptor tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:6721]
ENSG00000109680	TBC1D19	TBC1 domain family, member 19 [Source:HGNC Symbol;Acc:HGNC:25624]
ENSG00000112992	NNT	nicotinamide nucleotide transhydrogenase [Source:HGNC Symbol;Acc:HGNC:7863]
ENSG00000119523	ALG2	ALG2, alpha-1,3/1,6-mannosyltransferase [Source:HGNC Symbol;Acc:HGNC:23159]
ENSG00000127990	SGCE	sarcoglycan, epsilon [Source:HGNC Symbol;Acc:HGNC:10808]
ENSG00000132825	PPP1R3D	protein phosphatase 1, regulatory subunit 3D [Source:HGNC Symbol;Acc:HGNC:9294]
ENSG00000135637	CCDC142	coiled-coil domain containing 142 [Source:HGNC Symbol;Acc:HGNC:25889]
ENSG00000152465	NMT2	N-myristoyltransferase 2 [Source:HGNC Symbol;Acc:HGNC:7858]
ENSG00000160993	ALKBH4	alkB, alkylation repair homolog 4 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21900]
ENSG00000164078	MST1R	macrophage stimulating 1 receptor (c-met-related tyrosine kinase) [Source:HGNC Symbol;Acc:HGNC:7381]
ENSG00000167524		uncharacterized serine/threonine-protein kinase SgK494 [Source:EntrezGene;Acc:124923]
ENSG00000171243	SOSTDC1	sclerostin domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21748]
ENSG00000173212	MAB21L3	mab-21-like 3 (C. elegans) [Source:HGNC Symbol;Acc:HGNC:26787]
ENSG00000177947	ODF3	outer dense fiber of sperm tails 3 [Source:HGNC Symbol;Acc:HGNC:19905]
ENSG00000196123	KIAA0895L	KIAA0895-like [Source:HGNC Symbol;Acc:HGNC:34408]
ENSG00000223358	EHHADH-AS1	EHHADH antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44133]
ENSG00000226742	HSBP1L1	heat shock factor binding protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:37243]
ENSG00000233393		
ENSG00000237037	NDUFA6-AS1	NDUFA6 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:45273]
ENSG00000255537		
ENSG00000258705		
ENSG00000157593	SLC35B2	solute carrier family 35 (adenosine 3'-phospho 5'-phosphosulfate transporter), member B2 [Source:HGNC Symbol;Acc:HGNC:16872]

Ensembl_ID	HGNC_symbol	Description
ENSG00000160588	MPZL3	myelin protein zero-like 3 [Source:HGNC Symbol;Acc:HGNC:27279]
ENSG00000170044	ZPLD1	zona pellucida-like domain containing 1 [Source:HGNC Symbol;Acc:HGNC:27022]
ENSG00000198382	UVRAG	UV radiation resistance associated [Source:HGNC Symbol;Acc:HGNC:12640]
ENSG00000131732	ZCCHC9	zinc finger, CCHC domain containing 9 [Source:HGNC Symbol;Acc:HGNC:25424]
ENSG00000141582	CBX4	chromobox homolog 4 [Source:HGNC Symbol;Acc:HGNC:1554]
ENSG00000162591	MEGF6	multiple EGF-like-domains 6 [Source:HGNC Symbol;Acc:HGNC:3232]
ENSG00000206149	HERC2P9	hect domain and RLD 2 pseudogene 9 [Source:HGNC Symbol;Acc:HGNC:30495]
ENSG00000070950	RAD18	RAD18 E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:18278]
ENSG00000100299	ARSA	arylsulfatase A [Source:HGNC Symbol;Acc:HGNC:713]
ENSG00000259959		
ENSG00000075336	TIMM21	translocase of inner mitochondrial membrane 21 homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:25010]
ENSG00000088833	NSFL1C	NSFL1 (p97) cofactor (p47) [Source:HGNC Symbol;Acc:HGNC:15912]
ENSG00000104756	KCTD9	potassium channel tetramerization domain containing 9 [Source:HGNC Symbol;Acc:HGNC:22401]
ENSG00000152763	WDR78	WD repeat domain 78 [Source:HGNC Symbol;Acc:HGNC:26252]
ENSG00000138346	DNA2	DNA replication helicase/nuclease 2 [Source:HGNC Symbol;Acc:HGNC:2939]
ENSG00000144909	OSBPL11	oxysterol binding protein-like 11 [Source:HGNC Symbol;Acc:HGNC:16397]
ENSG00000199237	RNU6-834P	RNA, U6 small nuclear 834, pseudogene [Source:HGNC Symbol;Acc:HGNC:47797]
ENSG00000254014		
ENSG00000060762	MPC1	mitochondrial pyruvate carrier 1 [Source:HGNC Symbol;Acc:HGNC:21606]
ENSG00000120306	CYSTM1	cysteine-rich transmembrane module containing 1 [Source:HGNC Symbol;Acc:HGNC:30239]
ENSG00000164825	DEFB1	defensin, beta 1 [Source:HGNC Symbol;Acc:HGNC:2766]
ENSG00000165685	TMEM52B	transmembrane protein 52B [Source:HGNC Symbol;Acc:HGNC:26438]
ENSG00000169344	UMOD	uromodulin [Source:HGNC Symbol;Acc:HGNC:12559]
ENSG00000184908	CLCNKB	chloride channel, voltage-sensitive Kb [Source:HGNC Symbol;Acc:HGNC:2027]
ENSG00000185275	CD24P4	CD24 molecule pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:1649]
ENSG00000197061	HIST1H4C	histone cluster 1, H4c [Source:HGNC Symbol;Acc:HGNC:4787]
ENSG00000205795	CYS1	cystin 1 [Source:HGNC Symbol;Acc:HGNC:18525]
ENSG00000210127	MT-TA	mitochondrially encoded tRNA alanine [Source:HGNC Symbol;Acc:HGNC:7475]
ENSG00000269900	RMRP	RNA component of mitochondrial RNA processing endoribonuclease [Source:HGNC Symbol;Acc:HGNC:10031]

Ensembl_ID	HGNC_symbol	Description
ENSG00000270103	RNU11	RNA, U11 small nuclear [Source:HGNC Symbol;Acc:HGNC:10108]
ENSG00000104327	CALB1	calbindin 1, 28kDa [Source:HGNC Symbol;Acc:HGNC:1434]
ENSG00000113889	KNG1	kininogen 1 [Source:HGNC Symbol;Acc:HGNC:6383]
ENSG00000107485	GATA3	GATA binding protein 3 [Source:HGNC Symbol;Acc:HGNC:4172]
ENSG00000008438	PGLYRP1	peptidoglycan recognition protein 1 [Source:HGNC Symbol;Acc:HGNC:8904]
ENSG00000105647	PIK3R2	phosphoinositide-3-kinase, regulatory subunit 2 (beta) [Source:HGNC Symbol;Acc:HGNC:8980]
ENSG00000116032	GRIN3B	glutamate receptor, ionotropic, N-methyl-D-aspartate 3B [Source:HGNC Symbol;Acc:HGNC:16768]
ENSG00000122862	SRGN	serglycin [Source:HGNC Symbol;Acc:HGNC:9361]
ENSG00000128645	HOXD1	homeobox D1 [Source:HGNC Symbol;Acc:HGNC:5132]
ENSG00000134809	TIMM10	translocase of inner mitochondrial membrane 10 homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:11814]
ENSG00000138207	RBP4	retinol binding protein 4, plasma [Source:HGNC Symbol;Acc:HGNC:9922]
ENSG00000143546	S100A8	S100 calcium binding protein A8 [Source:HGNC Symbol;Acc:HGNC:10498]
ENSG00000160181	TFF2	trefoil factor 2 [Source:HGNC Symbol;Acc:HGNC:11756]
ENSG00000161992	PRR35	proline rich 35 [Source:HGNC Symbol;Acc:HGNC:14139]
ENSG00000163209	SPRR3	small proline-rich protein 3 [Source:HGNC Symbol;Acc:HGNC:11268]
ENSG00000164729	SLC35G3	solute carrier family 35, member G3 [Source:HGNC Symbol;Acc:HGNC:26848]
ENSG00000165799	RNASE7	ribonuclease, RNase A family, 7 [Source:HGNC Symbol;Acc:HGNC:19278]
ENSG00000168746	C20orf62	chromosome 20 open reading frame 62 [Source:HGNC Symbol;Acc:HGNC:16195]
ENSG00000173915	USMG5	up-regulated during skeletal muscle growth 5 homolog (mouse) [Source:HGNC Symbol;Acc:HGNC:30889]
ENSG00000175197	DDIT3	DNA-damage-inducible transcript 3 [Source:HGNC Symbol;Acc:HGNC:2726]
ENSG00000175283	DOLK	dolichol kinase [Source:HGNC Symbol;Acc:HGNC:23406]
ENSG00000176125	UFSP1	UFM1-specific peptidase 1 (non-functional) [Source:HGNC Symbol;Acc:HGNC:33821]
ENSG00000179751	SYCN	syncollin [Source:HGNC Symbol;Acc:HGNC:18442]
ENSG00000181499	OR6T1	olfactory receptor, family 6, subfamily T, member 1 [Source:HGNC Symbol;Acc:HGNC:14848]
ENSG00000187186		HCG2040265, isoform CRA_a; Uncharacterized protein; cDNA FLJ50015 [Source:UniProtKB/TrEMBL;Acc:B7Z3J9]
ENSG00000187808	SOWAHD	sosondowah ankyrin repeat domain family member D [Source:HGNC Symbol;Acc:HGNC:32960]
ENSG00000194297	RNU1-75P	RNA, U1 small nuclear 75, pseudogene [Source:HGNC Symbol;Acc:HGNC:48417]
ENSG00000197674	OR51C1P	olfactory receptor, family 51, subfamily C, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15191]
ENSG00000198518	NA	NA
ENSG00000199212	RNU105C	RNA, U105C small nucleolar [Source:HGNC Symbol;Acc:HGNC:10104]

Ensembl_ID	HGNC_symbol	Description
ENSG00000199378		Y RNA [Source:RFAM;Acc:RF00019]
ENSG00000199536	RNU6-315P	RNA, U6 small nuclear 315, pseudogene [Source:HGNC Symbol;Acc:HGNC:47278]
ENSG00000200131	RN7SKP77	RNA, 7SK small nuclear pseudogene 77 [Source:HGNC Symbol;Acc:HGNC:45801]
ENSG00000200408	RNA5SP74	RNA, 5S ribosomal pseudogene 74 [Source:HGNC Symbol;Acc:HGNC:42851]
ENSG00000201098	RNY1	RNA, Ro-associated Y1 [Source:HGNC Symbol;Acc:HGNC:10242]
ENSG00000201640	RN7SKP28	RNA, 7SK small nuclear pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:45752]
ENSG00000201984		Y RNA [Source:RFAM;Acc:RF00019]
ENSG00000203616	RHOT1P2	ras homolog family member T1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:37838]
ENSG00000204444	APOM	apolipoprotein M [Source:HGNC Symbol;Acc:HGNC:13916]
ENSG00000204544	MUC21	mucin 21, cell surface associated [Source:HGNC Symbol;Acc:HGNC:21661]
ENSG00000205559	CHKB-AS1	CHKB antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:40146]
ENSG00000207010	RNU6-1295P	RNA, U6 small nuclear 1295, pseudogene [Source:HGNC Symbol;Acc:HGNC:48258]
ENSG00000212497	RNA5SP465	RNA, 5S ribosomal pseudogene 465 [Source:HGNC Symbol;Acc:HGNC:43365]
ENSG00000213343	RPL21P18	ribosomal protein L21 pseudogene 18 [Source:HGNC Symbol;Acc:HGNC:28362]
ENSG00000213871	TAF9BP1	TAF9B RNA polymerase II, TATA box binding protein (TBP)-associated factor, 31kDa pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:30687]
ENSG00000213896		
ENSG00000214070		
ENSG00000214381	LINC00488	long intergenic non-protein coding RNA 488 [Source:HGNC Symbol;Acc:HGNC:32675]
ENSG00000214759		
ENSG00000215043	GLULP6	glutamate-ammonia ligase (glutamine synthetase) pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:37990]
ENSG00000215481	BCRP3	breakpoint cluster region pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:1016]
ENSG00000216966		
ENSG00000218180	SLC25A5P7	solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:513]
ENSG00000218803	GSTM2P1	glutathione S-transferase mu 2 (muscle) pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:38009]
ENSG00000222281	RN7SKP111	RNA, 7SK small nuclear pseudogene 111 [Source:HGNC Symbol;Acc:HGNC:45835]
ENSG00000222460	RN7SKP271	RNA, 7SK small nuclear pseudogene 271 [Source:HGNC Symbol;Acc:HGNC:45995]
ENSG00000222678	RN7SKP213	RNA, 7SK small nuclear pseudogene 213 [Source:HGNC Symbol;Acc:HGNC:45937]
ENSG00000222985	RNU2-14P	RNA, U2 small nuclear 14, pseudogene [Source:HGNC Symbol;Acc:HGNC:48507]

Ensembl_ID	HGNC_symbol	Description
ENSG00000223581		
ENSG00000223916		
ENSG00000225770		
ENSG00000226403		
ENSG00000226868		
ENSG00000227401	RPL37P1	ribosomal protein L37 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:16337]
ENSG00000227415		
ENSG00000227646	STEAP2-AS1	STEAP2 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:40820]
ENSG00000227704		
ENSG00000227818		
ENSG00000227864	ARL5AP1	ADP-ribosylation factor-like 5A pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43933]
ENSG00000228366		
ENSG00000228436		
ENSG00000229242		
ENSG00000229313		
ENSG00000229376	CICP3	capicua transcriptional repressor pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:37742]
ENSG00000229925		
ENSG00000229932	YWHAZP3	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, zeta pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:31101]
ENSG00000230696		
ENSG00000230706		
ENSG00000230710	LINC00332	long intergenic non-protein coding RNA 332 [Source:HGNC Symbol;Acc:HGNC:42049]
ENSG00000231937		
ENSG00000232015	HSPE1P25	heat shock 10kDa protein 1 pseudogene 25 [Source:HGNC Symbol;Acc:HGNC:49344]
ENSG00000232464		
ENSG00000232524		
ENSG00000232658		
ENSG00000233558		
ENSG00000235573		
ENSG00000235578		
ENSG00000235942	LCE6A	late cornified envelope 6A [Source:HGNC Symbol;Acc:HGNC:31824]
ENSG00000236209		
ENSG00000236751	LINC01186	long intergenic non-protein coding RNA 1186 [Source:HGNC Symbol;Acc:HGNC:49573]
ENSG00000236824	BCYRN1	brain cytoplasmic RNA 1 [Source:HGNC Symbol;Acc:HGNC:1022]
ENSG00000237213	RPL23AP22	ribosomal protein L23a pseudogene 22 [Source:HGNC Symbol;Acc:HGNC:35505]
ENSG00000237979		

Ensembl_ID	HGNC_symbol	Description
ENSG00000237991	RPL35P1	ribosomal protein L35 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:36695]
ENSG00000238073	RBMY2HP	RNA binding motif protein, Y-linked, family 2, member H pseudogene [Source:HGNC Symbol;Acc:HGNC:23893]
ENSG00000238337	NA	NA
ENSG00000238609	RNU7-94P	RNA, U7 small nuclear 94 pseudogene [Source:HGNC Symbol;Acc:HGNC:45628]
ENSG00000239126	NA	NA
ENSG00000239183	SNORA84	small nucleolar RNA, H/ACA box 84 [Source:HGNC Symbol;Acc:HGNC:33615]
ENSG00000239196	NA	NA
ENSG00000239272	RPL21P10	ribosomal protein L21 pseudogene 10 [Source:HGNC Symbol;Acc:HGNC:19795]
ENSG00000239542	RN7SL399P	RNA, 7SL, cytoplasmic 399, pseudogene [Source:HGNC Symbol;Acc:HGNC:46415]
ENSG00000239857	GET4	golgi to ER traffic protein 4 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:21690]
ENSG00000240803	RN7SL231P	RNA, 7SL, cytoplasmic 231, pseudogene [Source:HGNC Symbol;Acc:HGNC:46247]
ENSG00000242229	RPS3AP14	ribosomal protein S3a pseudogene 14 [Source:HGNC Symbol;Acc:HGNC:35715]
ENSG00000243004		
ENSG00000243974	VTI1BP1	vesicle transport through interaction with t-SNAREs 1B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43727]
ENSG00000244063		
ENSG00000244260		
ENSG00000244582	RPL21P120	ribosomal protein L21 pseudogene 120 [Source:HGNC Symbol;Acc:HGNC:35743]
ENSG00000248240		
ENSG00000248370		
ENSG00000248834	MARK2P5	MAP/microtubule affinity-regulating kinase 2 pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:39796]
ENSG00000248890	HHIP-AS1	HHIP antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44182]
ENSG00000249014	HMGN2P4	high mobility group nucleosomal binding domain 2 pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:33567]
ENSG00000249256	ATP5LP3	ATP synthase, H ⁺ transporting, mitochondrial Fo complex, subunit g, pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:13216]
ENSG00000249942		
ENSG00000250120	PCDHA10	protocadherin alpha 10 [Source:HGNC Symbol;Acc:HGNC:8664]
ENSG00000250234		
ENSG00000250411		
ENSG00000251445		
ENSG00000251583		
ENSG00000252350	RPPH1-3P	ribonuclease P RNA component H1, 3 pseudogene [Source:HGNC Symbol;Acc:HGNC:47030]
ENSG00000252376	RNA5SP395	RNA, 5S ribosomal pseudogene 395 [Source:HGNC Symbol;Acc:HGNC:43295]

Ensembl_ID	HGNC_symbol	Description
ENSG00000252396	RN7SKP195	RNA, 7SK small nuclear pseudogene 195 [Source:HGNC Symbol;Acc:HGNC:45919]
ENSG00000252731		
ENSG00000253112		
ENSG00000253292	MIOXP1	myo-inositol oxygenase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:50748]
ENSG00000253560		
ENSG00000253597	NA	NA
ENSG00000253882		
ENSG00000253892		
ENSG00000253920	IGLV3-31	immunoglobulin lambda variable 3-31 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5913]
ENSG00000254057		
ENSG00000254082		
ENSG00000254086		
ENSG00000254260		
ENSG00000254389	RHPN1-AS1	RHPN1 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:28457]
ENSG00000254509		
ENSG00000254832	OR4A40P	olfactory receptor, family 4, subfamily A, member 40 pseudogene [Source:HGNC Symbol;Acc:HGNC:31259]
ENSG00000255038		
ENSG00000255142		
ENSG00000256037	MRPL40P1	mitochondrial ribosomal protein L40 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44532]
ENSG00000257022		
ENSG00000257241		
ENSG00000257292		
ENSG00000257476		
ENSG00000257640		
ENSG00000257803		
ENSG00000258225		
ENSG00000258379		
ENSG00000258486	RN7SL1	RNA, 7SL, cytoplasmic 1 [Source:HGNC Symbol;Acc:HGNC:10038]
ENSG00000259035		
ENSG00000259211		
ENSG00000259564		
ENSG00000260077		
ENSG00000260571	BNIP3P5	BCL2/adenovirus E1B 19kDa interacting protein 3 pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:39658]
ENSG00000260601		
ENSG00000261916		
ENSG00000261996		
ENSG00000262001	DLGAP1-AS2	DLGAP1 antisense RNA 2 [Source:HGNC Symbol;Acc:HGNC:28146]

Ensembl_ID	HGNC_symbol	Description
ENSG00000262313		
ENSG00000265713		
ENSG00000266021	NA	NA
ENSG00000267142		
ENSG00000267363		
ENSG00000267493	CIRBP-AS1	CIRBP antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:28588]
ENSG00000267706		
ENSG00000268582		
ENSG00000268798		
ENSG00000269364	LINC01233	long intergenic non-protein coding RNA 1233 [Source:HGNC Symbol;Acc:HGNC:49756]
ENSG00000269815		
ENSG00000270010		
ENSG00000270188	MTRNR2L11	MT-RNR2-like 11 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:37168]
ENSG00000270708		
ENSG00000271225		
ENSG00000271365		
ENSG00000271581		
ENSG00000271767	NA	NA
ENSG00000272870		
ENSG00000273106		
ENSG00000273327	OR6L2P	olfactory receptor, family 6, subfamily L, member 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:15125]
ENSG00000125652	ALKBH7	alkB, alkylation repair homolog 7 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21306]
ENSG00000127528	KLF2	Kruppel-like factor 2 [Source:HGNC Symbol;Acc:HGNC:6347]
ENSG00000170891	CYTL1	cytokine-like 1 [Source:HGNC Symbol;Acc:HGNC:24435]
ENSG00000185130	HIST1H2BL	histone cluster 1, H2bl [Source:HGNC Symbol;Acc:HGNC:4748]
ENSG00000224172		
ENSG00000227125		
ENSG00000233115	FAM90A11P	family with sequence similarity 90, member A11, pseudogene [Source:HGNC Symbol;Acc:HGNC:32259]
ENSG00000255079		
ENSG00000267762		
ENSG00000271029		
ENSG00000150201	FXYD4	FXYD domain containing ion transport regulator 4 [Source:HGNC Symbol;Acc:HGNC:4028]
ENSG00000211698	TRGV4	T cell receptor gamma variable 4 [Source:HGNC Symbol;Acc:HGNC:12289]
ENSG00000217643	PTGES3P2	prostaglandin E synthase 3 (cytosolic) pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:43822]
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]
ENSG00000254325		

Ensembl_ID	HGNC_symbol	Description
ENSG00000163739	CXCL1	chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha) [Source:HGNC Symbol;Acc:HGNC:4602]
ENSG00000215004	MESTP4	mesoderm specific transcript pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:38554]
ENSG00000230312		
ENSG00000230799		
ENSG00000242770		
ENSG00000254638		
ENSG00000258676		
ENSG00000234519		
ENSG00000236495		
ENSG00000216629	OR2W4P	olfactory receptor, family 2, subfamily W, member 4 pseudogene [Source:HGNC Symbol;Acc:HGNC:15071]
ENSG00000259108		
ENSG00000198868	MIR4461	microRNA 4461 [Source:HGNC Symbol;Acc:HGNC:41656]
ENSG00000007306	CEACAM7	carcinoembryonic antigen-related cell adhesion molecule 7 [Source:HGNC Symbol;Acc:HGNC:1819]
ENSG00000043462	LCP2	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa) [Source:HGNC Symbol;Acc:HGNC:6529]
ENSG00000057657	PRDM1	PR domain containing 1, with ZNF domain [Source:HGNC Symbol;Acc:HGNC:9346]
ENSG00000059728	MXD1	MAX dimerization protein 1 [Source:HGNC Symbol;Acc:HGNC:6761]
ENSG00000101336	HCK	HCK proto-oncogene, Src family tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:4840]
ENSG00000103569	AQP9	aquaporin 9 [Source:HGNC Symbol;Acc:HGNC:643]
ENSG00000120738	EGR1	early growth response 1 [Source:HGNC Symbol;Acc:HGNC:3238]
ENSG00000122861	PLAU	plasminogen activator, urokinase [Source:HGNC Symbol;Acc:HGNC:9052]
ENSG00000123395	ATG101	autophagy related 101 [Source:HGNC Symbol;Acc:HGNC:25679]
ENSG00000140279	DUOX2	dual oxidase 2 [Source:HGNC Symbol;Acc:HGNC:13273]
ENSG00000140678	ITGAX	integrin, alpha X (complement component 3 receptor 4 subunit) [Source:HGNC Symbol;Acc:HGNC:6152]
ENSG00000140749	IGSF6	immunoglobulin superfamily, member 6 [Source:HGNC Symbol;Acc:HGNC:5953]
ENSG00000145113	MUC4	mucin 4, cell surface associated [Source:HGNC Symbol;Acc:HGNC:7514]
ENSG00000147180	ZNF711	zinc finger protein 711 [Source:HGNC Symbol;Acc:HGNC:13128]
ENSG00000169429	CXCL8	chemokine (C-X-C motif) ligand 8 [Source:HGNC Symbol;Acc:HGNC:6025]
ENSG00000171223	JUNB	jun B proto-oncogene [Source:HGNC Symbol;Acc:HGNC:6205]
ENSG00000188215	DCUN1D3	DCN1, defective in cullin neddylation 1, domain containing 3 [Source:HGNC Symbol;Acc:HGNC:28734]
ENSG00000196352	CD55	CD55 molecule, decay accelerating factor for complement (Cromer blood group) [Source:HGNC Symbol;Acc:HGNC:2665]

Ensembl_ID	HGNC_symbol	Description
ENSG00000212443	SNORA53	small nucleolar RNA, H/ACA box 53 [Source:HGNC Symbol;Acc:HGNC:32646]
ENSG00000223880	LINC01078	long intergenic non-protein coding RNA 1078 [Source:HGNC Symbol;Acc:HGNC:49121]
ENSG00000227056	RPL6P2	ribosomal protein L6 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:35964]
ENSG00000231259		
ENSG00000232990	MTATP6P7	mitochondrially encoded ATP synthase 6 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:44581]
ENSG00000241983	RN7SL566P	RNA, 7SL, cytoplasmic 566, pseudogene [Source:HGNC Symbol;Acc:HGNC:46582]
ENSG00000249588		
ENSG00000254124	EEF1A1P37	eukaryotic translation elongation factor 1 alpha 1 pseudogene 37 [Source:HGNC Symbol;Acc:HGNC:37915]
ENSG00000264462	MIR3648-1	microRNA 3648-1 [Source:HGNC Symbol;Acc:HGNC:38941]
ENSG00000268543		

Table 6. The sum of all impact sustained by the player, as measured by HITsp, regressed on RNA expression in plasma samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Cum_HITsp_plasma	X0.8slope_0.1pvalue_0.1_Cum_HITsp_plasma
ENSG00000100181	TPTEP1	transmembrane phosphatase with tensin homology pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43648]	0.20378777	0.20378777
ENSG00000109272	PF4V1	platelet factor 4 variant 1 [Source:HGNC Symbol;Acc:HGNC:8862]	0.597728749	0.597728749
ENSG00000113658	SMAD5	SMAD family member 5 [Source:HGNC Symbol;Acc:HGNC:6771]	0.114186069	0.114186069
ENSG00000130600	H19	H19, imprinted maternally expressed transcript (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:4713]	0.122017886	0.122017886
ENSG00000188536	HBA2	hemoglobin, alpha 2 [Source:HGNC Symbol;Acc:HGNC:4824]	0.233448354	0.233448354
ENSG00000210195	MT-TT	mitochondrially encoded tRNA threonine [Source:HGNC Symbol;Acc:HGNC:7499]	0.362408703	0.362408703
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	5.585155911	5.585155911

Table 7. The sum of all impact sustained by the player, as measured by linear acceleration regressed on RNA expression in plasma samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Cum_lin_a cc_plasma	X0.8slope_0. 1pvalue_0.1 _Cum_lin_ac c_plasma
ENSG00000100181	TPTEP1	transmembrane phosphatase with tensin homology pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43648]	0.106289272	0.106289272
ENSG00000109272	PF4V1	platelet factor 4 variant 1 [Source:HGNC Symbol;Acc:HGNC:8862]	0.309869359	0.309869359
ENSG00000188536	HBA2	hemoglobin, alpha 2 [Source:HGNC Symbol;Acc:HGNC:4824]	0.117006674	0.117006674
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	0.309422507	0.309422507
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	2.913777061	2.913777061

Table 8. The highest impact sustained by the player in the game as measured by HITsp regressed on RNA expression in plasma samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_HITsp _plasma	X0.8slope_0. 1pvalue_0.1 _Max_HITsp _plasma
ENSG00000007908	SELE	selectin E [Source:HGNC Symbol;Acc:HGNC:10718]	0.121635052	NA
ENSG00000010318	PHF7	PHD finger protein 7 [Source:HGNC Symbol;Acc:HGNC:18458]	0.175646559	0.175646559
ENSG00000021852	C8B	complement component 8, beta polypeptide [Source:HGNC Symbol;Acc:HGNC:1353]	0.152730512	NA
ENSG00000022556	NLRP2	NLR family, pyrin domain containing 2 [Source:HGNC Symbol;Acc:HGNC:22948]	- 0.163995063	-0.163995063
ENSG00000029725	RABEP1	rabaptin, RAB GTPase binding effector protein 1 [Source:HGNC Symbol;Acc:HGNC:17677]	0.216512318	0.216512318
ENSG00000048392	RRM2B	ribonucleotide reductase M2 B (TP53 inducible) [Source:HGNC Symbol;Acc:HGNC:17296]	0.165078204	0.165078204
ENSG00000055147	FAM114A2	family with sequence similarity 114, member A2 [Source:HGNC Symbol;Acc:HGNC:1333]	0.161956419	0.161956419
ENSG00000074266	EED	embryonic ectoderm development [Source:HGNC Symbol;Acc:HGNC:3188]	0.149505509	0.149505509
ENSG00000074755	ZZEF1	zinc finger, ZZ-type with EF-hand domain 1 [Source:HGNC Symbol;Acc:HGNC:29027]	0.381470401	0.381470401

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_HITsp _plasma	X0.8slope_0. 1pvalue_0.1 _Max_HITsp _plasma
ENSG00000075142	SRI	sorcin [Source:HGNC Symbol;Acc:HGNC:11292]	0.111723067	0.111723067
ENSG00000075292	ZNF638	zinc finger protein 638 [Source:HGNC Symbol;Acc:HGNC:17894]	0.305304639	0.305304639
ENSG00000079393	DUSP13	dual specificity phosphatase 13 [Source:HGNC Symbol;Acc:HGNC:19681]	0.130119143	NA
ENSG00000079459	FDFT1	farnesyl-diphosphate farnesyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:3629]	0.134608276	0.134608276
ENSG00000081087	OSTM1	osteopetrosis associated transmembrane protein 1 [Source:HGNC Symbol;Acc:HGNC:21652]	0.121396476	0.121396476
ENSG00000091490	SEL1L3	sel-1 suppressor of lin-12-like 3 (C. elegans) [Source:HGNC Symbol;Acc:HGNC:29108]	0.302907764	0.302907764
ENSG00000092931	MFSD11	major facilitator superfamily domain containing 11 [Source:HGNC Symbol;Acc:HGNC:25458]	0.123995301	0.123995301
ENSG00000099246	RAB18	RAB18, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:14244]	-0.165635406	-0.165635406
ENSG00000100023	PPIL2	peptidylprolyl isomerase (cyclophilin)-like 2 [Source:HGNC Symbol;Acc:HGNC:9261]	-0.161972775	-0.161972775
ENSG00000100888	CHD8	chromodomain helicase DNA binding protein 8 [Source:HGNC Symbol;Acc:HGNC:20153]	0.229676288	0.229676288
ENSG00000101447	FAM83D	family with sequence similarity 83, member D [Source:HGNC Symbol;Acc:HGNC:16122]	0.1332232	0.1332232
ENSG00000102401	ARMCX3	armadillo repeat containing, X-linked 3 [Source:HGNC Symbol;Acc:HGNC:24065]	0.59294635	0.59294635
ENSG00000104325	DECR1	2,4-dienoyl CoA reductase 1, mitochondrial [Source:HGNC Symbol;Acc:HGNC:2753]	-0.189408898	-0.189408898
ENSG00000105609	LILRB5	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 5 [Source:HGNC Symbol;Acc:HGNC:6609]	-0.140206736	-0.140206736
ENSG00000107105	ELAVL2	ELAV like neuron-specific RNA binding protein 2 [Source:HGNC Symbol;Acc:HGNC:3313]	0.127378776	NA
ENSG00000109184	DCUN1D4	DCN1, defective in cullin neddylation 1, domain containing 4 [Source:HGNC Symbol;Acc:HGNC:28998]	0.134859198	0.134859198

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_HITsp _plasma	X0.8slope_0. 1pvalue_0.1 _Max_HITsp _plasma
ENSG00000109320	NFKB1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 [Source:HGNC Symbol;Acc:HGNC:7794]	0.143532697	0.143532697
ENSG00000110002	VWA5A	von Willebrand factor A domain containing 5A [Source:HGNC Symbol;Acc:HGNC:6658]	-0.163688271	-0.163688271
ENSG00000111215	PRR4	proline rich 4 (lacrimal) [Source:HGNC Symbol;Acc:HGNC:18020]	0.111251825	0.111251825
ENSG00000111237	VPS29	vacuolar protein sorting 29 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:14340]	-0.111163487	-0.111163487
ENSG00000115641	FHL2	four and a half LIM domains 2 [Source:HGNC Symbol;Acc:HGNC:3703]	-0.259669317	-0.259669317
ENSG00000116984	MTR	5-methyltetrahydrofolate-homocysteine methyltransferase [Source:HGNC Symbol;Acc:HGNC:7468]	0.242310216	0.242310216
ENSG00000117707	PROX1	prospero homeobox 1 [Source:HGNC Symbol;Acc:HGNC:9459]	0.15802085	0.15802085
ENSG00000118496	FBXO30	F-box protein 30 [Source:HGNC Symbol;Acc:HGNC:15600]	0.122038094	0.122038094
ENSG00000118503	TNFAIP3	tumor necrosis factor, alpha-induced protein 3 [Source:HGNC Symbol;Acc:HGNC:11896]	-0.129476115	-0.129476115
ENSG00000119537	KDSR	3-ketodihydrosphingosine reductase [Source:HGNC Symbol;Acc:HGNC:4021]	0.184864693	0.184864693
ENSG00000119760	SUPT7L	suppressor of Ty 7 (S. cerevisiae)-like [Source:HGNC Symbol;Acc:HGNC:30632]	0.112076344	0.112076344
ENSG00000120158	RCL1	RNA terminal phosphate cyclase-like 1 [Source:HGNC Symbol;Acc:HGNC:17687]	0.11221667	0.11221667
ENSG00000120903	CHRNA2	cholinergic receptor, nicotinic, alpha 2 (neuronal) [Source:HGNC Symbol;Acc:HGNC:1956]	0.160279926	0.160279926
ENSG00000124256	ZBP1	Z-DNA binding protein 1 [Source:HGNC Symbol;Acc:HGNC:16176]	-0.177678732	-0.177678732
ENSG00000127952	STYXL1	serine/threonine/tyrosine interacting-like 1 [Source:HGNC Symbol;Acc:HGNC:18165]	-0.143855782	-0.143855782
ENSG00000128872	TMOD2	tropomodulin 2 (neuronal) [Source:HGNC Symbol;Acc:HGNC:11872]	0.196045551	0.196045551

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_plasma	X0.8slope_0.1pvalue_0.1_Max_HITsp_plasma
ENSG00000129315	CCNT1	cyclin T1 [Source:HGNC Symbol;Acc:HGNC:1599]	0.174120367	0.174120367
ENSG00000131669	NINJ1	ninjurin 1 [Source:HGNC Symbol;Acc:HGNC:7824]	-0.117831337	-0.117831337
ENSG00000135677	GNS	glucosamine (N-acetyl)-6-sulfatase [Source:HGNC Symbol;Acc:HGNC:4422]	-0.166432372	-0.166432372
ENSG00000135720	DYNC1LI2	dynein, cytoplasmic 1, light intermediate chain 2 [Source:HGNC Symbol;Acc:HGNC:2966]	0.146577706	0.146577706
ENSG00000135828	RNASEL	ribonuclease L (2',5'-oligoisoadenylate synthetase-dependent) [Source:HGNC Symbol;Acc:HGNC:10050]	0.154329308	0.154329308
ENSG00000136193	SCRN1	secernin 1 [Source:HGNC Symbol;Acc:HGNC:22192]	0.151707537	0.151707537
ENSG00000136770	DNAJC1	DnaJ (Hsp40) homolog, subfamily C, member 1 [Source:HGNC Symbol;Acc:HGNC:20090]	0.113451701	NA
ENSG00000138160	KIF11	kinesin family member 11 [Source:HGNC Symbol;Acc:HGNC:6388]	0.115877374	0.115877374
ENSG00000141076	CIRH1A	cirrhosis, autosomal recessive 1A (cirhin) [Source:HGNC Symbol;Acc:HGNC:1983]	-0.166159403	-0.166159403
ENSG00000141161	UNC45B	unc-45 homolog B (<i>C. elegans</i>) [Source:HGNC Symbol;Acc:HGNC:14304]	-0.28423258	-0.28423258
ENSG00000142188	TMEM50B	transmembrane protein 50B [Source:HGNC Symbol;Acc:HGNC:1280]	0.12486265	0.12486265
ENSG00000143520	FLG2	filaggrin family member 2 [Source:HGNC Symbol;Acc:HGNC:33276]	-0.303312359	-0.303312359
ENSG00000143552	NUP210L	nucleoporin 210kDa-like [Source:HGNC Symbol;Acc:HGNC:29915]	0.281078121	0.281078121
ENSG00000144741	SLC25A26	solute carrier family 25 (S-adenosylmethionine carrier), member 26 [Source:HGNC Symbol;Acc:HGNC:20661]	-0.128569249	-0.128569249
ENSG00000146166	LGSN	lengsin, lens protein with glutamine synthetase domain [Source:HGNC Symbol;Acc:HGNC:21016]	-0.12918315	NA
ENSG00000146373	RNF217	ring finger protein 217 [Source:HGNC Symbol;Acc:HGNC:21487]	-0.150117811	-0.150117811
ENSG00000147164	SNX12	sorting nexin 12 [Source:HGNC Symbol;Acc:HGNC:14976]	0.108423858	0.108423858

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_plasma	X0.8slope_0.1pvalue_0.1_Max_HITsp_plasma
ENSG00000147419	CCDC25	coiled-coil domain containing 25 [Source:HGNC Symbol;Acc:HGNC:25591]	0.11439188	0.11439188
ENSG00000148123		Lipid phosphate phosphatase-related protein type 1 [Source:UniProtKB/Swiss-Prot;Acc:Q8TBJ4]	-0.106165133	NA
ENSG00000152404	CWF19L2	CWF19-like 2, cell cycle control (<i>S. pombe</i>) [Source:HGNC Symbol;Acc:HGNC:26508]	0.106554189	0.106554189
ENSG00000152457	DCLRE1C	DNA cross-link repair 1C [Source:HGNC Symbol;Acc:HGNC:17642]	0.191026562	0.191026562
ENSG00000155966	AFF2	AF4/FMR2 family, member 2 [Source:HGNC Symbol;Acc:HGNC:3776]	0.270635465	0.270635465
ENSG00000156097	GPR61	G protein-coupled receptor 61 [Source:HGNC Symbol;Acc:HGNC:13300]	-0.148236127	NA
ENSG00000159128	IFNGR2	interferon gamma receptor 2 (interferon gamma transducer 1) [Source:HGNC Symbol;Acc:HGNC:5440]	-0.129554016	-0.129554016
ENSG00000160094	ZNF362	zinc finger protein 362 [Source:HGNC Symbol;Acc:HGNC:18079]	-0.14269107	-0.14269107
ENSG00000162236	STX5	syntaxin 5 [Source:HGNC Symbol;Acc:HGNC:11440]	-0.114569378	-0.114569378
ENSG00000163029	SMC6	structural maintenance of chromosomes 6 [Source:HGNC Symbol;Acc:HGNC:20466]	0.276954714	0.276954714
ENSG00000164056	SPRY1	sprouty homolog 1, antagonist of FGF signaling (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:11269]	0.147011146	0.147011146
ENSG00000164167	LSM6	LSM6 homolog, U6 small nuclear RNA associated (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:17017]	0.123620894	0.123620894
ENSG00000164241	C5orf63	chromosome 5 open reading frame 63 [Source:HGNC Symbol;Acc:HGNC:40051]	0.185998415	0.185998415
ENSG00000164342	TLR3	toll-like receptor 3 [Source:HGNC Symbol;Acc:HGNC:11849]	0.118798462	NA
ENSG00000164691	TAGAP	T-cell activation RhoGTPase activating protein [Source:HGNC Symbol;Acc:HGNC:15669]	-0.125513291	-0.125513291
ENSG00000165819	METTL3	methyltransferase like 3 [Source:HGNC Symbol;Acc:HGNC:17563]	0.131405581	0.131405581

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_HITsp _plasma	X0.8slope_0. 1pvalue_0.1 _Max_HITsp _plasma
ENSG00000167216	KATNA_L2	katanin p60 subunit A-like 2 [Source:HGNC Symbol;Acc:HGNC:25387]	0.219516484	NA
ENSG00000167528	ZNF641	zinc finger protein 641 [Source:HGNC Symbol;Acc:HGNC:31834]	-0.123686678	-0.123686678
ENSG00000167693	NXN	nucleoredoxin [Source:HGNC Symbol;Acc:HGNC:18008]	-0.209096283	-0.209096283
ENSG00000167740	CYB5D_2	cytochrome b5 domain containing 2 [Source:HGNC Symbol;Acc:HGNC:28471]	-0.12047966	-0.12047966
ENSG00000168234	TTC39C	tetratricopeptide repeat domain 39C [Source:HGNC Symbol;Acc:HGNC:26595]	0.100411688	0.100411688
ENSG00000168394	TAP1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP) [Source:HGNC Symbol;Acc:HGNC:43]	-0.164176847	-0.164176847
ENSG00000169330	KIAA10_24	KIAA1024 [Source:HGNC Symbol;Acc:HGNC:29172]	0.140505947	NA
ENSG00000169413	RNASE_6	ribonuclease, RNase A family, k6 [Source:HGNC Symbol;Acc:HGNC:10048]	-0.132557953	-0.132557953
ENSG00000169427	KCNK9	potassium channel, subfamily K, member 9 [Source:HGNC Symbol;Acc:HGNC:6283]	-0.121379856	NA
ENSG00000170049	KCNAB_3	potassium voltage-gated channel, shaker-related subfamily, beta member 3 [Source:HGNC Symbol;Acc:HGNC:6230]	-0.185365138	-0.185365138
ENSG00000170423	KRT78	keratin 78 [Source:HGNC Symbol;Acc:HGNC:28926]	0.187955509	0.187955509
ENSG00000170606	HSPA4	heat shock 70kDa protein 4 [Source:HGNC Symbol;Acc:HGNC:5237]	0.20388256	0.20388256
ENSG00000170832	USP32	ubiquitin specific peptidase 32 [Source:HGNC Symbol;Acc:HGNC:19143]	0.188947651	0.188947651
ENSG00000171401	KRT13	keratin 13 [Source:HGNC Symbol;Acc:HGNC:6415]	0.25057251	NA
ENSG00000174437	ATP2A2	ATPase, Ca++ transporting, cardiac muscle, slow twitch 2 [Source:HGNC Symbol;Acc:HGNC:812]	0.400805765	0.400805765
ENSG00000174628	IQCK	IQ motif containing K [Source:HGNC Symbol;Acc:HGNC:28556]	0.136023094	NA
ENSG00000175224	ATG13	autophagy related 13 [Source:HGNC Symbol;Acc:HGNC:29091]	-0.139076734	-0.139076734

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_HITsp _plasma	X0.8slope_0. 1pvalue_0.1 _Max_HITsp _plasma
ENSG00000176177	ENTHD1	ENTH domain containing 1 [Source:HGNC Symbol;Acc:HGNC:26352]	0.129447716	NA
ENSG00000176274	NA	NA	-0.106120051	-0.106120051
ENSG00000176624	MEX3C	mex-3 RNA binding family member C [Source:HGNC Symbol;Acc:HGNC:28040]	0.180591536	0.180591536
ENSG00000177628	GBA	glucosidase, beta, acid [Source:HGNC Symbol;Acc:HGNC:4177]	-0.106595166	-0.106595166
ENSG00000179603	GRM8	glutamate receptor, metabotropic 8 [Source:HGNC Symbol;Acc:HGNC:4600]	0.157319697	NA
ENSG00000179750	APOBE C3B	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3B [Source:HGNC Symbol;Acc:HGNC:17352]	0.100224101	NA
ENSG00000184083	FAM120C	family with sequence similarity 120C [Source:HGNC Symbol;Acc:HGNC:16949]	0.110074364	0.110074364
ENSG00000186529	CYP4F3	cytochrome P450, family 4, subfamily F, polypeptide 3 [Source:HGNC Symbol;Acc:HGNC:2646]	-0.163081719	-0.163081719
ENSG00000186615	KTN1-AS1	KTN1 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:19842]	0.142901608	NA
ENSG00000187600	TMEM247	transmembrane protein 247 [Source:HGNC Symbol;Acc:HGNC:42967]	0.108107182	NA
ENSG00000187726	DNAJB13	DnaJ (Hsp40) homolog, subfamily B, member 13 [Source:HGNC Symbol;Acc:HGNC:30718]	0.103453497	NA
ENSG00000188467	SLC24A5	solute carrier family 24 (sodium/potassium/calcium exchanger), member 5 [Source:HGNC Symbol;Acc:HGNC:20611]	0.103370533	NA
ENSG00000189292	FAM150B	family with sequence similarity 150, member B [Source:HGNC Symbol;Acc:HGNC:27683]	0.106279244	NA
ENSG00000197170	PSMD12	proteasome (prosome, macropain) 26S subunit, non-ATPase, 12 [Source:HGNC Symbol;Acc:HGNC:9557]	-0.182977534	-0.182977534
ENSG00000198682	PAPSS2	3'-phosphoadenosine 5'-phosphosulfate synthase 2 [Source:HGNC Symbol;Acc:HGNC:8604]	0.31037423	0.31037423

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_HITsp _plasma	X0.8slope_0. 1pvalue_0.1 _Max_HITsp _plasma
ENSG00000198818	SFT2D1	SFT2 domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21102]	-0.154463245	-0.154463245
ENSG00000204217	BMPR2	bone morphogenetic protein receptor, type II (serine/threonine kinase) [Source:HGNC Symbol;Acc:HGNC:1078]	0.187926619	0.187926619
ENSG00000204956	PCDHGA1	protocadherin gamma subfamily A, 1 [Source:HGNC Symbol;Acc:HGNC:8696]	0.121529553	NA
ENSG00000206053	HN1L	hematological and neurological expressed 1-like [Source:HGNC Symbol;Acc:HGNC:14137]	-0.116539758	-0.116539758
ENSG00000213023	SYT3	synaptotagmin III [Source:HGNC Symbol;Acc:HGNC:11511]	-0.142039238	-0.142039238
ENSG00000214324	C3orf56	chromosome 3 open reading frame 56 [Source:HGNC Symbol;Acc:HGNC:32481]	0.101213919	NA
ENSG00000223561			0.12794031	NA
ENSG00000225492	GBP1P1	guanylate binding protein 1, interferon-inducible pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39561]	0.121917628	NA
ENSG00000232712	KIZ-AS1	KIZ antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:51231]	0.203847703	NA
ENSG00000233137	NA	NA	0.145628143	0.145628143
ENSG00000234456	MAGI2-AS3	MAGI2 antisense RNA 3 [Source:HGNC Symbol;Acc:HGNC:40862]	1.165895131	1.165895131
ENSG00000234722	LINC01287	long intergenic non-protein coding RNA 1287 [Source:HGNC Symbol;Acc:HGNC:50351]	0.120258318	0.120258318
ENSG00000238083	LRRC37A2	leucine rich repeat containing 37, member A2 [Source:HGNC Symbol;Acc:HGNC:32404]	-0.122587313	-0.122587313
ENSG00000240057			0.134220987	NA
ENSG00000241468	ATP5J2	ATP synthase, H ⁺ transporting, mitochondrial Fo complex, subunit F2 [Source:HGNC Symbol;Acc:HGNC:848]	-0.148342124	-0.148342124
ENSG00000248360	LINC00504	long intergenic non-protein coding RNA 504 [Source:HGNC Symbol;Acc:HGNC:43555]	-0.127175488	-0.127175488
ENSG00000249948	GBA3	glucosidase, beta, acid 3 (gene/pseudogene) [Source:HGNC Symbol;Acc:HGNC:19069]	-0.114794098	NA
ENSG00000250519			-0.105296624	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_plasma	X0.8slope_0.1pvalue_0.1_Max_HITsp_plasma
ENSG00000250722	SEPP1	selenoprotein P, plasma, 1 [Source:HGNC Symbol;Acc:HGNC:10751]	0.102671916	NA
ENSG00000255189	GLYATL1P1	glycine-N-acetyltransferase-like 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:37866]	0.151317511	0.151317511
ENSG00000260231	JHDM1D-AS1	JHDM1D antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:48959]	0.136907921	0.136907921
ENSG00000265489			0.15073608	NA

Table 9. The highest impact sustained by the player in the game as measured by linear acceleration regressed on RNA expression in plasma samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_lin_ac_c_plasma	X0.8slope_0.1pvalue_0.1_Max_lin_ac_c_plasma
ENSG00000010318	PHF7	PHD finger protein 7 [Source:HGNC Symbol;Acc:HGNC:18458]	0.170229865	0.170229865
ENSG00000025770	NCAPH2	non-SMC condensin II complex, subunit H2 [Source:HGNC Symbol;Acc:HGNC:25071]	-0.112730034	-0.112730034
ENSG00000029725	RABEP1	rabaptin, RAB GTPase binding effector protein 1 [Source:HGNC Symbol;Acc:HGNC:17677]	0.228780531	0.228780531
ENSG00000040531	CTNS	cystinosin, lysosomal cystine transporter [Source:HGNC Symbol;Acc:HGNC:2518]	-0.10929833	-0.10929833
ENSG00000047346	FAM214A	family with sequence similarity 214, member A [Source:HGNC Symbol;Acc:HGNC:25609]	-0.109435184	-0.109435184
ENSG00000049167	ERCC8	excision repair cross-complementation group 8 [Source:HGNC Symbol;Acc:HGNC:3439]	0.109452269	NA
ENSG00000064012	CASP8	caspase 8, apoptosis-related cysteine peptidase [Source:HGNC Symbol;Acc:HGNC:1509]	-0.187553974	-0.187553974
ENSG00000071909	MYO3B	myosin IIIb [Source:HGNC Symbol;Acc:HGNC:15576]	0.251537467	0.251537467
ENSG00000074755	ZZEF1	zinc finger, ZZ-type with EF-hand domain 1 [Source:HGNC Symbol;Acc:HGNC:29027]	0.318566019	0.318566019
ENSG00000079459	FDFT1	farnesyl-diphosphate farnesyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:3629]	0.141827495	0.141827495

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma	X0.8slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma
ENSG00000081087	OSTM1	osteopetrosis associated transmembrane protein 1 [Source:HGNC Symbol;Acc:HGNC:21652]	0.121617273	0.121617273
ENSG00000081791	KIAA0141	KIAA0141 [Source:HGNC Symbol;Acc:HGNC:28969]	-0.127139336	-0.127139336
ENSG00000084112	SSH1	slingshot protein phosphatase 1 [Source:HGNC Symbol;Acc:HGNC:30579]	0.303239347	0.303239347
ENSG00000089597	GANAB	glucosidase, alpha; neutral AB [Source:HGNC Symbol;Acc:HGNC:4138]	-0.225207094	-0.225207094
ENSG00000100023	PPIL2	peptidylprolyl isomerase (cyclophilin)-like 2 [Source:HGNC Symbol;Acc:HGNC:9261]	-0.162688083	-0.162688083
ENSG00000100412	ACO2	aconitase 2, mitochondrial [Source:HGNC Symbol;Acc:HGNC:118]	0.131888628	0.131888628
ENSG00000101464	PIGU	phosphatidylinositol glycan anchor biosynthesis, class U [Source:HGNC Symbol;Acc:HGNC:15791]	-0.135513742	-0.135513742
ENSG00000104859	CLASRP	CLK4-associating serine/arginine rich protein [Source:HGNC Symbol;Acc:HGNC:17731]	-0.20844473	-0.20844473
ENSG00000105197	TIMM50	translocase of inner mitochondrial membrane 50 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:23656]	-0.113849069	-0.113849069
ENSG00000105707	HPN	hepsin [Source:HGNC Symbol;Acc:HGNC:5155]	-0.107147642	NA
ENSG00000107105	ELAVL2	ELAV like neuron-specific RNA binding protein 2 [Source:HGNC Symbol;Acc:HGNC:3313]	0.111552451	NA
ENSG00000107951	MTPAP	mitochondrial poly(A) polymerase [Source:HGNC Symbol;Acc:HGNC:25532]	-0.117424914	-0.117424914
ENSG00000108406	DHX40	DEAH (Asp-Glu-Ala-His) box polypeptide 40 [Source:HGNC Symbol;Acc:HGNC:18018]	0.107679358	0.107679358
ENSG00000109320	NFKB1	nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 [Source:HGNC Symbol;Acc:HGNC:7794]	0.136994942	0.136994942
ENSG00000109790	KLHL5	kelch-like family member 5 [Source:HGNC Symbol;Acc:HGNC:6356]	0.507065945	0.507065945
ENSG00000110002	VWA5A	von Willebrand factor A domain containing 5A [Source:HGNC Symbol;Acc:HGNC:6658]	-0.151667695	-0.151667695

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_lin_ac_c_plasma	X0.8slope_0.1pvalue_0.1_Max_lin_ac_c_plasma
ENSG00000111215	PRR4	proline rich 4 (lacrimal) [Source:HGNC Symbol;Acc:HGNC:18020]	0.122484607	0.122484607
ENSG00000111237	VPS29	vacuolar protein sorting 29 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:14340]	-0.133121148	-0.133121148
ENSG00000111897	SERINC1	serine incorporator 1 [Source:HGNC Symbol;Acc:HGNC:13464]	-0.284161954	-0.284161954
ENSG00000112561	TFEB	transcription factor EB [Source:HGNC Symbol;Acc:HGNC:11753]	0.129049727	0.129049727
ENSG00000114013	CD86	CD86 molecule [Source:HGNC Symbol;Acc:HGNC:1705]	-0.102716542	-0.102716542
ENSG00000114054	PCCB	propionyl CoA carboxylase, beta polypeptide [Source:HGNC Symbol;Acc:HGNC:8654]	-0.155835905	-0.155835905
ENSG00000115241	PPM1G	protein phosphatase, Mg2+/Mn2+ dependent, 1G [Source:HGNC Symbol;Acc:HGNC:9278]	0.150004827	0.150004827
ENSG00000115641	FHL2	four and a half LIM domains 2 [Source:HGNC Symbol;Acc:HGNC:3703]	-0.233055563	-0.233055563
ENSG00000116984	MTR	5-methyltetrahydrofolate-homocysteine methyltransferase [Source:HGNC Symbol;Acc:HGNC:7468]	0.247644585	0.247644585
ENSG00000118307	CASC1	cancer susceptibility candidate 1 [Source:HGNC Symbol;Acc:HGNC:29599]	0.101482267	NA
ENSG00000119471	HSDL2	hydroxysteroid dehydrogenase like 2 [Source:HGNC Symbol;Acc:HGNC:18572]	0.134747511	0.134747511
ENSG00000120685	PROSER1	proline and serine rich 1 [Source:HGNC Symbol;Acc:HGNC:20291]	-0.29165743	-0.29165743
ENSG00000120889	TNFRSF10B	tumor necrosis factor receptor superfamily, member 10b [Source:HGNC Symbol;Acc:HGNC:11905]	-0.102924238	-0.102924238
ENSG00000122497	NA	NA	-0.164022762	NA
ENSG00000124191	TOX2	TOX high mobility group box family member 2 [Source:HGNC Symbol;Acc:HGNC:16095]	-0.140050174	-0.140050174
ENSG00000127952	STYXL1	serine/threonine/tyrosine interacting-like 1 [Source:HGNC Symbol;Acc:HGNC:18165]	-0.193382641	-0.193382641

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma	X0.8slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma
ENSG00000128383	APOBEC3A	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3A [Source:HGNC Symbol;Acc:HGNC:17343]	-0.108821233	-0.108821233
ENSG00000129315	CCNT1	cyclin T1 [Source:HGNC Symbol;Acc:HGNC:1599]	0.177435166	0.177435166
ENSG00000130176	CNN1	calponin 1, basic, smooth muscle [Source:HGNC Symbol;Acc:HGNC:2155]	-0.133567285	-0.133567285
ENSG00000130717	UCK1	uridine-cytidine kinase 1 [Source:HGNC Symbol;Acc:HGNC:14859]	0.115335421	NA
ENSG00000131351	HAUS8	HAUS augmin-like complex, subunit 8 [Source:HGNC Symbol;Acc:HGNC:30532]	-0.155439628	-0.155439628
ENSG00000132530	XAF1	XIAP associated factor 1 [Source:HGNC Symbol;Acc:HGNC:30932]	-0.165628437	-0.165628437
ENSG00000134825	TMEM258	transmembrane protein 258 [Source:HGNC Symbol;Acc:HGNC:1164]	-0.249985405	-0.249985405
ENSG00000135677	GNS	glucosamine (N-acetyl)-6-sulfatase [Source:HGNC Symbol;Acc:HGNC:4422]	-0.166966877	-0.166966877
ENSG00000135838	NPL	N-acetylneuraminate pyruvate lyase (dihydrodipicolinate synthase) [Source:HGNC Symbol;Acc:HGNC:16781]	-0.162836999	-0.162836999
ENSG00000136193	SCRN1	secernin 1 [Source:HGNC Symbol;Acc:HGNC:22192]	0.12810643	0.12810643
ENSG00000136861	CDK5RAP2	CDK5 regulatory subunit associated protein 2 [Source:HGNC Symbol;Acc:HGNC:18672]	0.314399885	0.314399885
ENSG00000138035	PNPT1	polyribonucleotide nucleotidyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:23166]	0.100640869	0.100640869
ENSG00000139192	TAPBPL	TAP binding protein-like [Source:HGNC Symbol;Acc:HGNC:30683]	-0.111668814	-0.111668814
ENSG00000139372	TDG	thymine-DNA glycosylase [Source:HGNC Symbol;Acc:HGNC:11700]	-0.104151038	-0.104151038
ENSG00000140497	SCAMP2	secretory carrier membrane protein 2 [Source:HGNC Symbol;Acc:HGNC:10564]	-0.170271333	-0.170271333
ENSG00000140718	FTO	fat mass and obesity associated [Source:HGNC Symbol;Acc:HGNC:24678]	0.408281748	0.408281748

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma	X0.8slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma
ENSG00000140740	UQCRC2	ubiquinol-cytochrome c reductase core protein II [Source:HGNC Symbol;Acc:HGNC:12586]	0.143643681	0.143643681
ENSG00000140968	IRF8	interferon regulatory factor 8 [Source:HGNC Symbol;Acc:HGNC:5358]	0.166151883	0.166151883
ENSG00000141076	CIRH1A	cirrhosis, autosomal recessive 1A (cirhin) [Source:HGNC Symbol;Acc:HGNC:1983]	-0.19393658	-0.19393658
ENSG00000141179	PCTP	phosphatidylcholine transfer protein [Source:HGNC Symbol;Acc:HGNC:8752]	0.769728362	0.769728362
ENSG00000141720	NA	NA	0.181018618	0.181018618
ENSG00000143149	ALDH9A1	aldehyde dehydrogenase 9 family, member A1 [Source:HGNC Symbol;Acc:HGNC:412]	0.160034228	0.160034228
ENSG00000143595	AQP10	aquaporin 10 [Source:HGNC Symbol;Acc:HGNC:16029]	-0.19468292	-0.19468292
ENSG00000143891	GALM	galactose mutarotase (aldose 1-epimerase) [Source:HGNC Symbol;Acc:HGNC:24063]	0.108215249	0.108215249
ENSG00000145348	TBCK	TBC1 domain containing kinase [Source:HGNC Symbol;Acc:HGNC:28261]	-0.189315008	-0.189315008
ENSG00000145819	ARHGA_P26	Rho GTPase activating protein 26 [Source:HGNC Symbol;Acc:HGNC:17073]	-0.346909798	-0.346909798
ENSG00000146192	FGD2	FYVE, RhoGEF and PH domain containing 2 [Source:HGNC Symbol;Acc:HGNC:3664]	-0.294768171	-0.294768171
ENSG00000146574	CCZ1B	CCZ1 vacuolar protein trafficking and biogenesis associated homolog B (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:21717]	-0.115351222	-0.115351222
ENSG00000152022	NA	NA	0.107661715	0.107661715
ENSG00000156097	GPR61	G protein-coupled receptor 61 [Source:HGNC Symbol;Acc:HGNC:13300]	-0.163461044	NA
ENSG00000160094	ZNF362	zinc finger protein 362 [Source:HGNC Symbol;Acc:HGNC:18079]	-0.154109596	-0.154109596
ENSG00000160172	FAM86C2P	family with sequence similarity 86, member C2, pseudogene [Source:HGNC Symbol;Acc:HGNC:42392]	-0.110118467	NA
ENSG00000160584	SIK3	SIK family kinase 3 [Source:HGNC Symbol;Acc:HGNC:29165]	-0.221008005	-0.221008005

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma	X0.8slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma
ENSG00000162236	STX5	syntaxin 5 [Source:HGNC Symbol;Acc:HGNC:11440]	-0.122245068	-0.122245068
ENSG00000163162	RNF149	ring finger protein 149 [Source:HGNC Symbol;Acc:HGNC:23137]	-0.125223232	-0.125223232
ENSG00000163431	LMOD1	leiomodin 1 (smooth muscle) [Source:HGNC Symbol;Acc:HGNC:6647]	-0.113030654	NA
ENSG00000164691	TAGAP	T-cell activation RhoGTPase activating protein [Source:HGNC Symbol;Acc:HGNC:15669]	-0.138824035	-0.138824035
ENSG00000164896	FASTK	Fas-activated serine/threonine kinase [Source:HGNC Symbol;Acc:HGNC:24676]	-0.122541379	-0.122541379
ENSG00000165424	ZCCHC24	zinc finger, CCHC domain containing 24 [Source:HGNC Symbol;Acc:HGNC:26911]	-0.110472325	-0.110472325
ENSG00000165487	MICU2	mitochondrial calcium uptake 2 [Source:HGNC Symbol;Acc:HGNC:31830]	0.118609041	0.118609041
ENSG00000165819	METTL3	methyltransferase like 3 [Source:HGNC Symbol;Acc:HGNC:17563]	0.128671739	0.128671739
ENSG00000166446	CDYL2	chromodomain protein, Y-like 2 [Source:HGNC Symbol;Acc:HGNC:23030]	0.202817183	0.202817183
ENSG00000166579	NDEL1	nudE neurodevelopment protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:17620]	-0.24862421	-0.24862421
ENSG00000166963	MAP1A	microtubule-associated protein 1A [Source:HGNC Symbol;Acc:HGNC:6835]	2.01678209	2.01678209
ENSG00000167216	KATNA L2	katanin p60 subunit A-like 2 [Source:HGNC Symbol;Acc:HGNC:25387]	0.148293565	NA
ENSG00000167491	GATA2A	GATA zinc finger domain containing 2A [Source:HGNC Symbol;Acc:HGNC:29989]	0.713949079	0.713949079
ENSG00000167693	NXN	nucleoredoxin [Source:HGNC Symbol;Acc:HGNC:18008]	-0.215655184	-0.215655184
ENSG00000167740	CYB5D2	cytochrome b5 domain containing 2 [Source:HGNC Symbol;Acc:HGNC:28471]	-0.154529266	-0.154529266
ENSG00000168394	TAP1	transporter 1, ATP-binding cassette, sub-family B (MDR/TAP) [Source:HGNC Symbol;Acc:HGNC:43]	-0.190104087	-0.190104087

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_lin_ac_c_plasma	X0.8slope_0.1pvalue_0.1_Max_lin_ac_c_plasma
ENSG00000169018	FEM1B	fem-1 homolog b (C. elegans) [Source:HGNC Symbol;Acc:HGNC:3649]	0.143878826	0.143878826
ENSG00000169403	PTAFR	platelet-activating factor receptor [Source:HGNC Symbol;Acc:HGNC:9582]	-0.197625182	-0.197625182
ENSG00000170049	KCNAB3	potassium voltage-gated channel, shaker-related subfamily, beta member 3 [Source:HGNC Symbol;Acc:HGNC:6230]	-0.169352002	-0.169352002
ENSG00000170365	SMAD1	SMAD family member 1 [Source:HGNC Symbol;Acc:HGNC:6767]	-0.274366666	-0.274366666
ENSG00000170458	CD14	CD14 molecule [Source:HGNC Symbol;Acc:HGNC:1628]	-0.121428527	NA
ENSG00000170606	HSPA4	heat shock 70kDa protein 4 [Source:HGNC Symbol;Acc:HGNC:5237]	0.162021198	0.162021198
ENSG00000170876	TMEM43	transmembrane protein 43 [Source:HGNC Symbol;Acc:HGNC:28472]	-0.129208162	-0.129208162
ENSG00000171466	ZNF562	zinc finger protein 562 [Source:HGNC Symbol;Acc:HGNC:25950]	0.156962027	0.156962027
ENSG00000171853	TRAPP C12	trafficking protein particle complex 12 [Source:HGNC Symbol;Acc:HGNC:24284]	-0.191519409	-0.191519409
ENSG00000176177	ENTHD1	ENTH domain containing 1 [Source:HGNC Symbol;Acc:HGNC:26352]	0.151712936	NA
ENSG00000177628	GBA	glucosidase, beta, acid [Source:HGNC Symbol;Acc:HGNC:4177]	-0.110647138	-0.110647138
ENSG00000178449	COX14	cytochrome c oxidase assembly homolog 14 (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:28216]	-0.347340835	-0.347340835
ENSG00000181837	OR5D17P	olfactory receptor, family 5, subfamily D, member 17 pseudogene [Source:HGNC Symbol;Acc:HGNC:15284]	0.120218825	NA
ENSG00000181929	PRKAG1	protein kinase, AMP-activated, gamma 1 non-catalytic subunit [Source:HGNC Symbol;Acc:HGNC:9385]	-0.128936457	-0.128936457
ENSG00000182022	CHST15	carbohydrate (N-acetylgalactosamine 4-sulfate 6-O) sulfotransferase 15 [Source:HGNC Symbol;Acc:HGNC:18137]	-0.132490353	-0.132490353

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_lin_ac c_plasma	X0.8slope_0.1pvalue_0.1_Max_lin_ac c_plasma
ENSG00000185052	SLC24A3	solute carrier family 24 (sodium/potassium/calcium exchanger), member 3 [Source:HGNC Symbol;Acc:HGNC:10977]	0.500342517	0.500342517
ENSG00000188636	LDOC1L	leucine zipper, down-regulated in cancer 1-like [Source:HGNC Symbol;Acc:HGNC:13343]	0.172136223	0.172136223
ENSG00000189339	SLC35E2B	solute carrier family 35, member E2B [Source:HGNC Symbol;Acc:HGNC:33941]	0.128946098	0.128946098
ENSG00000197006	METTL9	methyltransferase like 9 [Source:HGNC Symbol;Acc:HGNC:24586]	0.237131756	0.237131756
ENSG00000197024	ZNF398	zinc finger protein 398 [Source:HGNC Symbol;Acc:HGNC:18373]	0.152839795	0.152839795
ENSG00000197170	PSMD12	proteasome (prosome, macropain) 26S subunit, non-ATPase, 12 [Source:HGNC Symbol;Acc:HGNC:9557]	-0.18262561	-0.18262561
ENSG00000197249	SERPINA1	serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 1 [Source:HGNC Symbol;Acc:HGNC:8941]	-0.262362563	-0.262362563
ENSG00000197989	SNHG12	small nucleolar RNA host gene 12 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:30062]	-0.281270998	-0.281270998
ENSG00000198053	SIRPA	signal-regulatory protein alpha [Source:HGNC Symbol;Acc:HGNC:9662]	-0.116808258	-0.116808258
ENSG00000198682	PAPSS2	3'-phosphoadenosine 5'-phosphosulfate synthase 2 [Source:HGNC Symbol;Acc:HGNC:8604]	0.277734156	0.277734156
ENSG00000198818	SFT2D1	SFT2 domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21102]	-0.146314776	-0.146314776
ENSG00000204427	ABHD16A	abhydrolase domain containing 16A [Source:HGNC Symbol;Acc:HGNC:13921]	-0.123372105	-0.123372105
ENSG00000206053	HN1L	hematological and neurological expressed 1-like [Source:HGNC Symbol;Acc:HGNC:14137]	-0.134975971	-0.134975971
ENSG00000206077	ZDHHC11B	zinc finger, DHHC-type containing 11B [Source:HGNC Symbol;Acc:HGNC:32962]	0.13138876	NA
ENSG00000213023	SYT3	synaptotagmin III [Source:HGNC Symbol;Acc:HGNC:11511]	-0.135433001	-0.135433001

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma	X0.8slope_0. 1pvalue_0.1 _Max_lin_ac c_plasma
ENSG00000213889	PPM1N	protein phosphatase, Mg2+/Mn2+ dependent, 1N (putative) [Source:HGNC Symbol;Acc:HGNC:26845]	-0.111596208	-0.111596208
ENSG00000215853	RPTN	repetin [Source:HGNC Symbol;Acc:HGNC:26809]	-0.290132783	NA
ENSG00000230590	FTX	FTX transcript, XIST regulator (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:37190]	-0.105300895	-0.105300895
ENSG00000232177	MTND4 P24	MT-ND4 pseudogene 24 [Source:HGNC Symbol;Acc:HGNC:42220]	0.159020151	NA
ENSG00000233614	DDX11L 10	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11 like 10 [Source:HGNC Symbol;Acc:HGNC:14125]	-1.173682324	NA
ENSG00000234456	MAGI2- AS3	MAGI2 antisense RNA 3 [Source:HGNC Symbol;Acc:HGNC:40862]	0.90738652	0.90738652
ENSG00000235568	NFAM1	NFAT activating protein with ITAM motif 1 [Source:HGNC Symbol;Acc:HGNC:29872]	-0.188277675	-0.188277675
ENSG00000237973	MIR672 3	microRNA 6723 [Source:HGNC Symbol;Acc:HGNC:50152]	14.86928693	14.86928693
ENSG00000238083	LRRC37 A2	leucine rich repeat containing 37, member A2 [Source:HGNC Symbol;Acc:HGNC:32404]	-0.161517096	-0.161517096
ENSG00000239437	RN7SL7 52P	RNA, 7SL, cytoplasmic 752, pseudogene [Source:HGNC Symbol;Acc:HGNC:46768]	0.20389067	NA
ENSG00000241468	ATP5J2	ATP synthase, H+ transporting, mitochondrial Fo complex, subunit F2 [Source:HGNC Symbol;Acc:HGNC:848]	-0.159288511	-0.159288511
ENSG00000242588			0.162348015	0.162348015
ENSG00000245248	USP2- AS1	USP2 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:48673]	-0.161323318	-0.161323318
ENSG00000245526	LINC00 461	long intergenic non-protein coding RNA 461 [Source:HGNC Symbol;Acc:HGNC:42810]	-0.1372132	-0.1372132
ENSG00000248360	LINC00 504	long intergenic non-protein coding RNA 504 [Source:HGNC Symbol;Acc:HGNC:43555]	-0.127378703	-0.127378703
ENSG00000248538			-0.182292708	NA
ENSG00000250519			-0.124538483	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_lin_accel_plasma	X0.8slope_0.1pvalue_0.1_Max_lin_accel_plasma
ENSG00000251441	RTEL1P1	regulator of telomere elongation helicase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44213]	-0.111558201	NA
ENSG00000256050			0.201644537	NA
ENSG00000262497	FAM187B2P	family with sequence similarity 187, member B2, pseudogene [Source:HGNC Symbol;Acc:HGNC:49213]	-0.112441006	NA

Table 10. The highest impact sustained by the player in the game as measured by rotational acceleration regressed on RNA expression in plasma samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_rot_accel_plasma	X0.8slope_0.1pvalue_0.1_Max_rot_accel_plasma
ENSG00000198899	MT-ATP6	mitochondrially encoded ATP synthase 6 [Source:HGNC Symbol;Acc:HGNC:7414]	-1.710072511	-1.710072511

Table 11. The highest impact sustained by the player in the game as measured by the number of hits regressed on RNA expression in plasma samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000002919	SNX11	sorting nexin 11 [Source:HGNC Symbol;Acc:HGNC:14975]	-0.18130183	-0.18130183
ENSG00000006607	FARP2	FERM, RhoGEF and pleckstrin domain protein 2 [Source:HGNC Symbol;Acc:HGNC:16460]	-0.413103168	-0.413103168
ENSG00000010219	DYRK4	dual-specificity tyrosine-(Y)-phosphorylation regulated kinase 4 [Source:HGNC Symbol;Acc:HGNC:3095]	-0.268530317	-0.268530317
ENSG00000011021	CLCN6	chloride channel, voltage-sensitive 6 [Source:HGNC Symbol;Acc:HGNC:2024]	-0.300156067	-0.300156067
ENSG00000011132	APBA3	amyloid beta (A4) precursor protein-binding, family A, member 3 [Source:HGNC Symbol;Acc:HGNC:580]	0.16775879	0.16775879
ENSG00000011638	TMEM159	transmembrane protein 159 [Source:HGNC Symbol;Acc:HGNC:30136]	-0.228627306	-0.228627306
ENSG00000012061	ERCC1	excision repair cross-complementation group 1 [Source:HGNC Symbol;Acc:HGNC:3433]	-0.190496391	-0.190496391

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000013306	SLC25A39	solute carrier family 25, member 39 [Source:HGNC Symbol;Acc:HGNC:24279]	0.71738695	0.71738695
ENSG00000029559	IBSP	integrin-binding sialoprotein [Source:HGNC Symbol;Acc:HGNC:5341]	-0.273970392	NA
ENSG00000036530	CYP46A1	cytochrome P450, family 46, subfamily A, polypeptide 1 [Source:HGNC Symbol;Acc:HGNC:2641]	-0.341725844	-0.341725844
ENSG00000047230	CTPS2	CTP synthase 2 [Source:HGNC Symbol;Acc:HGNC:2520]	0.152436371	0.152436371
ENSG00000047932	GOPC	golgi-associated PDZ and coiled-coil motif containing [Source:HGNC Symbol;Acc:HGNC:17643]	0.41112031	0.41112031
ENSG00000050327	ARHGEF5	Rho guanine nucleotide exchange factor (GEF) 5 [Source:HGNC Symbol;Acc:HGNC:13209]	-0.172498356	-0.172498356
ENSG00000052841	TTC17	tetratricopeptide repeat domain 17 [Source:HGNC Symbol;Acc:HGNC:25596]	-0.333510806	-0.333510806
ENSG00000053372	MRTO4	mRNA turnover 4 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:18477]	-0.282938139	-0.282938139
ENSG00000056277	ZNF280C	zinc finger protein 280C [Source:HGNC Symbol;Acc:HGNC:25955]	-0.119273171	NA
ENSG00000060558	GNA15	guanine nucleotide binding protein (G protein), alpha 15 (Gq class) [Source:HGNC Symbol;Acc:HGNC:4383]	0.383424973	0.383424973
ENSG00000061936	SFSWAP	splicing factor, suppressor of white-apricot family [Source:HGNC Symbol;Acc:HGNC:10790]	-0.328160243	-0.328160243
ENSG00000061987	MON2	MON2 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:29177]	-0.247236391	-0.247236391
ENSG00000063244	U2AF2	U2 small nuclear RNA auxiliary factor 2 [Source:HGNC Symbol;Acc:HGNC:23156]	0.384874145	0.384874145
ENSG00000064012	CASP8	caspase 8, apoptosis-related cysteine peptidase [Source:HGNC Symbol;Acc:HGNC:1509]	-0.301014707	-0.301014707
ENSG00000065054	SLC9A3R2	solute carrier family 9, subfamily A (NHE3, cation proton antiporter 3), member 3 regulator 2 [Source:HGNC Symbol;Acc:HGNC:11076]	0.475185163	0.475185163

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000065268	WDR18	WD repeat domain 18 [Source:HGNC Symbol;Acc:HGNC:17956]	0.140777372	NA
ENSG00000065883	CDK13	cyclin-dependent kinase 13 [Source:HGNC Symbol;Acc:HGNC:1733]	0.491099008	0.491099008
ENSG00000066557	LRRC40	leucine rich repeat containing 40 [Source:HGNC Symbol;Acc:HGNC:26004]	0.154029534	NA
ENSG00000067369	TP53BP1	tumor protein p53 binding protein 1 [Source:HGNC Symbol;Acc:HGNC:11999]	-0.45179204	-0.45179204
ENSG00000068745	IP6K2	inositol hexakisphosphate kinase 2 [Source:HGNC Symbol;Acc:HGNC:17313]	-0.340595998	-0.340595998
ENSG00000072364	AFF4	AF4/FMR2 family, member 4 [Source:HGNC Symbol;Acc:HGNC:17869]	-0.377940237	-0.377940237
ENSG00000074755	ZZEF1	zinc finger, ZZ-type with EF-hand domain 1 [Source:HGNC Symbol;Acc:HGNC:29027]	-0.547759839	-0.547759839
ENSG00000075856	SART3	squamous cell carcinoma antigen recognized by T cells 3 [Source:HGNC Symbol;Acc:HGNC:16860]	-0.290538331	-0.290538331
ENSG00000076382	SPAG5	sperm associated antigen 5 [Source:HGNC Symbol;Acc:HGNC:13452]	-0.294534162	-0.294534162
ENSG00000077380	DYNC1I2	dynein, cytoplasmic 1, intermediate chain 2 [Source:HGNC Symbol;Acc:HGNC:2964]	0.316867603	0.316867603
ENSG00000077984	CST7	cystatin F (leukocystatin) [Source:HGNC Symbol;Acc:HGNC:2479]	0.878464548	0.878464548
ENSG00000078808	SDF4	stromal cell derived factor 4 [Source:HGNC Symbol;Acc:HGNC:24188]	0.767915274	0.767915274
ENSG00000079313	REXO1	REX1, RNA exonuclease 1 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:24616]	0.251033654	0.251033654
ENSG00000079332	SAR1A	secretion associated, Ras related GTPase 1A [Source:HGNC Symbol;Acc:HGNC:10534]	0.385716192	0.385716192
ENSG00000081791	KIAA0141	KIAA0141 [Source:HGNC Symbol;Acc:HGNC:28969]	-0.22694511	-0.22694511
ENSG00000083099	LYRM2	LYR motif containing 2 [Source:HGNC Symbol;Acc:HGNC:25229]	-0.154230851	-0.154230851

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000083635	NUFIP1	nuclear fragile X mental retardation protein interacting protein 1 [Source:HGNC Symbol;Acc:HGNC:8057]	-0.193120866	-0.193120866
ENSG00000084234	APLP2	amyloid beta (A4) precursor-like protein 2 [Source:HGNC Symbol;Acc:HGNC:598]	-0.445100705	-0.445100705
ENSG00000085719	CPNE3	copine III [Source:HGNC Symbol;Acc:HGNC:2316]	0.337011459	0.337011459
ENSG00000085978	ATG16L1	autophagy related 16-like 1 (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:21498]	-0.224370196	-0.224370196
ENSG00000086730	LAT2	linker for activation of T cells family, member 2 [Source:HGNC Symbol;Acc:HGNC:12749]	-0.15860923	-0.15860923
ENSG00000087111	PIGS	phosphatidylinositol glycan anchor biosynthesis, class S [Source:HGNC Symbol;Acc:HGNC:14937]	-0.218275213	-0.218275213
ENSG00000087191	PSMC5	proteasome (prosome, macropain) 26S subunit, ATPase, 5 [Source:HGNC Symbol;Acc:HGNC:9552]	-0.316917034	-0.316917034
ENSG00000087589	CASS4	Cas scaffolding protein family member 4 [Source:HGNC Symbol;Acc:HGNC:15878]	-0.164417008	-0.164417008
ENSG00000087884	AAMDC	adipogenesis associated, Mth938 domain containing [Source:HGNC Symbol;Acc:HGNC:30205]	-0.146359987	NA
ENSG00000089177	KIF16B	kinesin family member 16B [Source:HGNC Symbol;Acc:HGNC:15869]	-0.270083492	-0.270083492
ENSG00000091164	TXNL1	thioredoxin-like 1 [Source:HGNC Symbol;Acc:HGNC:12436]	-0.271836525	-0.271836525
ENSG00000092098	RNF31	ring finger protein 31 [Source:HGNC Symbol;Acc:HGNC:16031]	-0.234769781	-0.234769781
ENSG00000099810	MTAP	methylthioadenosine phosphorylase [Source:HGNC Symbol;Acc:HGNC:7413]	-0.177894282	-0.177894282
ENSG00000100181	TPTEP1	transmembrane phosphatase with tensin homology pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43648]	4.020177071	4.020177071
ENSG00000100359	SGSM3	small G protein signaling modulator 3 [Source:HGNC Symbol;Acc:HGNC:25228]	0.279110078	0.279110078
ENSG00000100811	YY1	YY1 transcription factor [Source:HGNC Symbol;Acc:HGNC:12856]	0.639748136	0.639748136

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000100836	PABPN1	poly(A) binding protein, nuclear 1 [Source:HGNC Symbol;Acc:HGNC:8565]	0.135052692	0.135052692
ENSG00000100938	GMPR2	guanosine monophosphate reductase 2 [Source:HGNC Symbol;Acc:HGNC:4377]	-0.367031082	-0.367031082
ENSG00000101266	CSNK2A1	casein kinase 2, alpha 1 polypeptide [Source:HGNC Symbol;Acc:HGNC:2457]	0.215976365	0.215976365
ENSG00000101337	TM9SF4	transmembrane 9 superfamily protein member 4 [Source:HGNC Symbol;Acc:HGNC:30797]	-0.327607154	-0.327607154
ENSG00000101452	DHX35	DEAH (Asp-Glu-Ala-His) box polypeptide 35 [Source:HGNC Symbol;Acc:HGNC:15861]	-0.271561028	-0.271561028
ENSG00000102003	SYP	synaptophysin [Source:HGNC Symbol;Acc:HGNC:11506]	-0.232683457	NA
ENSG00000102024	PLS3	plastin 3 [Source:HGNC Symbol;Acc:HGNC:9091]	0.134990538	NA
ENSG00000102053	ZC3H12B	zinc finger CCCH-type containing 12B [Source:HGNC Symbol;Acc:HGNC:17407]	-0.202615192	-0.202615192
ENSG00000102174	PHEX	phosphate regulating endopeptidase homolog, X-linked [Source:HGNC Symbol;Acc:HGNC:8918]	-0.122550026	NA
ENSG00000102743	SLC25A15	solute carrier family 25 (mitochondrial carrier; ornithine transporter) member 15 [Source:HGNC Symbol;Acc:HGNC:10985]	-0.144896419	-0.144896419
ENSG00000102978	POLR2C	polymerase (RNA) II (DNA directed) polypeptide C, 33kDa [Source:HGNC Symbol;Acc:HGNC:9189]	-0.200616615	-0.200616615
ENSG00000103260	METRN	meteorin, glial cell differentiation regulator [Source:HGNC Symbol;Acc:HGNC:14151]	0.119367309	NA
ENSG00000103569	AQP9	aquaporin 9 [Source:HGNC Symbol;Acc:HGNC:643]	-0.127208941	-0.127208941
ENSG00000104518	GSDMD	gasdermin D [Source:HGNC Symbol;Acc:HGNC:25697]	0.319544945	0.319544945
ENSG00000104722	NEFM	neurofilament, medium polypeptide [Source:HGNC Symbol;Acc:HGNC:7734]	-0.1251566	NA
ENSG00000104964	AES	amino-terminal enhancer of split [Source:HGNC Symbol;Acc:HGNC:307]	0.932109933	0.932109933
ENSG00000105383	CD33	CD33 molecule [Source:HGNC Symbol;Acc:HGNC:1659]	-0.334137071	-0.334137071

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000105619	TFPT	TCF3 (E2A) fusion partner (in childhood Leukemia) [Source:HGNC Symbol;Acc:HGNC:13630]	0.229743673	NA
ENSG00000105792	CFAP69	cilia and flagella associated protein 69 [Source:HGNC Symbol;Acc:HGNC:26107]	-0.279866829	NA
ENSG00000105821	DNAJC2	DnaJ (Hsp40) homolog, subfamily C, member 2 [Source:HGNC Symbol;Acc:HGNC:13192]	0.279798004	0.279798004
ENSG00000105879	CBLL1	Cbl proto-oncogene-like 1, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:21225]	-0.297249955	-0.297249955
ENSG00000105971	CAV2	caveolin 2 [Source:HGNC Symbol;Acc:HGNC:1528]	-0.389555214	-0.389555214
ENSG00000106628	POLD2	polymerase (DNA directed), delta 2, accessory subunit [Source:HGNC Symbol;Acc:HGNC:9176]	0.196918487	0.196918487
ENSG00000106772	PRUNE2	prune homolog 2 (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:25209]	-0.769920327	-0.769920327
ENSG00000106803	SEC61B	Sec61 beta subunit [Source:HGNC Symbol;Acc:HGNC:16993]	-0.115862109	-0.115862109
ENSG00000107829	FBXW4	F-box and WD repeat domain containing 4 [Source:HGNC Symbol;Acc:HGNC:10847]	-0.38916892	-0.38916892
ENSG00000108219	TSPAN14	tetraspanin 14 [Source:HGNC Symbol;Acc:HGNC:23303]	-0.593916068	-0.593916068
ENSG00000108344	PSMD3	proteasome (prosome, macropain) 26S subunit, non-ATPase, 3 [Source:HGNC Symbol;Acc:HGNC:9560]	-0.253290858	-0.253290858
ENSG00000108439	PNPO	pyridoxamine 5'-phosphate oxidase [Source:HGNC Symbol;Acc:HGNC:30260]	-0.105362262	-0.105362262
ENSG00000108465	CDK5R_AP3	CDK5 regulatory subunit associated protein 3 [Source:HGNC Symbol;Acc:HGNC:18673]	-0.338333206	-0.338333206
ENSG00000109272	PF4V1	platelet factor 4 variant 1 [Source:HGNC Symbol;Acc:HGNC:8862]	11.0501801	11.0501801
ENSG00000109758	HGFAC	HGF activator [Source:HGNC Symbol;Acc:HGNC:4894]	0.264047523	NA
ENSG00000110079	MS4A4A	membrane-spanning 4-domains, subfamily A, member 4A [Source:HGNC Symbol;Acc:HGNC:13371]	-0.24370514	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000110107	PRPF19	pre-mRNA processing factor 19 [Source:HGNC Symbol;Acc:HGNC:17896]	0.780895954	0.780895954
ENSG00000110108	TMEM109	transmembrane protein 109 [Source:HGNC Symbol;Acc:HGNC:28771]	-0.168302183	-0.168302183
ENSG00000110169	HPX	hemopexin [Source:HGNC Symbol;Acc:HGNC:5171]	-0.257263857	NA
ENSG00000111237	VPS29	vacuolar protein sorting 29 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:14340]	-0.228985346	-0.228985346
ENSG00000111729	CLEC4A	C-type lectin domain family 4, member A [Source:HGNC Symbol;Acc:HGNC:13257]	-0.122305695	NA
ENSG00000111860	CEP85L	centrosomal protein 85kDa-like [Source:HGNC Symbol;Acc:HGNC:21638]	-0.18194886	-0.18194886
ENSG00000111880	RNGTT	RNA guanylyltransferase and 5'-phosphatase [Source:HGNC Symbol;Acc:HGNC:10073]	-0.162725004	-0.162725004
ENSG00000112561	TFEB	transcription factor EB [Source:HGNC Symbol;Acc:HGNC:11753]	0.187014223	0.187014223
ENSG00000112812	PRSS16	protease, serine, 16 (thymus) [Source:HGNC Symbol;Acc:HGNC:9480]	-0.513500979	-0.513500979
ENSG00000113658	SMAD5	SMAD family member 5 [Source:HGNC Symbol;Acc:HGNC:6771]	2.438979927	2.438979927
ENSG00000114021	NIT2	nitrilase family, member 2 [Source:HGNC Symbol;Acc:HGNC:29878]	-0.149608143	NA
ENSG00000115267	IFIH1	interferon induced with helicase C domain 1 [Source:HGNC Symbol;Acc:HGNC:18873]	-0.103073933	-0.103073933
ENSG00000115484	CCT4	chaperonin containing TCP1, subunit 4 (delta) [Source:HGNC Symbol;Acc:HGNC:1617]	0.282495067	0.282495067
ENSG00000115486	GGCX	gamma-glutamyl carboxylase [Source:HGNC Symbol;Acc:HGNC:4247]	-0.282843188	-0.282843188
ENSG00000115504	EHBP1	EH domain binding protein 1 [Source:HGNC Symbol;Acc:HGNC:29144]	0.342346276	0.342346276
ENSG00000115896	PLCL1	phospholipase C-like 1 [Source:HGNC Symbol;Acc:HGNC:9063]	-0.238214243	-0.238214243
ENSG00000116117	PARD3B	par-3 family cell polarity regulator beta [Source:HGNC Symbol;Acc:HGNC:14446]	0.776502959	0.776502959

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000117226	GBP3	guanylate binding protein 3 [Source:HGNC Symbol;Acc:HGNC:4184]	-0.224991748	-0.224991748
ENSG00000117448	AKR1A1	aldo-keto reductase family 1, member A1 (aldehyde reductase) [Source:HGNC Symbol;Acc:HGNC:380]	-0.165680072	-0.165680072
ENSG00000117481	NSUN4	NOP2/Sun domain family, member 4 [Source:HGNC Symbol;Acc:HGNC:31802]	-0.470387718	-0.470387718
ENSG00000117616	RSRP1	arginine-serine-rich protein 1 [Source:HGNC Symbol;Acc:HGNC:25234]	-0.379259917	-0.379259917
ENSG00000117834	SLC5A9	solute carrier family 5 (sodium/sugar cotransporter), member 9 [Source:HGNC Symbol;Acc:HGNC:22146]	-0.324404916	-0.324404916
ENSG00000119321	FKBP15	FK506 binding protein 15, 133kDa [Source:HGNC Symbol;Acc:HGNC:23397]	-0.30904328	-0.30904328
ENSG00000119725	ZNF410	zinc finger protein 410 [Source:HGNC Symbol;Acc:HGNC:20144]	-0.156064848	-0.156064848
ENSG00000119943	PYROX D2	pyridine nucleotide-disulphide oxidoreductase domain 2 [Source:HGNC Symbol;Acc:HGNC:23517]	-0.283809537	-0.283809537
ENSG00000120662	MTRF1	mitochondrial translational release factor 1 [Source:HGNC Symbol;Acc:HGNC:7469]	0.167354665	0.167354665
ENSG00000120708	TGFBI	transforming growth factor, beta-induced, 68kDa [Source:HGNC Symbol;Acc:HGNC:11771]	-0.401291447	-0.401291447
ENSG00000120889	TNFRSF10B	tumor necrosis factor receptor superfamily, member 10b [Source:HGNC Symbol;Acc:HGNC:11905]	-0.159792098	-0.159792098
ENSG00000121481	RNF2	ring finger protein 2 [Source:HGNC Symbol;Acc:HGNC:10061]	-0.172574383	-0.172574383
ENSG00000122484	RPAP2	RNA polymerase II associated protein 2 [Source:HGNC Symbol;Acc:HGNC:25791]	-0.477597758	-0.477597758
ENSG00000124459	ZNF45	zinc finger protein 45 [Source:HGNC Symbol;Acc:HGNC:13111]	-0.157277664	-0.157277664
ENSG00000124541	RRP36	ribosomal RNA processing 36 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:21374]	0.165299754	0.165299754

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000124588	NQO2	NAD(P)H dehydrogenase, quinone 2 [Source:HGNC Symbol;Acc:HGNC:7856]	-0.213251218	-0.213251218
ENSG00000124602	UNC5C_L	unc-5 homolog C (<i>C. elegans</i>)-like [Source:HGNC Symbol;Acc:HGNC:21203]	-0.181414722	NA
ENSG00000125166	GOT2	glutamic-oxaloacetic transaminase 2, mitochondrial [Source:HGNC Symbol;Acc:HGNC:4433]	0.164458841	0.164458841
ENSG00000125445	MRPS7	mitochondrial ribosomal protein S7 [Source:HGNC Symbol;Acc:HGNC:14499]	-0.185603919	-0.185603919
ENSG00000125630	POLR1_B	polymerase (RNA) I polypeptide B, 128kDa [Source:HGNC Symbol;Acc:HGNC:20454]	-0.265939431	-0.265939431
ENSG00000125633	CCDC93	coiled-coil domain containing 93 [Source:HGNC Symbol;Acc:HGNC:25611]	-0.316544829	-0.316544829
ENSG00000125779	PANK2	pantothenate kinase 2 [Source:HGNC Symbol;Acc:HGNC:15894]	-0.21463338	-0.21463338
ENSG00000125846	ZNF133	zinc finger protein 133 [Source:HGNC Symbol;Acc:HGNC:12917]	-0.303985979	-0.303985979
ENSG00000125997	BPIFB9_P	BPI fold containing family B, member 9, pseudogene [Source:HGNC Symbol;Acc:HGNC:16109]	-0.115137701	NA
ENSG00000126012	KDM5C	lysine (K)-specific demethylase 5C [Source:HGNC Symbol;Acc:HGNC:11114]	-0.327948032	-0.327948032
ENSG00000126216	TUBGC_P3	tubulin, gamma complex associated protein 3 [Source:HGNC Symbol;Acc:HGNC:18598]	-0.276604625	-0.276604625
ENSG00000126461	SCAF1	SR-related CTD-associated factor 1 [Source:HGNC Symbol;Acc:HGNC:30403]	0.228635347	0.228635347
ENSG00000126653	NSRP1	nuclear speckle splicing regulatory protein 1 [Source:HGNC Symbol;Acc:HGNC:25305]	-0.308333688	-0.308333688
ENSG00000128383	APOBE_C3A	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3A [Source:HGNC Symbol;Acc:HGNC:17343]	-0.167275864	-0.167275864
ENSG00000128881	TTBK2	tau tubulin kinase 2 [Source:HGNC Symbol;Acc:HGNC:19141]	-0.288481704	-0.288481704
ENSG00000130589	HELZ2	helicase with zinc finger 2, transcriptional coactivator [Source:HGNC Symbol;Acc:HGNC:30021]	0.458283236	0.458283236

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000130600	H19	H19, imprinted maternally expressed transcript (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:4713]	2.354612983	2.354612983
ENSG00000130703	OSBPL2	oxysterol binding protein-like 2 [Source:HGNC Symbol;Acc:HGNC:15761]	0.364186697	0.364186697
ENSG00000130935	NOL11	nucleolar protein 11 [Source:HGNC Symbol;Acc:HGNC:24557]	-0.143170588	-0.143170588
ENSG00000131016	AKAP12	A kinase (PRKA) anchor protein 12 [Source:HGNC Symbol;Acc:HGNC:370]	-0.284729614	-0.284729614
ENSG00000131068	DEFB118	defensin, beta 118 [Source:HGNC Symbol;Acc:HGNC:16196]	-0.103207397	NA
ENSG00000131469	RPL27	ribosomal protein L27 [Source:HGNC Symbol;Acc:HGNC:10328]	1.593865307	1.593865307
ENSG00000131508	UBE2D2	ubiquitin-conjugating enzyme E2D 2 [Source:HGNC Symbol;Acc:HGNC:12475]	0.917517388	0.917517388
ENSG00000132530	XAF1	XIAP associated factor 1 [Source:HGNC Symbol;Acc:HGNC:30932]	-0.317553234	-0.317553234
ENSG00000133106	EPSTI1	epithelial stromal interaction 1 (breast) [Source:HGNC Symbol;Acc:HGNC:16465]	0.368204938	0.368204938
ENSG00000133460	SLC2A11	solute carrier family 2 (facilitated glucose transporter), member 11 [Source:HGNC Symbol;Acc:HGNC:14239]	-0.796053407	-0.796053407
ENSG00000133704	IPO8	importin 8 [Source:HGNC Symbol;Acc:HGNC:9853]	-0.196186167	-0.196186167
ENSG00000133835	HSD17B4	hydroxysteroid (17-beta) dehydrogenase 4 [Source:HGNC Symbol;Acc:HGNC:5213]	-0.264490829	-0.264490829
ENSG00000134184	GSTM1	glutathione S-transferase mu 1 [Source:HGNC Symbol;Acc:HGNC:4632]	0.190616913	NA
ENSG00000134330	IAH1	isoamyl acetate-hydrolyzing esterase 1 homolog (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:27696]	-0.186984626	-0.186984626
ENSG00000134853	PDGFR A	platelet-derived growth factor receptor, alpha polypeptide [Source:HGNC Symbol;Acc:HGNC:8803]	-0.258883375	-0.258883375
ENSG00000134899	ERCC5	excision repair cross-complementation group 5 [Source:HGNC Symbol;Acc:HGNC:3437]	0.188493076	0.188493076

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000134954	ETS1	v-ets avian erythroblastosis virus E26 oncogene homolog 1 [Source:HGNC Symbol;Acc:HGNC:3488]	1.367586635	1.367586635
ENSG00000135074	ADAM19	ADAM metallopeptidase domain 19 [Source:HGNC Symbol;Acc:HGNC:197]	-0.285510493	-0.285510493
ENSG00000135249	RINT1	RAD50 interactor 1 [Source:HGNC Symbol;Acc:HGNC:21876]	-0.172799072	-0.172799072
ENSG00000135776	ABCB10	ATP-binding cassette, sub-family B (MDR/TAP), member 10 [Source:HGNC Symbol;Acc:HGNC:41]	0.138199013	0.138199013
ENSG00000135828	RNASEL	ribonuclease L (2',5'-oligoisoadenylate synthetase-dependent) [Source:HGNC Symbol;Acc:HGNC:10050]	-0.233082	-0.233082
ENSG00000135925	WNT10A	wingless-type MMTV integration site family, member 10A [Source:HGNC Symbol;Acc:HGNC:13829]	0.132456504	NA
ENSG00000136048	DRAM1	DNA-damage regulated autophagy modulator 1 [Source:HGNC Symbol;Acc:HGNC:25645]	-0.158362576	-0.158362576
ENSG00000136869	TLR4	toll-like receptor 4 [Source:HGNC Symbol;Acc:HGNC:11850]	-0.187905349	-0.187905349
ENSG00000136881	BAAT	bile acid CoA:amino acid N-acyltransferase [Source:HGNC Symbol;Acc:HGNC:932]	-0.179763218	NA
ENSG00000137101	CD72	CD72 molecule [Source:HGNC Symbol;Acc:HGNC:1696]	-0.250696821	-0.250696821
ENSG00000137337	MDC1	mediator of DNA-damage checkpoint 1 [Source:HGNC Symbol;Acc:HGNC:21163]	-0.435575453	-0.435575453
ENSG00000137513	NARS2	asparaginyl-tRNA synthetase 2, mitochondrial (putative) [Source:HGNC Symbol;Acc:HGNC:26274]	-0.157310972	-0.157310972
ENSG00000137713	PPP2R1B	protein phosphatase 2, regulatory subunit A, beta [Source:HGNC Symbol;Acc:HGNC:9303]	-0.393093416	-0.393093416
ENSG00000137819	PAQR5	progesterin and adipoQ receptor family member V [Source:HGNC Symbol;Acc:HGNC:29645]	-0.269509334	NA
ENSG00000137955	RABGGTB	Rab geranylgeranyltransferase, beta subunit [Source:HGNC Symbol;Acc:HGNC:9796]	-0.154111805	-0.154111805
ENSG00000137965	IFI44	interferon-induced protein 44 [Source:HGNC Symbol;Acc:HGNC:16938]	-0.122874288	-0.122874288

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000138152	BTBD16	BTB (POZ) domain containing 16 [Source:HGNC Symbol;Acc:HGNC:26340]	0.34233563	NA
ENSG00000138297	NA	NA	-0.142481452	NA
ENSG00000138459	SLC35A5	solute carrier family 35, member A5 [Source:HGNC Symbol;Acc:HGNC:20792]	-0.155735853	-0.155735853
ENSG00000138796	HADH	hydroxyacyl-CoA dehydrogenase [Source:HGNC Symbol;Acc:HGNC:4799]	0.197773445	0.197773445
ENSG00000139192	TAPBPL	TAP binding protein-like [Source:HGNC Symbol;Acc:HGNC:30683]	-0.154699461	-0.154699461
ENSG00000139436	GIT2	G protein-coupled receptor kinase interacting ArfGAP 2 [Source:HGNC Symbol;Acc:HGNC:4273]	-0.356554053	-0.356554053
ENSG00000139515	PDX1	pancreatic and duodenal homeobox 1 [Source:HGNC Symbol;Acc:HGNC:6107]	-0.163009091	NA
ENSG00000139874	SSTR1	somatostatin receptor 1 [Source:HGNC Symbol;Acc:HGNC:11330]	-0.173526356	NA
ENSG00000140015	KCNH5	potassium voltage-gated channel, subfamily H (eag-related), member 5 [Source:HGNC Symbol;Acc:HGNC:6254]	-0.291948339	NA
ENSG00000140379	BCL2A1	BCL2-related protein A1 [Source:HGNC Symbol;Acc:HGNC:991]	-0.189089134	NA
ENSG00000140740	UQCRC2	ubiquinol-cytochrome c reductase core protein II [Source:HGNC Symbol;Acc:HGNC:12586]	0.202041894	0.202041894
ENSG00000141101	NOB1	NIN1/RPN12 binding protein 1 homolog (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:29540]	-0.14120592	-0.14120592
ENSG00000141179	PCTP	phosphatidylcholine transfer protein [Source:HGNC Symbol;Acc:HGNC:8752]	0.946862159	0.946862159
ENSG00000141391	SLMO1	slowmo homolog 1 (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:24639]	-0.121053874	NA
ENSG00000141582	CBX4	chromobox homolog 4 [Source:HGNC Symbol;Acc:HGNC:1554]	0.126638185	NA
ENSG00000141665	FBXO15	F-box protein 15 [Source:HGNC Symbol;Acc:HGNC:13617]	-0.351552536	-0.351552536

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000141858	SAMD1	sterile alpha motif domain containing 1 [Source:HGNC Symbol;Acc:HGNC:17958]	0.103377803	NA
ENSG00000141946	ZIM3	zinc finger, imprinted 3 [Source:HGNC Symbol;Acc:HGNC:16366]	-0.129758699	NA
ENSG00000142856	ITGB3BP	integrin beta 3 binding protein (beta3-endonexin) [Source:HGNC Symbol;Acc:HGNC:6157]	0.352560138	0.352560138
ENSG00000143226	FCGR2A	Fc fragment of IgG, low affinity IIa, receptor (CD32) [Source:HGNC Symbol;Acc:HGNC:3616]	-0.339026469	-0.339026469
ENSG00000143314	MRPL24	mitochondrial ribosomal protein L24 [Source:HGNC Symbol;Acc:HGNC:14037]	0.167078328	0.167078328
ENSG00000143390	RFX5	regulatory factor X, 5 (influences HLA class II expression) [Source:HGNC Symbol;Acc:HGNC:9986]	-0.273652914	-0.273652914
ENSG00000143536	CRNN	cornulin [Source:HGNC Symbol;Acc:HGNC:1230]	-0.504517688	-0.504517688
ENSG00000143633	C1orf131	chromosome 1 open reading frame 131 [Source:HGNC Symbol;Acc:HGNC:25332]	-0.296642104	-0.296642104
ENSG00000143774	GUK1	guanylate kinase 1 [Source:HGNC Symbol;Acc:HGNC:4693]	0.375454312	0.375454312
ENSG00000144026	ZNF514	zinc finger protein 514 [Source:HGNC Symbol;Acc:HGNC:25894]	-0.159206514	-0.159206514
ENSG00000144559	TAMM41	TAM41, mitochondrial translocator assembly and maintenance protein, homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:25187]	-0.202585771	-0.202585771
ENSG00000144802	NFKBIZ	nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, zeta [Source:HGNC Symbol;Acc:HGNC:29805]	-0.30522935	-0.30522935
ENSG00000145214	DGKQ	diacylglycerol kinase, theta 110kDa [Source:HGNC Symbol;Acc:HGNC:2856]	0.338305913	0.338305913
ENSG00000145439	CBR4	carbonyl reductase 4 [Source:HGNC Symbol;Acc:HGNC:25891]	0.268785989	0.268785989
ENSG00000145476	CYP4V2	cytochrome P450, family 4, subfamily V, polypeptide 2 [Source:HGNC Symbol;Acc:HGNC:23198]	-0.304900483	-0.304900483

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000145863	GABRA6	gamma-aminobutyric acid (GABA) A receptor, alpha 6 [Source:HGNC Symbol;Acc:HGNC:4080]	-0.122296325	NA
ENSG00000146192	FGD2	FYVE, RhoGEF and PH domain containing 2 [Source:HGNC Symbol;Acc:HGNC:3664]	-0.433566775	-0.433566775
ENSG00000146535	GNA12	guanine nucleotide binding protein (G protein) alpha 12 [Source:HGNC Symbol;Acc:HGNC:4380]	0.559219799	0.559219799
ENSG00000147124	ZNF41	zinc finger protein 41 [Source:HGNC Symbol;Acc:HGNC:13107]	-0.16831668	-0.16831668
ENSG00000147402	NA	NA	-0.17974862	NA
ENSG00000147454	SLC25A37	solute carrier family 25 (mitochondrial iron transporter), member 37 [Source:HGNC Symbol;Acc:HGNC:29786]	2.024656588	2.024656588
ENSG00000147471	PROSC	proline synthetase co-transcribed homolog (bacterial) [Source:HGNC Symbol;Acc:HGNC:9457]	0.34892489	0.34892489
ENSG00000148219	ASTN2	astrotactin 2 [Source:HGNC Symbol;Acc:HGNC:17021]	-0.42723069	-0.42723069
ENSG00000149090	PAMR1	peptidase domain containing associated with muscle regeneration 1 [Source:HGNC Symbol;Acc:HGNC:24554]	-0.19414373	-0.19414373
ENSG00000149474	CSRP2BP	CSRP2 binding protein [Source:HGNC Symbol;Acc:HGNC:15904]	-0.17555367	-0.17555367
ENSG00000149499	EML3	echinoderm microtubule associated protein like 3 [Source:HGNC Symbol;Acc:HGNC:26666]	-0.276933033	-0.276933033
ENSG00000150457	LATS2	large tumor suppressor kinase 2 [Source:HGNC Symbol;Acc:HGNC:6515]	-0.152222375	-0.152222375
ENSG00000151239	TWF1	twinfilin actin-binding protein 1 [Source:HGNC Symbol;Acc:HGNC:9620]	-0.132016998	NA
ENSG00000151572	ANO4	anoctamin 4 [Source:HGNC Symbol;Acc:HGNC:23837]	-0.332189885	-0.332189885
ENSG00000151577	DRD3	dopamine receptor D3 [Source:HGNC Symbol;Acc:HGNC:3024]	-0.152498795	NA
ENSG00000151726	ACSL1	acyl-CoA synthetase long-chain family member 1 [Source:HGNC Symbol;Acc:HGNC:3569]	-0.305164415	-0.305164415
ENSG00000152049	KCNE4	potassium voltage-gated channel, Isk-related family, member 4 [Source:HGNC Symbol;Acc:HGNC:6244]	-0.164073615	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000152219	ARL14EP	ADP-ribosylation factor-like 14 effector protein [Source:HGNC Symbol;Acc:HGNC:26798]	-0.165131265	-0.165131265
ENSG00000152348	ATG10	autophagy related 10 [Source:HGNC Symbol;Acc:HGNC:20315]	-0.189974522	-0.189974522
ENSG00000152457	DCLRE1C	DNA cross-link repair 1C [Source:HGNC Symbol;Acc:HGNC:17642]	-0.309025285	-0.309025285
ENSG00000152591	DSPP	dentin sialophosphoprotein [Source:HGNC Symbol;Acc:HGNC:3054]	-1.107310915	-1.107310915
ENSG00000153560	UBP1	upstream binding protein 1 (LBP-1a) [Source:HGNC Symbol;Acc:HGNC:12507]	0.487512878	0.487512878
ENSG00000154065	ANKRD29	ankyrin repeat domain 29 [Source:HGNC Symbol;Acc:HGNC:27110]	-0.270364727	NA
ENSG00000154217	PITPNC1	phosphatidylinositol transfer protein, cytoplasmic 1 [Source:HGNC Symbol;Acc:HGNC:21045]	0.184098148	0.184098148
ENSG00000154920	EME1	essential meiotic structure-specific endonuclease 1 [Source:HGNC Symbol;Acc:HGNC:24965]	-0.175166827	NA
ENSG00000155307	SAMSN1	SAM domain, SH3 domain and nuclear localization signals 1 [Source:HGNC Symbol;Acc:HGNC:10528]	-0.334492222	-0.334492222
ENSG00000155330	C16orf87	chromosome 16 open reading frame 87 [Source:HGNC Symbol;Acc:HGNC:33754]	-0.196420793	-0.196420793
ENSG00000155749	ALS2CR12	amyotrophic lateral sclerosis 2 (juvenile) chromosome region, candidate 12 [Source:HGNC Symbol;Acc:HGNC:14439]	0.17679216	0.17679216
ENSG00000155827	RNF20	ring finger protein 20, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:10062]	-0.35020149	-0.35020149
ENSG00000156398	SFXN2	sideroflexin 2 [Source:HGNC Symbol;Acc:HGNC:16086]	-0.279110846	-0.279110846
ENSG00000156650	KAT6B	K(lysine) acetyltransferase 6B [Source:HGNC Symbol;Acc:HGNC:17582]	-0.343476766	-0.343476766
ENSG00000157036	EXOG	endo/exonuclease (5'-3'), endonuclease G-like [Source:HGNC Symbol;Acc:HGNC:3347]	-0.195141631	-0.195141631

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000157542	KCNJ6	potassium inwardly-rectifying channel, subfamily J, member 6 [Source:HGNC Symbol;Acc:HGNC:6267]	-0.52400914	-0.52400914
ENSG00000157827	FMNL2	formin-like 2 [Source:HGNC Symbol;Acc:HGNC:18267]	-0.296967858	-0.296967858
ENSG00000158106	RHPN1	rhophilin, Rho GTPase binding protein 1 [Source:HGNC Symbol;Acc:HGNC:19973]	0.226466468	NA
ENSG00000158352	SHROOM4	shroom family member 4 [Source:HGNC Symbol;Acc:HGNC:29215]	-0.297192674	-0.297192674
ENSG00000158578	ALAS2	aminolevulinate, delta-, synthase 2 [Source:HGNC Symbol;Acc:HGNC:397]	0.431841882	0.431841882
ENSG00000158987	RAPGEF6	Rap guanine nucleotide exchange factor (GEF) 6 [Source:HGNC Symbol;Acc:HGNC:20655]	-0.166980492	-0.166980492
ENSG00000159339	PADI4	peptidyl arginine deiminase, type IV [Source:HGNC Symbol;Acc:HGNC:18368]	-0.507543043	-0.507543043
ENSG00000159398	CES5A	carboxylesterase 5A [Source:HGNC Symbol;Acc:HGNC:26459]	-0.327309834	-0.327309834
ENSG00000159674	SPON2	spondin 2, extracellular matrix protein [Source:HGNC Symbol;Acc:HGNC:11253]	0.335120133	0.335120133
ENSG00000160172	FAM86C2P	family with sequence similarity 86, member C2, pseudogene [Source:HGNC Symbol;Acc:HGNC:42392]	-0.159269559	NA
ENSG00000160233	LRRC3	leucine rich repeat containing 3 [Source:HGNC Symbol;Acc:HGNC:14965]	0.170594569	NA
ENSG00000160336	ZNF761	zinc finger protein 761 [Source:HGNC Symbol;Acc:HGNC:23179]	-0.162895236	-0.162895236
ENSG00000160584	SIK3	SIK family kinase 3 [Source:HGNC Symbol;Acc:HGNC:29165]	-0.421688526	-0.421688526
ENSG00000160818	GPATC H4	G patch domain containing 4 [Source:HGNC Symbol;Acc:HGNC:25982]	-0.245177172	-0.245177172
ENSG00000161551	ZNF577	zinc finger protein 577 [Source:HGNC Symbol;Acc:HGNC:28673]	-0.18526194	-0.18526194
ENSG00000162006	MSLNL	mesothelin-like [Source:HGNC Symbol;Acc:HGNC:14170]	0.184037758	NA
ENSG00000162086	ZNF75A	zinc finger protein 75a [Source:HGNC Symbol;Acc:HGNC:13146]	-0.169535209	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000162174	ASRGL1	asparaginase like 1 [Source:HGNC Symbol;Acc:HGNC:16448]	-0.239517911	-0.239517911
ENSG00000162645	GBP2	guanylate binding protein 2, interferon-inducible [Source:HGNC Symbol;Acc:HGNC:4183]	-0.538214742	-0.538214742
ENSG00000162695	SLC30A7	solute carrier family 30 (zinc transporter), member 7 [Source:HGNC Symbol;Acc:HGNC:19306]	-0.165053222	-0.165053222
ENSG00000162733	DDR2	discoidin domain receptor tyrosine kinase 2 [Source:HGNC Symbol;Acc:HGNC:2731]	-0.37037397	-0.37037397
ENSG00000162736	NCSTN	nicastrin [Source:HGNC Symbol;Acc:HGNC:17091]	-0.299631159	-0.299631159
ENSG00000163380	LMOD3	leiomodin 3 (fetal) [Source:HGNC Symbol;Acc:HGNC:6649]	-0.212595649	NA
ENSG00000163431	LMOD1	leiomodin 1 (smooth muscle) [Source:HGNC Symbol;Acc:HGNC:6647]	-0.170738272	NA
ENSG00000163463	KRTCA P2	keratinocyte associated protein 2 [Source:HGNC Symbol;Acc:HGNC:28942]	-0.156575708	-0.156575708
ENSG00000163611	SPICE1	spindle and centriole associated protein 1 [Source:HGNC Symbol;Acc:HGNC:25083]	-0.254944321	-0.254944321
ENSG00000163823	CCR1	chemokine (C-C motif) receptor 1 [Source:HGNC Symbol;Acc:HGNC:1602]	-0.146844607	-0.146844607
ENSG00000164022	AIMP1	aminoacyl tRNA synthetase complex-interacting multifunctional protein 1 [Source:HGNC Symbol;Acc:HGNC:10648]	-0.135480176	NA
ENSG00000164056	SPRY1	sprouty homolog 1, antagonist of FGF signaling (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:11269]	-0.223768011	-0.223768011
ENSG00000164134	NAA15	N(alpha)-acetyltransferase 15, NatA auxiliary subunit [Source:HGNC Symbol;Acc:HGNC:30782]	-0.283214671	-0.283214671
ENSG00000164451	FAM26D	family with sequence similarity 26, member D [Source:HGNC Symbol;Acc:HGNC:21094]	-0.134450736	NA
ENSG00000164902	PHAX	phosphorylated adaptor for RNA export [Source:HGNC Symbol;Acc:HGNC:10241]	-0.195139648	-0.195139648
ENSG00000165028	NIPSNA P3B	nipsnap homolog 3B (<i>C. elegans</i>) [Source:HGNC Symbol;Acc:HGNC:23641]	0.146588799	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000165091	TMC1	transmembrane channel-like 1 [Source:HGNC Symbol;Acc:HGNC:16513]	-0.232626923	NA
ENSG00000165120	SSMEM1	serine-rich single-pass membrane protein 1 [Source:HGNC Symbol;Acc:HGNC:29580]	-0.126816678	NA
ENSG00000166164	BRD7	bromodomain containing 7 [Source:HGNC Symbol;Acc:HGNC:14310]	0.403386129	0.403386129
ENSG00000166428	PLD4	phospholipase D family, member 4 [Source:HGNC Symbol;Acc:HGNC:23792]	0.217585702	0.217585702
ENSG00000166432	ZMAT1	zinc finger, matrin-type 1 [Source:HGNC Symbol;Acc:HGNC:29377]	-0.114299765	NA
ENSG00000166579	NDEL1	nudE neurodevelopment protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:17620]	-0.576552434	-0.576552434
ENSG00000166743	ACSM1	acyl-CoA synthetase medium-chain family member 1 [Source:HGNC Symbol;Acc:HGNC:18049]	-0.215717692	-0.215717692
ENSG00000166825	ANPEP	alanyl (membrane) aminopeptidase [Source:HGNC Symbol;Acc:HGNC:500]	-0.503749533	-0.503749533
ENSG00000166928	MS4A14	membrane-spanning 4-domains, subfamily A, member 14 [Source:HGNC Symbol;Acc:HGNC:30706]	-0.204502412	-0.204502412
ENSG00000167264	DUS2	dihydrouridine synthase 2 [Source:HGNC Symbol;Acc:HGNC:26014]	-0.218993775	-0.218993775
ENSG00000167562	ZNF701	zinc finger protein 701 [Source:HGNC Symbol;Acc:HGNC:25597]	-0.206263045	-0.206263045
ENSG00000167671	UBXN6	UBX domain protein 6 [Source:HGNC Symbol;Acc:HGNC:14928]	0.455725512	0.455725512
ENSG00000167986	DDB1	damage-specific DNA binding protein 1, 127kDa [Source:HGNC Symbol;Acc:HGNC:2717]	-0.269982898	-0.269982898
ENSG00000168237	GLYCK	glycerate kinase [Source:HGNC Symbol;Acc:HGNC:24247]	-0.228938069	-0.228938069
ENSG00000168405	CMAHP	cytidine monophospho-N-acetylneurameric acid hydroxylase, pseudogene [Source:HGNC Symbol;Acc:HGNC:2098]	0.417242996	0.417242996
ENSG00000168496	FEN1	flap structure-specific endonuclease 1 [Source:HGNC Symbol;Acc:HGNC:3650]	-0.153126534	-0.153126534

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000168899	VAMP5	vesicle-associated membrane protein 5 [Source:HGNC Symbol;Acc:HGNC:12646]	0.11902243	NA
ENSG00000169410	PTPN9	protein tyrosine phosphatase, non-receptor type 9 [Source:HGNC Symbol;Acc:HGNC:9661]	-0.162806486	-0.162806486
ENSG00000169583	CLIC3	chloride intracellular channel 3 [Source:HGNC Symbol;Acc:HGNC:2064]	0.420172779	NA
ENSG00000169814	BTD	biotinidase [Source:HGNC Symbol;Acc:HGNC:1122]	-0.153315448	NA
ENSG00000170807	LMOD2	leiomodin 2 (cardiac) [Source:HGNC Symbol;Acc:HGNC:6648]	-0.12798119	NA
ENSG00000170954	ZNF415	zinc finger protein 415 [Source:HGNC Symbol;Acc:HGNC:20636]	-0.16348594	NA
ENSG00000171227	TMEM37	transmembrane protein 37 [Source:HGNC Symbol;Acc:HGNC:18216]	-0.137482976	NA
ENSG00000171604	CXXC5	CXXC finger protein 5 [Source:HGNC Symbol;Acc:HGNC:26943]	0.297490763	0.297490763
ENSG00000171649	ZIK1	zinc finger protein interacting with K protein 1 [Source:HGNC Symbol;Acc:HGNC:33104]	-0.141838729	-0.141838729
ENSG00000171804	WDR87	WD repeat domain 87 [Source:HGNC Symbol;Acc:HGNC:29934]	-0.518560175	-0.518560175
ENSG00000171860	C3AR1	complement component 3a receptor 1 [Source:HGNC Symbol;Acc:HGNC:1319]	-0.193301684	NA
ENSG00000172059	KLF11	Kruppel-like factor 11 [Source:HGNC Symbol;Acc:HGNC:11811]	0.341315009	0.341315009
ENSG00000172367	PDZD3	PDZ domain containing 3 [Source:HGNC Symbol;Acc:HGNC:19891]	-0.177350325	NA
ENSG00000172653	NA	NA	-0.172022851	NA
ENSG00000173334	TRIB1	tribbles pseudokinase 1 [Source:HGNC Symbol;Acc:HGNC:16891]	-0.196550302	-0.196550302
ENSG00000173369	C1QB	complement component 1, q subcomponent, B chain [Source:HGNC Symbol;Acc:HGNC:1242]	-0.124839375	NA
ENSG00000173391	OLR1	oxidized low density lipoprotein (lectin-like) receptor 1 [Source:HGNC Symbol;Acc:HGNC:8133]	-0.159206313	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000173597	SULT1B1	sulfotransferase family, cytosolic, 1B, member 1 [Source:HGNC Symbol;Acc:HGNC:17845]	-0.235586513	-0.235586513
ENSG00000173933	RBM4	RNA binding motif protein 4 [Source:HGNC Symbol;Acc:HGNC:9901]	-0.135920039	-0.135920039
ENSG00000174417	TRHR	thyrotropin-releasing hormone receptor [Source:HGNC Symbol;Acc:HGNC:12299]	-0.1942987	NA
ENSG00000175029	CTBP2	C-terminal binding protein 2 [Source:HGNC Symbol;Acc:HGNC:2495]	0.368157478	0.368157478
ENSG00000175040	CHST2	carbohydrate (N-acetylglucosamine-6-O) sulfotransferase 2 [Source:HGNC Symbol;Acc:HGNC:1970]	0.163933576	NA
ENSG00000175155	YPEL2	yippee-like 2 (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:18326]	0.912413876	0.912413876
ENSG00000175224	ATG13	autophagy related 13 [Source:HGNC Symbol;Acc:HGNC:29091]	-0.296603347	-0.296603347
ENSG00000175691	ZNF77	zinc finger protein 77 [Source:HGNC Symbol;Acc:HGNC:13150]	-0.116937542	NA
ENSG00000176485	PLA2G16	phospholipase A2, group XVI [Source:HGNC Symbol;Acc:HGNC:17825]	-0.154817362	-0.154817362
ENSG00000176845	METRN L	meteorin, glial cell differentiation regulator-like [Source:HGNC Symbol;Acc:HGNC:27584]	0.187720515	0.187720515
ENSG00000177000	MTHFR	methylenetetrahydrofolate reductase (NAD(P)H) [Source:HGNC Symbol;Acc:HGNC:7436]	-0.287460753	-0.287460753
ENSG00000177337	DLGAP1-AS1	DLGAP1 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:31676]	-0.124554317	-0.124554317
ENSG00000177359			-0.475105891	-0.475105891
ENSG00000177370	TIMM22	translocase of inner mitochondrial membrane 22 homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:17317]	-0.119372538	-0.119372538
ENSG00000177479	ARIH2	ariadne RBR E3 ubiquitin protein ligase 2 [Source:HGNC Symbol;Acc:HGNC:690]	-0.372741031	-0.372741031
ENSG00000177575	CD163	CD163 molecule [Source:HGNC Symbol;Acc:HGNC:1631]	-0.315699194	-0.315699194

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000177646	ACAD9	acyl-CoA dehydrogenase family, member 9 [Source:HGNC Symbol;Acc:HGNC:21497]	-0.202601143	-0.202601143
ENSG00000177674	AGTRAP	angiotensin II receptor-associated protein [Source:HGNC Symbol;Acc:HGNC:13539]	-0.132216496	-0.132216496
ENSG00000177683	THAP5	THAP domain containing 5 [Source:HGNC Symbol;Acc:HGNC:23188]	-0.129846416	-0.129846416
ENSG00000177868	CCDC23	coiled-coil domain containing 23 [Source:HGNC Symbol;Acc:HGNC:29204]	-0.108167815	-0.108167815
ENSG00000178386	ZNF223	zinc finger protein 223 [Source:HGNC Symbol;Acc:HGNC:13016]	-0.146368231	NA
ENSG00000178462	TUBAL3	tubulin, alpha-like 3 [Source:HGNC Symbol;Acc:HGNC:23534]	-0.161937894	NA
ENSG00000178567	EPM2AI P1	EPM2A (laforin) interacting protein 1 [Source:HGNC Symbol;Acc:HGNC:19735]	-0.15061393	-0.15061393
ENSG00000178623	GPR35	G protein-coupled receptor 35 [Source:HGNC Symbol;Acc:HGNC:4492]	0.129576478	NA
ENSG00000178917	ZNF852	zinc finger protein 852 [Source:HGNC Symbol;Acc:HGNC:27713]	-0.19624491	-0.19624491
ENSG00000178965	ERICH3	glutamate-rich 3 [Source:HGNC Symbol;Acc:HGNC:25346]	-0.334601985	-0.334601985
ENSG00000178974	FBXO34	F-box protein 34 [Source:HGNC Symbol;Acc:HGNC:20201]	-0.189250392	-0.189250392
ENSG00000178997	EXD1	exonuclease 3'-5' domain containing 1 [Source:HGNC Symbol;Acc:HGNC:28507]	-0.170508154	NA
ENSG00000180008	SOCS4	suppressor of cytokine signaling 4 [Source:HGNC Symbol;Acc:HGNC:19392]	-0.149357471	-0.149357471
ENSG00000180667	YOD1	YOD1 deubiquitinase [Source:HGNC Symbol;Acc:HGNC:25035]	1.460095794	1.460095794
ENSG00000180771	NA	NA	-0.111139539	NA
ENSG00000181458	TMEM45A	transmembrane protein 45A [Source:HGNC Symbol;Acc:HGNC:25480]	-0.20960528	-0.20960528
ENSG00000182054	IDH2	isocitrate dehydrogenase 2 (NADP+), mitochondrial [Source:HGNC Symbol;Acc:HGNC:5383]	0.442800518	0.442800518
ENSG00000182885	GPR97	G protein-coupled receptor 97 [Source:HGNC Symbol;Acc:HGNC:13728]	-0.210363075	-0.210363075

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000182898	TCHHL1	trichohyalin-like 1 [Source:HGNC Symbol;Acc:HGNC:31796]	-0.229019793	NA
ENSG00000183145	RIPPLY3	ripply transcriptional repressor 3 [Source:HGNC Symbol;Acc:HGNC:3047]	-0.126308067	NA
ENSG00000183722	LHFP	lipoma HMGIC fusion partner [Source:HGNC Symbol;Acc:HGNC:6586]	-0.111798531	-0.111798531
ENSG00000183921	SDR42E2	short chain dehydrogenase/reductase family 42E, member 2 [Source:HGNC Symbol;Acc:HGNC:35414]	-0.165479768	NA
ENSG00000184319	RPL23AP82	ribosomal protein L23a pseudogene 82 [Source:HGNC Symbol;Acc:HGNC:33730]	0.392529136	NA
ENSG00000184601	C14orf180	chromosome 14 open reading frame 180 [Source:HGNC Symbol;Acc:HGNC:33795]	0.101784654	NA
ENSG00000185164	NOMO2	NODAL modulator 2 [Source:HGNC Symbol;Acc:HGNC:22652]	-0.102084963	NA
ENSG00000185187	SIGIRR	single immunoglobulin and toll-interleukin 1 receptor (TIR) domain [Source:HGNC Symbol;Acc:HGNC:30575]	0.140935062	NA
ENSG00000185298	CCDC137	coiled-coil domain containing 137 [Source:HGNC Symbol;Acc:HGNC:33451]	0.26108327	NA
ENSG00000185860	C1orf110	chromosome 1 open reading frame 110 [Source:HGNC Symbol;Acc:HGNC:28736]	-0.230196066	NA
ENSG00000186163		trypsinogen-like pseudogene [Source:EntrezGene;Acc:207147]	-0.177096942	NA
ENSG00000186335	SLC36A2	solute carrier family 36 (proton/amino acid symporter), member 2 [Source:HGNC Symbol;Acc:HGNC:18762]	-0.246423368	NA
ENSG00000186407	CD300E	CD300e molecule [Source:HGNC Symbol;Acc:HGNC:28874]	-0.401181378	-0.401181378
ENSG00000187116	LILRA5	leukocyte immunoglobulin-like receptor, subfamily A (with TM domain), member 5 [Source:HGNC Symbol;Acc:HGNC:16309]	-0.135587282	-0.135587282
ENSG00000187979			-0.197353089	NA
ENSG00000187990	NA	NA	1.230076089	1.230076089
ENSG00000188322	SBK1	SH3 domain binding kinase 1 [Source:HGNC Symbol;Acc:HGNC:17699]	0.283124513	0.283124513
ENSG00000188536	HBA2	hemoglobin, alpha 2 [Source:HGNC Symbol;Acc:HGNC:4824]	4.258424612	4.258424612

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000188761	BCL2L15	BCL2-like 15 [Source:HGNC Symbol;Acc:HGNC:33624]	-0.135276205	NA
ENSG00000188785	ZNF548	zinc finger protein 548 [Source:HGNC Symbol;Acc:HGNC:26561]	-0.180896338	-0.180896338
ENSG00000188933	USP32P1	ubiquitin specific peptidase 32 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43570]	-0.170492461	NA
ENSG00000189046	ALKBH2	alkB, alkylation repair homolog 2 (E. coli) [Source:HGNC Symbol;Acc:HGNC:32487]	-0.127674621	NA
ENSG00000189339	SLC35E2B	solute carrier family 35, member E2B [Source:HGNC Symbol;Acc:HGNC:33941]	0.235773815	0.235773815
ENSG00000189343	RPS2P46	ribosomal protein S2 pseudogene 46 [Source:HGNC Symbol;Acc:HGNC:35839]	0.529956999	0.529956999
ENSG00000196189	SEMA4A	sema domain, immunoglobulin domain (Ig), transmembrane domain (TM) and short cytoplasmic domain, (semaphorin) 4A [Source:HGNC Symbol;Acc:HGNC:10729]	-0.295647233	-0.295647233
ENSG00000196453	ZNF777	zinc finger protein 777 [Source:HGNC Symbol;Acc:HGNC:22213]	0.199366514	0.199366514
ENSG00000196502	SULT1A1	sulfotransferase family, cytosolic, 1A, phenol-preferring, member 1 [Source:HGNC Symbol;Acc:HGNC:11453]	-0.243654476	-0.243654476
ENSG00000196652	ZKSCAN5	zinc finger with KRAB and SCAN domains 5 [Source:HGNC Symbol;Acc:HGNC:12867]	-0.187422891	-0.187422891
ENSG00000196693	ZNF33B	zinc finger protein 33B [Source:HGNC Symbol;Acc:HGNC:13097]	-0.157550964	-0.157550964
ENSG00000196735	HLA-DQA1	major histocompatibility complex, class II, DQ alpha 1 [Source:HGNC Symbol;Acc:HGNC:4942]	0.375325641	0.375325641
ENSG00000196743	GM2A	GM2 ganglioside activator [Source:HGNC Symbol;Acc:HGNC:4367]	-0.184789361	-0.184789361
ENSG00000196981	WDR5B	WD repeat domain 5B [Source:HGNC Symbol;Acc:HGNC:17826]	-0.233300195	NA
ENSG00000197013	ZNF429	zinc finger protein 429 [Source:HGNC Symbol;Acc:HGNC:20817]	-0.228412404	-0.228412404

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000197083	ZNF300 P1	zinc finger protein 300 pseudogene 1 (functional) [Source:HGNC Symbol;Acc:HGNC:27032]	-0.146514604	NA
ENSG00000197302	ZNF720	zinc finger protein 720 [Source:HGNC Symbol;Acc:HGNC:26987]	-0.18798112	-0.18798112
ENSG00000197343	ZNF655	zinc finger protein 655 [Source:HGNC Symbol;Acc:HGNC:30899]	-0.212949896	-0.212949896
ENSG00000197414	NA	NA	-0.141068539	NA
ENSG00000197548	ATG7	autophagy related 7 [Source:HGNC Symbol;Acc:HGNC:16935]	-0.379355148	-0.379355148
ENSG00000197599	CCDC154	coiled-coil domain containing 154 [Source:HGNC Symbol;Acc:HGNC:34454]	0.184705043	NA
ENSG00000197646	PDCD1LG2	programmed cell death 1 ligand 2 [Source:HGNC Symbol;Acc:HGNC:18731]	-0.110184048	NA
ENSG00000197779	ZNF81	zinc finger protein 81 [Source:HGNC Symbol;Acc:HGNC:13156]	-0.142247292	-0.142247292
ENSG00000197857	ZNF44	zinc finger protein 44 [Source:HGNC Symbol;Acc:HGNC:13110]	-0.286352369	-0.286352369
ENSG00000198131	ZNF544	zinc finger protein 544 [Source:HGNC Symbol;Acc:HGNC:16759]	-0.206585267	-0.206585267
ENSG00000198223	CSF2RA	colony stimulating factor 2 receptor, alpha, low-affinity (granulocyte-macrophage) [Source:HGNC Symbol;Acc:HGNC:2435]	-0.234620375	-0.234620375
ENSG00000198563	DDX39B	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39B [Source:HGNC Symbol;Acc:HGNC:13917]	-0.220385678	-0.220385678
ENSG00000198657	OR8B4	olfactory receptor, family 8, subfamily B, member 4 [Source:HGNC Symbol;Acc:HGNC:8473]	-0.161081721	NA
ENSG00000198723	C19orf45	chromosome 19 open reading frame 45 [Source:HGNC Symbol;Acc:HGNC:24745]	-0.198512226	-0.198512226
ENSG00000198740	ZNF652	zinc finger protein 652 [Source:HGNC Symbol;Acc:HGNC:29147]	0.709702366	0.709702366
ENSG00000198755	RPL10A	ribosomal protein L10a [Source:HGNC Symbol;Acc:HGNC:10299]	0.406926049	0.406926049
ENSG00000198912	C1orf174	chromosome 1 open reading frame 174 [Source:HGNC Symbol;Acc:HGNC:27915]	-0.181616083	-0.181616083

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000203805	PPAPD C1A	phosphatidic acid phosphatase type 2 domain containing 1A [Source:HGNC Symbol;Acc:HGNC:23531]	-0.201347805	NA
ENSG00000203825			-0.193698104	NA
ENSG00000203849	NA	NA	-0.376035075	-0.376035075
ENSG00000204103	MAFB	v-maf avian musculoaponeurotic fibrosarcoma oncogene homolog B [Source:HGNC Symbol;Acc:HGNC:6408]	0.124948255	0.124948255
ENSG00000204362			-0.314891592	-0.314891592
ENSG00000204463	BAG6	BCL2-associated athanogene 6 [Source:HGNC Symbol;Acc:HGNC:13919]	0.943103177	0.943103177
ENSG00000204713	TRIM27	tripartite motif containing 27 [Source:HGNC Symbol;Acc:HGNC:9975]	-0.257524614	-0.257524614
ENSG00000205628	LINC01 446	long intergenic non-protein coding RNA 1446 [Source:HGNC Symbol;Acc:HGNC:50773]	-0.120082591	NA
ENSG00000205976			-0.262326119	-0.262326119
ENSG00000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]	0.902138597	0.902138597
ENSG00000210195	MT-TT	mitochondrially encoded tRNA threonine [Source:HGNC Symbol;Acc:HGNC:7499]	6.848136516	6.848136516
ENSG00000211445	GPX3	glutathione peroxidase 3 (plasma) [Source:HGNC Symbol;Acc:HGNC:4555]	-0.178654533	-0.178654533
ENSG00000211940	NA	NA	-0.143844223	NA
ENSG00000213020	ZNF611	zinc finger protein 611 [Source:HGNC Symbol;Acc:HGNC:28766]	-0.259329982	-0.259329982
ENSG00000213088	ACKR1	atypical chemokine receptor 1 (Duffy blood group) [Source:HGNC Symbol;Acc:HGNC:4035]	-0.128327477	NA
ENSG00000213533	TMEM1 10	transmembrane protein 110 [Source:HGNC Symbol;Acc:HGNC:30526]	-0.107013536	NA
ENSG00000213626	LBH	limb bud and heart development [Source:HGNC Symbol;Acc:HGNC:29532]	0.623364127	0.623364127
ENSG00000214212	C19orf3 8	chromosome 19 open reading frame 38 [Source:HGNC Symbol;Acc:HGNC:34073]	-0.135417642	-0.135417642
ENSG00000214782	MS4A18	membrane-spanning 4-domains, subfamily A, member 18 [Source:HGNC Symbol;Acc:HGNC:37636]	-0.156586447	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000215256	DHRS4-AS1	DHRS4 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:23175]	-0.186141459	-0.186141459
ENSG00000215386	MIR99A_HG	mir-99a-let-7c cluster host gene (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:1274]	-0.250013734	NA
ENSG00000215764	NA	NA	0.262621436	NA
ENSG00000215853	RPTN	repetin [Source:HGNC Symbol;Acc:HGNC:26809]	-0.464578408	NA
ENSG00000215864	NBPF7	neuroblastoma breakpoint family, member 7 [Source:HGNC Symbol;Acc:HGNC:31989]	-0.143526164	NA
ENSG00000215887	ZNF859_P	zinc finger protein 859, pseudogene [Source:HGNC Symbol;Acc:HGNC:34507]	-0.273183578	NA
ENSG00000219448			-0.236180736	NA
ENSG00000223528			-0.258929764	NA
ENSG00000223843	EFCAB6-AS1	EFCAB6 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:39999]	-0.124469557	NA
ENSG00000224051	CPTP	ceramide-1-phosphate transfer protein [Source:HGNC Symbol;Acc:HGNC:28116]	0.209225527	NA
ENSG00000224082	UBTFL8	upstream binding transcription factor, RNA polymerase I-like 8 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:44476]	-0.220169926	NA
ENSG00000224442			-0.189075329	NA
ENSG00000224896	SIGLEC30P	sialic acid binding Ig-like lectin 30, pseudogene [Source:HGNC Symbol;Acc:HGNC:15623]	-0.114996185	NA
ENSG00000225901	MTND2_P9	MT-ND2 pseudogene 9 [Source:HGNC Symbol;Acc:HGNC:42110]	-0.127889211	NA
ENSG00000225972	MTND1_P23	MT-ND1 pseudogene 23 [Source:HGNC Symbol;Acc:HGNC:42092]	42.13892989	42.13892989
ENSG00000226686			-0.113280249	NA
ENSG00000226995	LINC00658	long intergenic non-protein coding RNA 658 [Source:HGNC Symbol;Acc:HGNC:44315]	-0.161639525	NA
ENSG00000227339	THRAP3P1	thyroid hormone receptor associated protein 3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:32386]	-0.245411465	NA
ENSG00000227372	TP73-AS1	TP73 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:29052]	0.31982772	0.31982772

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000227500	SCAMP4	secretory carrier membrane protein 4 [Source:HGNC Symbol;Acc:HGNC:30385]	0.229215804	0.229215804
ENSG00000227972	PRKRIRP3	protein-kinase, interferon-inducible double stranded RNA dependent inhibitor, repressor of (P58 repressor) pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:39567]	-0.113340677	NA
ENSG00000228215			-0.126130156	NA
ENSG00000228753	EIF4BP2	eukaryotic translation initiation factor 4B pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:37935]	-0.199072583	NA
ENSG00000228828			-0.141012861	NA
ENSG00000229344			1.731408495	1.731408495
ENSG00000229696	KARSP1	lysyl-tRNA synthetase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39207]	-0.125478733	NA
ENSG00000230448	LINC00276	long intergenic non-protein coding RNA 276 [Source:HGNC Symbol;Acc:HGNC:38663]	-0.171384523	NA
ENSG00000230880	NA	NA	-0.260494382	-0.260494382
ENSG00000231043			-0.168594923	NA
ENSG00000231276	E2F4P1	E2F transcription factor 4, p107/p130-binding pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:38684]	-0.132551729	NA
ENSG00000231721	LINC-PINT	long intergenic non-protein coding RNA, p53 induced transcript [Source:HGNC Symbol;Acc:HGNC:26885]	-0.171442837	-0.171442837
ENSG00000232327			0.13135561	NA
ENSG00000232722	MROH4P	maestro heat-like repeat family member 4, pseudogene [Source:HGNC Symbol;Acc:HGNC:44902]	0.104588946	NA
ENSG00000233755			-0.140940391	NA
ENSG00000233922			-0.130672957	NA
ENSG00000234420	ZNF37BP	zinc finger protein 37B, pseudogene [Source:HGNC Symbol;Acc:HGNC:13103]	-0.347517612	-0.347517612
ENSG00000234444	ZNF736	zinc finger protein 736 [Source:HGNC Symbol;Acc:HGNC:32467]	-0.382466167	-0.382466167
ENSG00000234709	UPF3AP3	UPF3A pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:38395]	-0.13929854	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000235106	LINC00094	long intergenic non-protein coding RNA 94 [Source:HGNC Symbol;Acc:HGNC:24742]	0.165641267	0.165641267
ENSG00000236990			-0.116330885	NA
ENSG00000237290	LINC01343	long intergenic non-protein coding RNA 1343 [Source:HGNC Symbol;Acc:HGNC:50553]	-0.179447695	NA
ENSG00000238083	LRRC37A2	leucine rich repeat containing 37, member A2 [Source:HGNC Symbol;Acc:HGNC:32404]	-0.158451543	-0.158451543
ENSG00000238208			-0.217256857	NA
ENSG00000238243	OR2W3	olfactory receptor, family 2, subfamily W, member 3 [Source:HGNC Symbol;Acc:HGNC:15021]	-0.185364224	-0.185364224
ENSG00000238278	ALG1L6P	asparagine-linked glycosylation 1-like 6, pseudogene [Source:HGNC Symbol;Acc:HGNC:44375]	0.107200388	NA
ENSG00000239789	MRPS17	mitochondrial ribosomal protein S17 [Source:HGNC Symbol;Acc:HGNC:14047]	-0.104360759	NA
ENSG00000240954	RPL4P1	ribosomal protein L4 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:23551]	-0.171298291	NA
ENSG00000242732	RGAG4	retrotransposon gag domain containing 4 [Source:HGNC Symbol;Acc:HGNC:29430]	-0.1237928	NA
ENSG00000242759	LINC00882	long intergenic non-protein coding RNA 882 [Source:HGNC Symbol;Acc:HGNC:48568]	-0.173358615	NA
ENSG00000244306	LINC01296	long intergenic non-protein coding RNA 1296 [Source:HGNC Symbol;Acc:HGNC:48904]	-0.168835608	NA
ENSG00000244480			-0.100412433	NA
ENSG00000244625	MIATNB	MIAT neighbor (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:50731]	-0.318979642	-0.318979642
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	109.5087838	109.5087838
ENSG00000245281			-0.113045576	NA
ENSG00000246250			-0.212714334	NA
ENSG00000246339	EXTL3-AS1	EXTL3 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:27985]	-0.113036851	NA
ENSG00000248724	NPHP3-AS1	NPHP3 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:24129]	-0.182694059	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000250067	YJEFN3	YjeF N-terminal domain containing 3 [Source:HGNC Symbol;Acc:HGNC:24785]	-0.482058637	-0.482058637
ENSG00000250303			-0.213124179	-0.213124179
ENSG00000250565	ATP6V1E2	ATPase, H ⁺ transporting, lysosomal 31kDa, V1 subunit E2 [Source:HGNC Symbol;Acc:HGNC:18125]	-0.248463482	-0.248463482
ENSG00000253665			-0.106655671	NA
ENSG00000254290			-0.124740686	NA
ENSG00000254718			-0.15305955	NA
ENSG00000255507			-0.124782855	NA
ENSG00000255836			-0.125463823	NA
ENSG00000256596			-0.129305477	NA
ENSG00000256612	CYP2B7P	cytochrome P450, family 2, subfamily B, polypeptide 7, pseudogene [Source:HGNC Symbol;Acc:HGNC:2616]	-0.27215482	-0.27215482
ENSG00000257335	MGAM	maltase-glucoamylase (alpha-glucosidase) [Source:HGNC Symbol;Acc:HGNC:7043]	-0.604937865	-0.604937865
ENSG00000258616			-0.264079574	NA
ENSG00000258634			-0.135548354	NA
ENSG00000258783	KRT18P6	keratin 18 pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:20280]	-0.116670007	NA
ENSG00000259029	DUX4L18	double homeobox 4 like 18 [Source:HGNC Symbol;Acc:HGNC:37716]	0.155741858	NA
ENSG00000259345			-0.225236375	-0.225236375
ENSG00000259417	LINC01314	long intergenic non-protein coding RNA 1314 [Source:HGNC Symbol;Acc:HGNC:50507]	-0.232468575	NA
ENSG00000259703	LINC00593	long intergenic non-protein coding RNA 593 [Source:HGNC Symbol;Acc:HGNC:32382]	-0.139199501	NA
ENSG00000259845	HERC2P10	hect domain and RLD 2 pseudogene 10 [Source:HGNC Symbol;Acc:HGNC:39056]	-0.183062825	NA
ENSG00000260303			-0.214352381	NA
ENSG00000260392			-0.164078762	NA
ENSG00000260776			-0.222848391	-0.222848391
ENSG00000260840			-0.171448953	NA
ENSG00000261226			0.213547775	NA
ENSG00000261360			-0.144182385	NA

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_plasma	X0.8slope_0.1pvalue_0.1_Number_of_hits_plasma
ENSG00000261649	GOLGA6L7P	golgin A6 family-like 7, pseudogene [Source:HGNC Symbol;Acc:HGNC:37442]	-0.184249007	NA
ENSG00000261824	LINC00662	long intergenic non-protein coding RNA 662 [Source:HGNC Symbol;Acc:HGNC:27122]	-0.288689728	-0.288689728
ENSG00000261934	PCDHG A9	protocadherin gamma subfamily A, 9 [Source:HGNC Symbol;Acc:HGNC:8707]	-0.133685949	NA
ENSG00000262561			-0.115702096	NA
ENSG00000263914			-0.213490416	NA
ENSG00000266173	STRAD A	STE20-related kinase adaptor alpha [Source:HGNC Symbol;Acc:HGNC:30172]	-0.166186341	-0.166186341
ENSG00000266537			-0.128245629	NA
ENSG00000266904	LINC00663	long intergenic non-protein coding RNA 663 [Source:HGNC Symbol;Acc:HGNC:28609]	-0.232081247	-0.232081247
ENSG00000266913			-0.141142048	NA
ENSG00000266947			-0.109348188	NA
ENSG00000267106	ZNF561 -AS1	ZNF561 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:27613]	-0.187392298	-0.187392298
ENSG00000267372			-0.213066741	NA
ENSG00000267575			-0.228500466	-0.228500466
ENSG00000267650			-0.208510187	NA
ENSG00000269837	IPO5P1	importin 5 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49687]	-0.139039195	NA
ENSG00000270442			-0.167429075	NA
ENSG00000271220			0.136971852	NA
ENSG00000272005	NA	NA	-0.156552099	NA
ENSG00000272054			-0.146334126	NA
ENSG00000272374			-0.23487933	NA
ENSG00000273374			-0.131128191	NA

Table 12. The sum of all impact sustained by the player, as measured by HITsp, regressed on RNA expression in urine samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Cum_HITsp_urine	X0.8slope_0.1pvalue_0.1_Cum_HITsp_urine
------------	-------------	-------------	---	---

ENSG00000209082	MT-TL1	mitochondrially encoded tRNA leucine 1 (UUA/G) [Source:HGNC Symbol;Acc:HGNC:7490]	0.184735959	0.184735959
ENSG00000210156	MT-TK	mitochondrially encoded tRNA lysine [Source:HGNC Symbol;Acc:HGNC:7489]	0.123469871	0.123469871
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	0.102709777	0.102709777

Table 13. The sum of all impact sustained by the player, as measured by linear rotation, regressed on RNA expression in urine samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Cum_lin_acc_urine	X0.8slope_0.1pvalue_0.1_Cum_lin_ac_c_urine
ENSG00000198712	MT-CO2	mitochondrially encoded cytochrome c oxidase II [Source:HGNC Symbol;Acc:HGNC:7421]	1.060970772	1.060970772
ENSG00000198840	MT-ND3	mitochondrially encoded NADH dehydrogenase 3 [Source:HGNC Symbol;Acc:HGNC:7458]	0.423175824	0.423175824
ENSG00000198938	MT-CO3	mitochondrially encoded cytochrome c oxidase III [Source:HGNC Symbol;Acc:HGNC:7422]	1.826905522	1.826905522
ENSG00000209082	MT-TL1	mitochondrially encoded tRNA leucine 1 (UUA/G) [Source:HGNC Symbol;Acc:HGNC:7490]	0.106648801	0.106648801
ENSG00000228253	MT-ATP8	mitochondrially encoded ATP synthase 8 [Source:HGNC Symbol;Acc:HGNC:7415]	0.324958434	0.324958434

Table 14. The highest impact sustained by the player in the game as measured by HITsp regressed on RNA expression in urine samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000002586	CD99	CD99 molecule [Source:HGNC Symbol;Acc:HGNC:7082]	0.126839875	0.126839875
ENSG00000003987	MTMR7	myotubularin related protein 7 [Source:HGNC Symbol;Acc:HGNC:7454]	-0.104493328	-0.104493328
ENSG00000004864	SLC25A13	solute carrier family 25 (aspartate/glutamate carrier), member 13 [Source:HGNC Symbol;Acc:HGNC:10983]	-0.122839256	-0.122839256
ENSG00000005175	RPAP3	RNA polymerase II associated protein 3 [Source:HGNC Symbol;Acc:HGNC:26151]	0.165078296	0.165078296

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000005249	PRKAR2B	protein kinase, cAMP-dependent, regulatory, type II, beta [Source:HGNC Symbol;Acc:HGNC:9392]	0.581721586	0.581721586
ENSG00000005801	ZNF195	zinc finger protein 195 [Source:HGNC Symbol;Acc:HGNC:12986]	0.112661978	0.112661978
ENSG00000005810	MYCBP2	MYC binding protein 2, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:23386]	0.334133677	0.334133677
ENSG00000005961	ITGA2B	integrin, alpha 2b (platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41) [Source:HGNC Symbol;Acc:HGNC:6138]	0.257722578	0.257722578
ENSG00000006432	MAP3K9	mitogen-activated protein kinase kinase kinase 9 [Source:HGNC Symbol;Acc:HGNC:6861]	0.207240949	0.207240949
ENSG00000006715	VPS41	vacuolar protein sorting 41 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:12713]	0.32418401	0.32418401
ENSG00000007047	MARK4	MAP/microtubule affinity-regulating kinase 4 [Source:HGNC Symbol;Acc:HGNC:13538]	0.149286836	0.149286836
ENSG00000008323	PLEKHG6	pleckstrin homology domain containing, family G (with RhoGef domain) member 6 [Source:HGNC Symbol;Acc:HGNC:25562]	0.188514525	0.188514525
ENSG00000011275	RNF216	ring finger protein 216 [Source:HGNC Symbol;Acc:HGNC:21698]	0.200742457	0.200742457
ENSG00000011376	LARS2	leucyl-tRNA synthetase 2, mitochondrial [Source:HGNC Symbol;Acc:HGNC:17095]	0.158614373	0.158614373
ENSG00000011638	TMEM159	transmembrane protein 159 [Source:HGNC Symbol;Acc:HGNC:30136]	0.18025885	0.18025885
ENSG00000012779	ALOX5	arachidonate 5-lipoxygenase [Source:HGNC Symbol;Acc:HGNC:435]	0.365154546	0.365154546
ENSG00000013016	EHD3	EH-domain containing 3 [Source:HGNC Symbol;Acc:HGNC:3244]	0.105112549	0.105112549
ENSG00000021574	SPAST	spastin [Source:HGNC Symbol;Acc:HGNC:11233]	0.101822754	0.101822754

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000025293	PHF20	PHD finger protein 20 [Source:HGNC Symbol;Acc:HGNC:16098]	0.308279226	0.308279226
ENSG00000031003	FAM13B	family with sequence similarity 13, member B [Source:HGNC Symbol;Acc:HGNC:1335]	0.280432554	0.280432554
ENSG00000033170	FUT8	fucosyltransferase 8 (alpha (1,6) fucosyltransferase) [Source:HGNC Symbol;Acc:HGNC:4019]	0.140437657	0.140437657
ENSG00000034677	RNF19A	ring finger protein 19A, RBR E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:13432]	0.380697512	0.380697512
ENSG00000035403	VCL	vinculin [Source:HGNC Symbol;Acc:HGNC:12665]	0.800493703	0.800493703
ENSG00000041353	RAB27B	RAB27B, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:9767]	1.154708123	1.154708123
ENSG00000044090	CUL7	cullin 7 [Source:HGNC Symbol;Acc:HGNC:21024]	0.138205514	0.138205514
ENSG00000048405	ZNF800	zinc finger protein 800 [Source:HGNC Symbol;Acc:HGNC:27267]	0.131989059	0.131989059
ENSG00000048740	CELF2	CUGBP, Elav-like family member 2 [Source:HGNC Symbol;Acc:HGNC:2550]	0.179995745	0.179995745
ENSG00000048991	R3HDM1	R3H domain containing 1 [Source:HGNC Symbol;Acc:HGNC:9757]	0.156568778	0.156568778
ENSG00000049323	LTBP1	latent transforming growth factor beta binding protein 1 [Source:HGNC Symbol;Acc:HGNC:6714]	0.407651458	0.407651458
ENSG00000049656	CLPTM1L	CLPTM1-like [Source:HGNC Symbol;Acc:HGNC:24308]	-0.117394386	-0.117394386
ENSG00000058063	ATP11B	ATPase, class VI, type 11B [Source:HGNC Symbol;Acc:HGNC:13553]	0.329116611	0.329116611
ENSG00000061918	GUCY1B3	guanylate cyclase 1, soluble, beta 3 [Source:HGNC Symbol;Acc:HGNC:4687]	0.143191421	0.143191421
ENSG00000062598	ELMO2	engulfment and cell motility 2 [Source:HGNC Symbol;Acc:HGNC:17233]	0.328452394	0.328452394

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000064102	ASUN	asunder spermatogenesis regulator [Source:HGNC Symbol;Acc:HGNC:20174]	0.160003638	0.160003638
ENSG00000064313	TAF2	TAF2 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 150kDa [Source:HGNC Symbol;Acc:HGNC:11536]	0.18412105	0.18412105
ENSG00000064545	TMEM161A	transmembrane protein 161A [Source:HGNC Symbol;Acc:HGNC:26020]	-0.101928753	-0.101928753
ENSG00000066322	ELOVL1	ELOVL fatty acid elongase 1 [Source:HGNC Symbol;Acc:HGNC:14418]	0.37012654	0.37012654
ENSG00000066629	EML1	echinoderm microtubule associated protein like 1 [Source:HGNC Symbol;Acc:HGNC:3330]	0.168702634	0.168702634
ENSG00000067167	TRAM1	translocation associated membrane protein 1 [Source:HGNC Symbol;Acc:HGNC:20568]	0.176334589	0.176334589
ENSG00000067369	TP53BP1	tumor protein p53 binding protein 1 [Source:HGNC Symbol;Acc:HGNC:11999]	0.316851129	0.316851129
ENSG00000068796	KIF2A	kinesin heavy chain member 2A [Source:HGNC Symbol;Acc:HGNC:6318]	0.443154366	0.443154366
ENSG00000069869	NEDD4	neural precursor cell expressed, developmentally down-regulated 4, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:7727]	0.13353304	0.13353304
ENSG00000070190	DAPP1	dual adaptor of phosphotyrosine and 3-phosphoinositides [Source:HGNC Symbol;Acc:HGNC:16500]	0.334739101	0.334739101
ENSG00000072135	PTPN18	protein tyrosine phosphatase, non-receptor type 18 (brain-derived) [Source:HGNC Symbol;Acc:HGNC:9649]	0.6446986	0.6446986
ENSG00000072657	TRHDE	thyrotropin-releasing hormone degrading enzyme [Source:HGNC Symbol;Acc:HGNC:30748]	-0.121750066	-0.121750066
ENSG00000075151	EIF4G3	eukaryotic translation initiation factor 4 gamma, 3 [Source:HGNC Symbol;Acc:HGNC:3298]	0.79102486	0.79102486

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000075624	ACTB	actin, beta [Source:HGNC Symbol;Acc:HGNC:132]	13.16966173	13.16966173
ENSG00000078124	ACER3	alkaline ceramidase 3 [Source:HGNC Symbol;Acc:HGNC:16066]	-0.116568958	-0.116568958
ENSG00000078142	PIK3C3	phosphatidylinositol 3-kinase, catalytic subunit type 3 [Source:HGNC Symbol;Acc:HGNC:8974]	0.210110272	0.210110272
ENSG00000080608	KIAA0020	KIAA0020 [Source:HGNC Symbol;Acc:HGNC:29676]	0.266493195	0.266493195
ENSG00000081320	STK17B	serine/threonine kinase 17b [Source:HGNC Symbol;Acc:HGNC:11396]	0.168493738	0.168493738
ENSG00000082397	EPB41L3	erythrocyte membrane protein band 4.1-like 3 [Source:HGNC Symbol;Acc:HGNC:3380]	0.267548883	0.267548883
ENSG00000083544	TDRD3	tudor domain containing 3 [Source:HGNC Symbol;Acc:HGNC:20612]	0.120739157	0.120739157
ENSG00000086189	DIMT1	DIM1 dimethyladenosine transferase 1 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:30217]	0.106525588	0.106525588
ENSG00000086232	EIF2AK1	eukaryotic translation initiation factor 2-alpha kinase 1 [Source:HGNC Symbol;Acc:HGNC:24921]	0.602897763	0.602897763
ENSG00000086619	ERO1LB	ERO1-like beta (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:14355]	-0.126810199	-0.126810199
ENSG00000087095	NLK	nemo-like kinase [Source:HGNC Symbol;Acc:HGNC:29858]	0.223717032	0.223717032
ENSG00000088053	GP6	glycoprotein VI (platelet) [Source:HGNC Symbol;Acc:HGNC:14388]	0.112208462	0.112208462
ENSG00000089327	FXYD5	FXYD domain containing ion transport regulator 5 [Source:HGNC Symbol;Acc:HGNC:4029]	0.200859973	0.200859973
ENSG00000095303	PTGS1	prostaglandin-endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase) [Source:HGNC Symbol;Acc:HGNC:9604]	0.733879376	0.733879376

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000099834	CDHR5	cadherin-related family member 5 [Source:HGNC Symbol;Acc:HGNC:7521]	-0.179748368	-0.179748368
ENSG00000100077	ADRBK2	adrenergic, beta, receptor kinase 2 [Source:HGNC Symbol;Acc:HGNC:290]	0.579989071	0.579989071
ENSG00000100351	GRAP2	GRB2-related adaptor protein 2 [Source:HGNC Symbol;Acc:HGNC:4563]	0.372875678	0.372875678
ENSG00000100422	CERK	ceramide kinase [Source:HGNC Symbol;Acc:HGNC:19256]	-0.117307396	-0.117307396
ENSG00000100580	TMED8	transmembrane emp24 protein transport domain containing 8 [Source:HGNC Symbol;Acc:HGNC:18633]	0.203951184	0.203951184
ENSG00000100592	DAAM1	dishevelled associated activator of morphogenesis 1 [Source:HGNC Symbol;Acc:HGNC:18142]	0.296800198	0.296800198
ENSG00000101162	TUBB1	tubulin, beta 1 class VI [Source:HGNC Symbol;Acc:HGNC:16257]	0.93464511	0.93464511
ENSG00000101210	EEF1A2	eukaryotic translation elongation factor 1 alpha 2 [Source:HGNC Symbol;Acc:HGNC:3192]	0.269827941	0.269827941
ENSG00000101544	ADNP2	ADNP homeobox 2 [Source:HGNC Symbol;Acc:HGNC:23803]	0.108650713	0.108650713
ENSG00000101608	MYL12A	myosin, light chain 12A, regulatory, non-sarcomeric [Source:HGNC Symbol;Acc:HGNC:16701]	0.726900736	0.726900736
ENSG00000101782	RIOK3	RIO kinase 3 [Source:HGNC Symbol;Acc:HGNC:11451]	0.23805903	0.23805903
ENSG00000101856	PGRMC1	progesterone receptor membrane component 1 [Source:HGNC Symbol;Acc:HGNC:16090]	0.361020607	NA
ENSG00000101871	MID1	midline 1 [Source:HGNC Symbol;Acc:HGNC:7095]	0.102338145	0.102338145
ENSG00000102243	VGLL1	vestigial-like family member 1 [Source:HGNC Symbol;Acc:HGNC:20985]	0.513257603	0.513257603
ENSG00000102572	STK24	serine/threonine kinase 24 [Source:HGNC Symbol;Acc:HGNC:11403]	0.291512329	0.291512329

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000102804	TSC22D1	TSC22 domain family, member 1 [Source:HGNC Symbol;Acc:HGNC:16826]	0.62464408	0.62464408
ENSG00000103194	USP10	ubiquitin specific peptidase 10 [Source:HGNC Symbol;Acc:HGNC:12608]	0.260120846	0.260120846
ENSG00000103876	FAH	fumarylacetoacetate hydrolase (fumarylacetoacetate) [Source:HGNC Symbol;Acc:HGNC:3579]	0.143367228	0.143367228
ENSG00000104447	TRPS1	trichorhinophalangeal syndrome I [Source:HGNC Symbol;Acc:HGNC:12340]	0.201685685	0.201685685
ENSG00000104763	ASAHI	N-acylsphingosine amidohydrolase (acid ceramidase) 1 [Source:HGNC Symbol;Acc:HGNC:735]	0.229623019	0.229623019
ENSG00000105186	ANKRD27	ankyrin repeat domain 27 (VPS9 domain) [Source:HGNC Symbol;Acc:HGNC:25310]	0.155274119	0.155274119
ENSG00000105329	TGFB1	transforming growth factor, beta 1 [Source:HGNC Symbol;Acc:HGNC:11766]	0.174204583	0.174204583
ENSG00000105778	AVL9	AVL9 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:28994]	0.280409696	0.280409696
ENSG00000105887	MTPN	myotrophin [Source:HGNC Symbol;Acc:HGNC:15667]	0.370822464	0.370822464
ENSG00000106615	RHEB	Ras homolog enriched in brain [Source:HGNC Symbol;Acc:HGNC:10011]	0.149766607	0.149766607
ENSG00000107077	KDM4C	lysine (K)-specific demethylase 4C [Source:HGNC Symbol;Acc:HGNC:17071]	0.109162843	0.109162843
ENSG00000107099	DOCK8	dedicator of cytokinesis 8 [Source:HGNC Symbol;Acc:HGNC:19191]	0.347940675	0.347940675
ENSG00000107438	PDLIM1	PDZ and LIM domain 1 [Source:HGNC Symbol;Acc:HGNC:2067]	0.330990056	0.330990056
ENSG00000107669	ATE1	arginyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:782]	0.372522035	0.372522035
ENSG00000107863	ARHGA_P21	Rho GTPase activating protein 21 [Source:HGNC Symbol;Acc:HGNC:23725]	0.303455407	0.303455407
ENSG00000108094	CUL2	cullin 2 [Source:HGNC Symbol;Acc:HGNC:2552]	0.186832148	0.186832148

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000108389	MTMR4	myotubularin related protein 4 [Source:HGNC Symbol;Acc:HGNC:7452]	0.379527121	0.379527121
ENSG00000108883	EFTUD2	elongation factor Tu GTP binding domain containing 2 [Source:HGNC Symbol;Acc:HGNC:30858]	0.3006319	0.3006319
ENSG00000108960	MMD	monocyte to macrophage differentiation-associated [Source:HGNC Symbol;Acc:HGNC:7153]	0.165657861	0.165657861
ENSG00000109084	TMEM97	transmembrane protein 97 [Source:HGNC Symbol;Acc:HGNC:28106]	0.79542134	0.79542134
ENSG00000110060	PUS3	pseudouridylate synthase 3 [Source:HGNC Symbol;Acc:HGNC:25461]	0.154578345	0.154578345
ENSG00000110514	MADD	MAP-kinase activating death domain [Source:HGNC Symbol;Acc:HGNC:6766]	0.503549474	0.503549474
ENSG00000110906	KCTD10	potassium channel tetramerization domain containing 10 [Source:HGNC Symbol;Acc:HGNC:23236]	0.161059712	0.161059712
ENSG00000110934	BIN2	bridging integrator 2 [Source:HGNC Symbol;Acc:HGNC:1053]	0.248982133	0.248982133
ENSG00000111348	ARHGDIB	Rho GDP dissociation inhibitor (GDI) beta [Source:HGNC Symbol;Acc:HGNC:679]	1.141723559	1.141723559
ENSG00000112118	MCM3	minichromosome maintenance complex component 3 [Source:HGNC Symbol;Acc:HGNC:6945]	0.227295728	0.227295728
ENSG00000112499	SLC22A2	solute carrier family 22 (organic cation transporter), member 2 [Source:HGNC Symbol;Acc:HGNC:10966]	-0.133185802	-0.133185802
ENSG00000112541	PDE10A	phosphodiesterase 10A [Source:HGNC Symbol;Acc:HGNC:8772]	0.828007185	0.828007185
ENSG00000112796	ENPP5	ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative) [Source:HGNC Symbol;Acc:HGNC:13717]	0.10593299	0.10593299
ENSG00000112893	MAN2A1	mannosidase, alpha, class 2A, member 1 [Source:HGNC Symbol;Acc:HGNC:6824]	0.217921951	0.217921951

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000113140	SPARC	secreted protein, acidic, cysteine-rich (osteonectin) [Source:HGNC Symbol;Acc:HGNC:11219]	0.511013974	0.511013974
ENSG00000113494	PRLR	prolactin receptor [Source:HGNC Symbol;Acc:HGNC:9446]	-0.201971842	-0.201971842
ENSG00000113580	NR3C1	nuclear receptor subfamily 3, group C, member 1 (glucocorticoid receptor) [Source:HGNC Symbol;Acc:HGNC:7978]	-0.140459284	-0.140459284
ENSG00000113649	TCERG1	transcription elongation regulator 1 [Source:HGNC Symbol;Acc:HGNC:15630]	0.401292787	0.401292787
ENSG00000114098	ARMC8	armadillo repeat containing 8 [Source:HGNC Symbol;Acc:HGNC:24999]	0.430175492	0.430175492
ENSG00000114166	KAT2B	K(lysine) acetyltransferase 2B [Source:HGNC Symbol;Acc:HGNC:8638]	0.133553074	0.133553074
ENSG00000114541	FRMD4B	FERM domain containing 4B [Source:HGNC Symbol;Acc:HGNC:24886]	0.183283074	0.183283074
ENSG00000114638	UPK1B	uroplakin 1B [Source:HGNC Symbol;Acc:HGNC:12578]	0.303753692	0.303753692
ENSG00000114805	PLCH1	phospholipase C, eta 1 [Source:HGNC Symbol;Acc:HGNC:29185]	0.158661406	0.158661406
ENSG00000115159	GPD2	glycerol-3-phosphate dehydrogenase 2 (mitochondrial) [Source:HGNC Symbol;Acc:HGNC:4456]	0.171842902	0.171842902
ENSG00000115464	USP34	ubiquitin specific peptidase 34 [Source:HGNC Symbol;Acc:HGNC:20066]	0.481266265	0.481266265
ENSG00000115525	ST3GAL5	ST3 beta-galactoside alpha-2,3-sialyltransferase 5 [Source:HGNC Symbol;Acc:HGNC:10872]	0.16022356	0.16022356
ENSG00000115641	FHL2	four and a half LIM domains 2 [Source:HGNC Symbol;Acc:HGNC:3703]	0.146032055	0.146032055
ENSG00000115935	WIPF1	WAS/WASL interacting protein family, member 1 [Source:HGNC Symbol;Acc:HGNC:12736]	0.286397025	0.286397025

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000116191	RALGDS2	Ral GEF with PH domain and SH3 binding motif 2 [Source:HGNC Symbol;Acc:HGNC:30279]	0.135643961	0.135643961
ENSG00000116237	ICMT	isoprenylcysteine carboxyl methyltransferase [Source:HGNC Symbol;Acc:HGNC:5350]	-0.110133125	-0.110133125
ENSG00000116580	GON4L	gon-4-like (C. elegans) [Source:HGNC Symbol;Acc:HGNC:25973]	0.335638953	0.335638953
ENSG00000117139	KDM5B	lysine (K)-specific demethylase 5B [Source:HGNC Symbol;Acc:HGNC:18039]	0.481213482	0.481213482
ENSG00000117335	CD46	CD46 molecule, complement regulatory protein [Source:HGNC Symbol;Acc:HGNC:6953]	0.208538675	0.208538675
ENSG00000117400	MPL	MPL proto-oncogene, thrombopoietin receptor [Source:HGNC Symbol;Acc:HGNC:7217]	0.189039952	0.189039952
ENSG00000117461	PIK3R3	phosphoinositide-3-kinase, regulatory subunit 3 (gamma) [Source:HGNC Symbol;Acc:HGNC:8981]	0.390225521	0.390225521
ENSG00000118855	MFSD1	major facilitator superfamily domain containing 1 [Source:HGNC Symbol;Acc:HGNC:25874]	0.161327765	0.161327765
ENSG00000119242	CCDC92	coiled-coil domain containing 92 [Source:HGNC Symbol;Acc:HGNC:29563]	0.174015024	0.174015024
ENSG00000119684	MLH3	mutL homolog 3 [Source:HGNC Symbol;Acc:HGNC:7128]	0.339439682	0.339439682
ENSG00000119938	PPP1R3C	protein phosphatase 1, regulatory subunit 3C [Source:HGNC Symbol;Acc:HGNC:9293]	0.195538023	0.195538023
ENSG00000120162	MOB3B	MOB kinase activator 3B [Source:HGNC Symbol;Acc:HGNC:23825]	-0.128479144	-0.128479144
ENSG00000120690	ELF1	E74-like factor 1 (ets domain transcription factor) [Source:HGNC Symbol;Acc:HGNC:3316]	0.405314708	0.405314708
ENSG00000120885	CLU	clusterin [Source:HGNC Symbol;Acc:HGNC:2095]	0.46226576	0.46226576

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000121989	ACVR2A	activin A receptor, type IIA [Source:HGNC Symbol;Acc:HGNC:173]	0.148006169	0.148006169
ENSG00000122176	FMOD	fibromodulin [Source:HGNC Symbol;Acc:HGNC:3774]	0.118763672	0.118763672
ENSG00000122545	7-Sep	septin 7 [Source:HGNC Symbol;Acc:HGNC:1717]	0.232295239	0.232295239
ENSG00000122550	KLHL7	kelch-like family member 7 [Source:HGNC Symbol;Acc:HGNC:15646]	0.101786764	0.101786764
ENSG00000122557	HERPUD2	HERPUD family member 2 [Source:HGNC Symbol;Acc:HGNC:21915]	0.183005889	0.183005889
ENSG00000122779	TRIM24	tripartite motif containing 24 [Source:HGNC Symbol;Acc:HGNC:11812]	0.488522926	0.488522926
ENSG00000123091	RNF11	ring finger protein 11 [Source:HGNC Symbol;Acc:HGNC:10056]	0.880092531	0.880092531
ENSG00000123095	BHLHE41	basic helix-loop-helix family, member e41 [Source:HGNC Symbol;Acc:HGNC:16617]	0.290146569	0.290146569
ENSG00000124228	DDX27	DEAD (Asp-Glu-Ala-Asp) box polypeptide 27 [Source:HGNC Symbol;Acc:HGNC:15837]	0.155817465	0.155817465
ENSG00000124333	VAMP7	vesicle-associated membrane protein 7 [Source:HGNC Symbol;Acc:HGNC:11486]	0.12828441	0.12828441
ENSG00000124491	F13A1	coagulation factor XIII, A1 polypeptide [Source:HGNC Symbol;Acc:HGNC:3531]	0.546443396	0.546443396
ENSG00000124635	HIST1H2BJ	histone cluster 1, H2bj [Source:HGNC Symbol;Acc:HGNC:4761]	0.156372055	0.156372055
ENSG00000124813	RUNX2	runt-related transcription factor 2 [Source:HGNC Symbol;Acc:HGNC:10472]	0.120780718	0.120780718
ENSG00000125246	CLYBL	citrate lyase beta like [Source:HGNC Symbol;Acc:HGNC:18355]	-0.107136431	-0.107136431
ENSG00000125676	THOC2	THO complex 2 [Source:HGNC Symbol;Acc:HGNC:19073]	0.616135842	0.616135842
ENSG00000125734	GPR108	G protein-coupled receptor 108 [Source:HGNC Symbol;Acc:HGNC:17829]	-0.105816696	-0.105816696

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000125945	ZNF436	zinc finger protein 436 [Source:HGNC Symbol;Acc:HGNC:20814]	0.165003054	0.165003054
ENSG00000125952	MAX	MYC associated factor X [Source:HGNC Symbol;Acc:HGNC:6913]	0.415943432	0.415943432
ENSG00000126351	THRA	thyroid hormone receptor, alpha [Source:HGNC Symbol;Acc:HGNC:11796]	-0.123070122	-0.123070122
ENSG00000127314	RAP1B	RAP1B, member of RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:9857]	0.515735425	0.515735425
ENSG00000127920	GNG11	guanine nucleotide binding protein (G protein), gamma 11 [Source:HGNC Symbol;Acc:HGNC:4403]	0.150922583	0.150922583
ENSG00000127947	PTPN12	protein tyrosine phosphatase, non-receptor type 12 [Source:HGNC Symbol;Acc:HGNC:9645]	0.324687197	0.324687197
ENSG00000127980	PEX1	peroxisomal biogenesis factor 1 [Source:HGNC Symbol;Acc:HGNC:8850]	-0.113166927	-0.113166927
ENSG00000128045	RASL11B	RAS-like, family 11, member B [Source:HGNC Symbol;Acc:HGNC:23804]	0.101121756	0.101121756
ENSG00000128245	YWHAH	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, eta [Source:HGNC Symbol;Acc:HGNC:12853]	0.154477464	0.154477464
ENSG00000128266	GNAZ	guanine nucleotide binding protein (G protein), alpha z polypeptide [Source:HGNC Symbol;Acc:HGNC:4395]	0.117449745	0.117449745
ENSG00000129353	SLC44A2	solute carrier family 44 (choline transporter), member 2 [Source:HGNC Symbol;Acc:HGNC:17292]	0.718830106	0.718830106
ENSG00000129422	MTUS1	microtubule associated tumor suppressor 1 [Source:HGNC Symbol;Acc:HGNC:29789]	0.693637092	0.693637092
ENSG00000130830	MPP1	membrane protein, palmitoylated 1, 55kDa [Source:HGNC Symbol;Acc:HGNC:7219]	0.226645535	0.226645535

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000131171	SH3BGRL	SH3 domain binding glutamate-rich protein like [Source:HGNC Symbol;Acc:HGNC:10823]	0.719515363	0.719515363
ENSG00000131725	WDR44	WD repeat domain 44 [Source:HGNC Symbol;Acc:HGNC:30512]	0.434981931	0.434981931
ENSG00000131781	FMO5	flavin containing monooxygenase 5 [Source:HGNC Symbol;Acc:HGNC:3773]	-0.128089256	-0.128089256
ENSG00000132170	PPARG	peroxisome proliferator-activated receptor gamma [Source:HGNC Symbol;Acc:HGNC:9236]	1.953750607	1.953750607
ENSG00000132357	CARD6	caspase recruitment domain family, member 6 [Source:HGNC Symbol;Acc:HGNC:16394]	0.137262799	0.137262799
ENSG00000132824	SERINC3	serine incorporator 3 [Source:HGNC Symbol;Acc:HGNC:11699]	0.107902612	0.107902612
ENSG00000133606	MKRN1	makorin ring finger protein 1 [Source:HGNC Symbol;Acc:HGNC:7112]	0.490172081	0.490172081
ENSG00000134240	HMGCS2	3-hydroxy-3-methylglutaryl-CoA synthase 2 (mitochondrial) [Source:HGNC Symbol;Acc:HGNC:5008]	1.398835274	1.398835274
ENSG00000134265	NAPG	N-ethylmaleimide-sensitive factor attachment protein, gamma [Source:HGNC Symbol;Acc:HGNC:7642]	0.210671394	0.210671394
ENSG00000135365	PHF21A	PHD finger protein 21A [Source:HGNC Symbol;Acc:HGNC:24156]	0.298980862	0.298980862
ENSG00000135521	LTV1	LTV1 ribosome biogenesis factor [Source:HGNC Symbol;Acc:HGNC:21173]	0.158856248	0.158856248
ENSG00000135540	NHSL1	NHS-like 1 [Source:HGNC Symbol;Acc:HGNC:21021]	0.46724515	0.46724515
ENSG00000135597	REPS1	RALBP1 associated Eps domain containing 1 [Source:HGNC Symbol;Acc:HGNC:15578]	0.114862103	0.114862103
ENSG00000135966	TGFBRAP1	transforming growth factor, beta receptor associated protein 1 [Source:HGNC Symbol;Acc:HGNC:16836]	0.124184608	0.124184608

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000135976	ANKRD36	ankyrin repeat domain 36 [Source:HGNC Symbol;Acc:HGNC:24079]	-0.109182456	-0.109182456
ENSG00000136231	IGF2BP3	insulin-like growth factor 2 mRNA binding protein 3 [Source:HGNC Symbol;Acc:HGNC:28868]	0.276307789	0.276307789
ENSG00000136689	IL1RN	interleukin 1 receptor antagonist [Source:HGNC Symbol;Acc:HGNC:6000]	2.077635851	2.077635851
ENSG00000136715	SAP130	Sin3A-associated protein, 130kDa [Source:HGNC Symbol;Acc:HGNC:29813]	0.439952614	0.439952614
ENSG00000136717	BIN1	bridging integrator 1 [Source:HGNC Symbol;Acc:HGNC:1052]	-0.143377353	-0.143377353
ENSG00000136738	STAM	signal transducing adaptor molecule (SH3 domain and ITAM motif) 1 [Source:HGNC Symbol;Acc:HGNC:11357]	0.353135957	0.353135957
ENSG00000136868	SLC31A1	solute carrier family 31 (copper transporter), member 1 [Source:HGNC Symbol;Acc:HGNC:11016]	0.110813662	0.110813662
ENSG00000136925	TSTD2	thiosulfate sulfurtransferase (rhodanese)-like domain containing 2 [Source:HGNC Symbol;Acc:HGNC:30087]	0.128876718	0.128876718
ENSG00000137073	UBAP2	ubiquitin associated protein 2 [Source:HGNC Symbol;Acc:HGNC:14185]	0.418369571	0.418369571
ENSG00000137076	TLN1	talin 1 [Source:HGNC Symbol;Acc:HGNC:11845]	1.597978957	1.597978957
ENSG00000138293	NA	NA	2.156656327	2.156656327
ENSG00000138735	PDE5A	phosphodiesterase 5A, cGMP-specific [Source:HGNC Symbol;Acc:HGNC:8784]	0.282062238	0.282062238
ENSG00000139055	ERP27	endoplasmic reticulum protein 27 [Source:HGNC Symbol;Acc:HGNC:26495]	0.357585235	0.357585235
ENSG00000139323	POC1B	POC1 centriolar protein B [Source:HGNC Symbol;Acc:HGNC:30836]	0.17988861	0.17988861
ENSG00000139998	RAB15	RAB15, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:20150]	0.138583198	0.138583198
ENSG00000140022	STON2	stonin 2 [Source:HGNC Symbol;Acc:HGNC:30652]	0.324331784	0.324331784

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000140299	BNIP2	BCL2/adenovirus E1B 19kDa interacting protein 2 [Source:HGNC Symbol;Acc:HGNC:1083]	0.206087205	0.206087205
ENSG00000140374	ETFA	electron-transfer-flavoprotein, alpha polypeptide [Source:HGNC Symbol;Acc:HGNC:3481]	0.778717155	0.778717155
ENSG00000140750	ARHGA_P17	Rho GTPase activating protein 17 [Source:HGNC Symbol;Acc:HGNC:18239]	0.151421455	0.151421455
ENSG00000141298	SSH2	slingshot protein phosphatase 2 [Source:HGNC Symbol;Acc:HGNC:30580]	0.414272422	0.414272422
ENSG00000141556	TBCD	tubulin folding cofactor D [Source:HGNC Symbol;Acc:HGNC:11581]	0.171961864	0.171961864
ENSG00000141664	ZCCHC_2	zinc finger, CCHC domain containing 2 [Source:HGNC Symbol;Acc:HGNC:22916]	0.376619618	0.376619618
ENSG00000142669	SH3BG_RL3	SH3 domain binding glutamate-rich protein like 3 [Source:HGNC Symbol;Acc:HGNC:15568]	1.622707315	1.622707315
ENSG00000143179	UCK2	uridine-cytidine kinase 2 [Source:HGNC Symbol;Acc:HGNC:12562]	0.117654114	0.117654114
ENSG00000143207	RFWD2	ring finger and WD repeat domain 2, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:17440]	0.100026363	0.100026363
ENSG00000143379	SETDB_1	SET domain, bifurcated 1 [Source:HGNC Symbol;Acc:HGNC:10761]	0.141059768	0.141059768
ENSG00000143409	FAM63_A	family with sequence similarity 63, member A [Source:HGNC Symbol;Acc:HGNC:25648]	0.254846943	0.254846943
ENSG00000143494	VASH2	vasohibin 2 [Source:HGNC Symbol;Acc:HGNC:25723]	-0.100842302	-0.100842302
ENSG00000143624	INTS3	integrator complex subunit 3 [Source:HGNC Symbol;Acc:HGNC:26153]	0.145035158	0.145035158
ENSG00000144120	TMEM1_77	transmembrane protein 177 [Source:HGNC Symbol;Acc:HGNC:28143]	0.103732969	0.103732969
ENSG00000144468	RHBDD_1	rhomboid domain containing 1 [Source:HGNC Symbol;Acc:HGNC:23081]	0.568537348	0.568537348

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000146006	LRRTM2	leucine rich repeat transmembrane neuronal 2 [Source:HGNC Symbol;Acc:HGNC:19409]	-0.1015115	-0.1015115
ENSG00000146859	TMEM140	transmembrane protein 140 [Source:HGNC Symbol;Acc:HGNC:21870]	0.1056982	0.1056982
ENSG00000146904	EPHA1	EPH receptor A1 [Source:HGNC Symbol;Acc:HGNC:3385]	0.113076631	0.113076631
ENSG00000147394	ZNF185	zinc finger protein 185 (LIM domain) [Source:HGNC Symbol;Acc:HGNC:12976]	0.305348237	0.305348237
ENSG00000147606	SLC26A7	solute carrier family 26 (anion exchanger), member 7 [Source:HGNC Symbol;Acc:HGNC:14467]	-0.135780362	-0.135780362
ENSG00000147649	MTDH	metadherin [Source:HGNC Symbol;Acc:HGNC:29608]	0.152534374	0.152534374
ENSG00000148175	STOM	stomatin [Source:HGNC Symbol;Acc:HGNC:3383]	0.102889947	0.102889947
ENSG00000148396	SEC16A	SEC16 homolog A (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:29006]	0.45980412	0.45980412
ENSG00000148484	RSU1	Ras suppressor protein 1 [Source:HGNC Symbol;Acc:HGNC:10464]	0.315640995	0.315640995
ENSG00000148498	PARD3	par-3 family cell polarity regulator [Source:HGNC Symbol;Acc:HGNC:16051]	0.165264157	0.165264157
ENSG00000148660	CAMK2G	calcium/calmodulin-dependent protein kinase II gamma [Source:HGNC Symbol;Acc:HGNC:1463]	0.206367559	0.206367559
ENSG00000148840	PPRC1	peroxisome proliferator-activated receptor gamma, coactivator-related 1 [Source:HGNC Symbol;Acc:HGNC:30025]	0.538595703	0.538595703
ENSG00000148843	PDCD11	programmed cell death 11 [Source:HGNC Symbol;Acc:HGNC:13408]	0.174944261	0.174944261
ENSG00000148908	RGS10	regulator of G-protein signaling 10 [Source:HGNC Symbol;Acc:HGNC:9992]	0.292282672	0.292282672
ENSG00000149177	PTPRJ	protein tyrosine phosphatase, receptor type, J [Source:HGNC Symbol;Acc:HGNC:9673]	0.200352211	0.200352211

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000150054	MPP7	membrane protein, palmitoylated 7 (MAGUK p55 subfamily member 7) [Source:HGNC Symbol;Acc:HGNC:26542]	0.455594167	0.455594167
ENSG00000150093	ITGB1	integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12) [Source:HGNC Symbol;Acc:HGNC:6153]	0.42848484	0.42848484
ENSG00000150637	CD226	CD226 molecule [Source:HGNC Symbol;Acc:HGNC:16961]	0.145668728	0.145668728
ENSG00000150867	PIP4K2A	phosphatidylinositol-5-phosphate 4-kinase, type II, alpha [Source:HGNC Symbol;Acc:HGNC:8997]	0.159042165	0.159042165
ENSG00000151414	NEK7	NIMA-related kinase 7 [Source:HGNC Symbol;Acc:HGNC:13386]	0.161350347	0.161350347
ENSG00000151576	QTRTD1	queuine tRNA-ribosyltransferase domain containing 1 [Source:HGNC Symbol;Acc:HGNC:25771]	0.144212504	0.144212504
ENSG00000151702	FLI1	Fli-1 proto-oncogene, ETS transcription factor [Source:HGNC Symbol;Acc:HGNC:3749]	0.180062833	0.180062833
ENSG00000152061	RABGA1L	RAB GTPase activating protein 1-like [Source:HGNC Symbol;Acc:HGNC:24663]	1.171136762	1.171136762
ENSG00000152127	MGAT5	mannosyl (alpha-1,6)-glycoprotein beta-1,6-N-acetyl-glucosaminyltransferase [Source:HGNC Symbol;Acc:HGNC:7049]	0.148717437	0.148717437
ENSG00000152601	MBNL1	muscleblind-like splicing regulator 1 [Source:HGNC Symbol;Acc:HGNC:6923]	2.124148939	2.124148939
ENSG00000152926	ZNF117	zinc finger protein 117 [Source:HGNC Symbol;Acc:HGNC:12897]	0.288912125	0.288912125
ENSG00000153071	DAB2	Dab, mitogen-responsive phosphoprotein, homolog 2 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:2662]	1.970334898	1.970334898
ENSG00000153310	FAM49B	family with sequence similarity 49, member B [Source:HGNC Symbol;Acc:HGNC:25216]	0.225356306	0.225356306

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000153317	ASAP1	ArfGAP with SH3 domain, ankyrin repeat and PH domain 1 [Source:HGNC Symbol;Acc:HGNC:2720]	0.261303062	0.261303062
ENSG00000154229	PRKCA	protein kinase C, alpha [Source:HGNC Symbol;Acc:HGNC:9393]	0.171395515	0.171395515
ENSG00000155530	LRGUK	leucine-rich repeats and guanylate kinase domain containing [Source:HGNC Symbol;Acc:HGNC:21964]	-0.117734369	-0.117734369
ENSG00000155903	RASA2	RAS p21 protein activator 2 [Source:HGNC Symbol;Acc:HGNC:9872]	0.153128973	0.153128973
ENSG00000156026	MCU	mitochondrial calcium uniporter [Source:HGNC Symbol;Acc:HGNC:23526]	0.137850826	0.137850826
ENSG00000156265	MAP3K7CL	MAP3K7 C-terminal like [Source:HGNC Symbol;Acc:HGNC:16457]	0.478343633	0.478343633
ENSG00000156642	NPTN	neuroplastin [Source:HGNC Symbol;Acc:HGNC:17867]	0.116218446	0.116218446
ENSG00000156958	GALK2	galactokinase 2 [Source:HGNC Symbol;Acc:HGNC:4119]	0.165082885	0.165082885
ENSG00000157191	NECAP2	NECAP endocytosis associated 2 [Source:HGNC Symbol;Acc:HGNC:25528]	0.13810038	0.13810038
ENSG00000157895	C12orf43	chromosome 12 open reading frame 43 [Source:HGNC Symbol;Acc:HGNC:25719]	-0.112628987	-0.112628987
ENSG00000158710	TAGLN2	transgelin 2 [Source:HGNC Symbol;Acc:HGNC:11554]	0.614972326	0.614972326
ENSG00000159023	EPB41	erythrocyte membrane protein band 4.1 [Source:HGNC Symbol;Acc:HGNC:3377]	0.539881931	0.539881931
ENSG00000159256	MORC3	MORC family CW-type zinc finger 3 [Source:HGNC Symbol;Acc:HGNC:23572]	0.758914986	0.758914986
ENSG00000159267	HLCS	holocarboxylase synthetase (biotin-(propionyl-CoA-carboxylase (ATP-hydrolysing)) ligase) [Source:HGNC Symbol;Acc:HGNC:4976]	0.174980594	0.174980594
ENSG00000159346	ADIPOR1	adiponectin receptor 1 [Source:HGNC Symbol;Acc:HGNC:24040]	0.727523194	0.727523194

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000159840	ZYX	zyxin [Source:HGNC Symbol;Acc:HGNC:13200]	0.144777358	0.144777358
ENSG00000161533	ACOX1	acyl-CoA oxidase 1, palmitoyl [Source:HGNC Symbol;Acc:HGNC:119]	0.809566065	0.809566065
ENSG00000161570	NA	NA	1.032379771	1.032379771
ENSG00000161911	TREML1	triggering receptor expressed on myeloid cells-like 1 [Source:HGNC Symbol;Acc:HGNC:20434]	0.123634521	NA
ENSG00000162105	SHANK2	SH3 and multiple ankyrin repeat domains 2 [Source:HGNC Symbol;Acc:HGNC:14295]	0.246685655	0.246685655
ENSG00000162434	JAK1	Janus kinase 1 [Source:HGNC Symbol;Acc:HGNC:6190]	0.482198988	0.482198988
ENSG00000162722	TRIM58	tripartite motif containing 58 [Source:HGNC Symbol;Acc:HGNC:24150]	0.101513502	0.101513502
ENSG00000162852	CNST	consortin, connexin sorting protein [Source:HGNC Symbol;Acc:HGNC:26486]	0.138455689	0.138455689
ENSG00000163346	PBXIP1	pre-B-cell leukemia homeobox interacting protein 1 [Source:HGNC Symbol;Acc:HGNC:21199]	0.106013633	0.106013633
ENSG00000163590	PPM1L	protein phosphatase, Mg2+/Mn2+ dependent, 1L [Source:HGNC Symbol;Acc:HGNC:16381]	0.146308014	0.146308014
ENSG00000163602	RYBP	RING1 and YY1 binding protein [Source:HGNC Symbol;Acc:HGNC:10480]	0.207794377	0.207794377
ENSG00000163735	CXCL5	chemokine (C-X-C motif) ligand 5 [Source:HGNC Symbol;Acc:HGNC:10642]	0.436775595	NA
ENSG00000164134	NAA15	N(alpha)-acetyltransferase 15, NatA auxiliary subunit [Source:HGNC Symbol;Acc:HGNC:30782]	0.166966709	0.166966709
ENSG00000164181	ELOVL7	ELOVL fatty acid elongase 7 [Source:HGNC Symbol;Acc:HGNC:26292]	0.343620943	0.343620943
ENSG00000164266	SPINK1	serine peptidase inhibitor, Kazal type 1 [Source:HGNC Symbol;Acc:HGNC:11244]	0.229695948	0.229695948

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000164305	CASP3	caspase 3, apoptosis-related cysteine peptidase [Source:HGNC Symbol;Acc:HGNC:1504]	0.161082798	0.161082798
ENSG00000164402	8-Sep	septin 8 [Source:HGNC Symbol;Acc:HGNC:16511]	0.438118618	0.438118618
ENSG00000164808	SPIDR	scaffolding protein involved in DNA repair [Source:HGNC Symbol;Acc:HGNC:28971]	0.216089141	0.216089141
ENSG00000164924	YWHAZ	tyrosine 3-monooxygenase/triptophan 5-monooxygenase activation protein, zeta [Source:HGNC Symbol;Acc:HGNC:12855]	2.8151181	2.8151181
ENSG00000165097	KDM1B	lysine (K)-specific demethylase 1B [Source:HGNC Symbol;Acc:HGNC:21577]	0.129948737	0.129948737
ENSG00000165702	GFI1B	growth factor independent 1B transcription repressor [Source:HGNC Symbol;Acc:HGNC:4238]	0.183122257	0.183122257
ENSG00000165929	TC2N	tandem C2 domains, nuclear [Source:HGNC Symbol;Acc:HGNC:19859]	0.659066708	0.659066708
ENSG00000166004	KIAA1731	KIAA1731 [Source:HGNC Symbol;Acc:HGNC:29366]	0.225572018	0.225572018
ENSG00000166086	JAM3	junctional adhesion molecule 3 [Source:HGNC Symbol;Acc:HGNC:15532]	0.289140461	0.289140461
ENSG00000166224	SGPL1	sphingosine-1-phosphate lyase 1 [Source:HGNC Symbol;Acc:HGNC:10817]	0.137913948	0.137913948
ENSG00000166387	PPFIBP2	PTPRF interacting protein, binding protein 2 (lprin beta 2) [Source:HGNC Symbol;Acc:HGNC:9250]	1.655069459	1.655069459
ENSG00000166478	ZNF143	zinc finger protein 143 [Source:HGNC Symbol;Acc:HGNC:12928]	0.179673424	0.179673424
ENSG00000166501	PRKCB	protein kinase C, beta [Source:HGNC Symbol;Acc:HGNC:9395]	0.295744677	0.295744677
ENSG00000166710	B2M	beta-2-microglobulin [Source:HGNC Symbol;Acc:HGNC:914]	4.496484843	4.496484843
ENSG00000166750	SLFN5	schlafen family member 5 [Source:HGNC Symbol;Acc:HGNC:28286]	0.325737786	0.325737786

Ensembl_ID	hgnc_symbol	description	X0.5slope_0_1pvalue_0.1_Max_HITsp_urine	X0.8slope_0_1pvalue_0.1_Max_HITsp_urine
ENSG00000166938	DIS3L	DIS3 like exosome 3'-5' exoribonuclease [Source:HGNC Symbol;Acc:HGNC:28698]	0.119131994	0.119131994
ENSG00000167257	RNF214	ring finger protein 214 [Source:HGNC Symbol;Acc:HGNC:25335]	0.127744953	0.127744953
ENSG00000167258	CDK12	cyclin-dependent kinase 12 [Source:HGNC Symbol;Acc:HGNC:24224]	0.153129356	0.153129356
ENSG00000168300	PCMTD1	protein-L-isoaspartate (D-aspartate) O-methyltransferase domain containing 1 [Source:HGNC Symbol;Acc:HGNC:30483]	1.065572832	1.065572832
ENSG00000168310	IRF2	interferon regulatory factor 2 [Source:HGNC Symbol;Acc:HGNC:6117]	0.185064835	0.185064835
ENSG00000168497	SDPR	serum deprivation response [Source:HGNC Symbol;Acc:HGNC:10690]	0.46748538	0.46748538
ENSG00000168769	TET2	tet methylcytosine dioxygenase 2 [Source:HGNC Symbol;Acc:HGNC:25941]	0.29323869	0.29323869
ENSG00000169247	SH3TC2	SH3 domain and tetratricopeptide repeats 2 [Source:HGNC Symbol;Acc:HGNC:29427]	0.247290195	0.247290195
ENSG00000169313	P2RY12	purinergic receptor P2Y, G-protein coupled, 12 [Source:HGNC Symbol;Acc:HGNC:18124]	0.135294865	NA
ENSG00000169474	SPRR1A	small proline-rich protein 1A [Source:HGNC Symbol;Acc:HGNC:11259]	0.168877928	NA
ENSG00000169621	APLF	aprataxin and PNKP like factor [Source:HGNC Symbol;Acc:HGNC:28724]	0.125437738	0.125437738
ENSG00000169756	LIMS1	LIM and senescent cell antigen-like domains 1 [Source:HGNC Symbol;Acc:HGNC:6616]	0.258104105	0.258104105
ENSG00000170043	TRAPP C1	trafficking protein particle complex 1 [Source:HGNC Symbol;Acc:HGNC:19894]	0.341070426	0.341070426
ENSG00000170325	PRDM10	PR domain containing 10 [Source:HGNC Symbol;Acc:HGNC:13995]	0.142571737	0.142571737
ENSG00000170485	NPAS2	neuronal PAS domain protein 2 [Source:HGNC Symbol;Acc:HGNC:7895]	0.266419951	0.266419951

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000170500	LONRF2	LON peptidase N-terminal domain and ring finger 2 [Source:HGNC Symbol;Acc:HGNC:24788]	-0.140749468	-0.140749468
ENSG00000170802	FOXN2	forkhead box N2 [Source:HGNC Symbol;Acc:HGNC:5281]	0.215981377	0.215981377
ENSG00000171311	EXOSC1	exosome component 1 [Source:HGNC Symbol;Acc:HGNC:17286]	0.144462988	0.144462988
ENSG00000171467	ZNF318	zinc finger protein 318 [Source:HGNC Symbol;Acc:HGNC:13578]	0.133403376	0.133403376
ENSG00000172183	ISG20	interferon stimulated exonuclease gene 20kDa [Source:HGNC Symbol;Acc:HGNC:6130]	-0.132523483	-0.132523483
ENSG00000173210	ABLIM3	actin binding LIM protein family, member 3 [Source:HGNC Symbol;Acc:HGNC:29132]	0.946294206	0.946294206
ENSG00000174233	ADCY6	adenylate cyclase 6 [Source:HGNC Symbol;Acc:HGNC:237]	0.172218544	0.172218544
ENSG00000175567	UCP2	uncoupling protein 2 (mitochondrial, proton carrier) [Source:HGNC Symbol;Acc:HGNC:12518]	0.637523997	0.637523997
ENSG00000176928	GCNT4	glucosaminyl (N-acetyl) transferase 4, core 2 [Source:HGNC Symbol;Acc:HGNC:17973]	0.164625593	0.164625593
ENSG00000177119	ANO6	anoctamin 6 [Source:HGNC Symbol;Acc:HGNC:25240]	0.421488814	0.421488814
ENSG00000177125	ZBTB34	zinc finger and BTB domain containing 34 [Source:HGNC Symbol;Acc:HGNC:31446]	0.186014362	0.186014362
ENSG00000177200	CHD9	chromodomain helicase DNA binding protein 9 [Source:HGNC Symbol;Acc:HGNC:25701]	0.84980392	0.84980392
ENSG00000177324	BEND2	BEN domain containing 2 [Source:HGNC Symbol;Acc:HGNC:28509]	0.214957462	0.214957462
ENSG00000177853	ZNF518A	zinc finger protein 518A [Source:HGNC Symbol;Acc:HGNC:29009]	0.210018134	0.210018134
ENSG00000178222	RNF212	ring finger protein 212 [Source:HGNC Symbol;Acc:HGNC:27729]	-0.110184033	-0.110184033

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000180182	MED14	mediator complex subunit 14 [Source:HGNC Symbol;Acc:HGNC:2370]	0.179758964	0.179758964
ENSG00000180488	FAM73A	family with sequence similarity 73, member A [Source:HGNC Symbol;Acc:HGNC:24741]	0.161075392	0.161075392
ENSG00000180573	HIST1H2AC	histone cluster 1, H2ac [Source:HGNC Symbol;Acc:HGNC:4733]	0.673344658	0.673344658
ENSG00000180694	TMEM64	transmembrane protein 64 [Source:HGNC Symbol;Acc:HGNC:25441]	0.166737406	0.166737406
ENSG00000181104	F2R	coagulation factor II (thrombin) receptor [Source:HGNC Symbol;Acc:HGNC:3537]	0.121614855	0.121614855
ENSG00000182446	NPLOC4	nuclear protein localization 4 homolog (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:18261]	0.170807299	0.170807299
ENSG00000182481	KPNA2	karyopherin alpha 2 (RAG cohort 1, importin alpha 1) [Source:HGNC Symbol;Acc:HGNC:6395]	0.151727599	0.151727599
ENSG00000182606	TRAK1	trafficking protein, kinesin binding 1 [Source:HGNC Symbol;Acc:HGNC:29947]	0.700261402	0.700261402
ENSG00000183726	TMEM50A	transmembrane protein 50A [Source:HGNC Symbol;Acc:HGNC:30590]	0.121322558	0.121322558
ENSG00000184178	SCFD2	sec1 family domain containing 2 [Source:HGNC Symbol;Acc:HGNC:30676]	0.112150892	0.112150892
ENSG00000184602	SNN	stannin [Source:HGNC Symbol;Acc:HGNC:11149]	0.123344813	0.123344813
ENSG00000185008	ROBO2	roundabout, axon guidance receptor, homolog 2 (<i>Drosophila</i>) [Source:HGNC Symbol;Acc:HGNC:10250]	-0.176023148	-0.176023148
ENSG00000185245	GP1BA	glycoprotein Ib (platelet), alpha polypeptide [Source:HGNC Symbol;Acc:HGNC:4439]	0.156428222	0.156428222
ENSG00000186298	PPP1CC	protein phosphatase 1, catalytic subunit, gamma isoform [Source:HGNC Symbol;Acc:HGNC:9283]	0.281181523	0.281181523

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000187109	NAP1L1	nucleosome assembly protein 1-like 1 [Source:HGNC Symbol;Acc:HGNC:7637]	0.630375971	0.630375971
ENSG00000187554	TLR5	toll-like receptor 5 [Source:HGNC Symbol;Acc:HGNC:11851]	0.209734995	0.209734995
ENSG00000187699	C2orf88	chromosome 2 open reading frame 88 [Source:HGNC Symbol;Acc:HGNC:28191]	0.253185892	0.253185892
ENSG00000189308	LIN54	lin-54 DREAM MuvB core complex component [Source:HGNC Symbol;Acc:HGNC:25397]	0.137504827	0.137504827
ENSG00000189403	HMGB1	high mobility group box 1 [Source:HGNC Symbol;Acc:HGNC:4983]	0.325629479	0.325629479
ENSG00000196116	TDRD7	tudor domain containing 7 [Source:HGNC Symbol;Acc:HGNC:30831]	0.129014991	0.129014991
ENSG00000196678	ERI2	ERI1 exoribonuclease family member 2 [Source:HGNC Symbol;Acc:HGNC:30541]	0.105444259	0.105444259
ENSG00000196782	MAML3	mastermind-like 3 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:16272]	0.285976894	0.285976894
ENSG00000197147	LRRC8B	leucine rich repeat containing 8 family, member B [Source:HGNC Symbol;Acc:HGNC:30692]	0.125211782	0.125211782
ENSG00000197566	ZNF624	zinc finger protein 624 [Source:HGNC Symbol;Acc:HGNC:29254]	0.111470664	0.111470664
ENSG00000198286	CARD11	caspase recruitment domain family, member 11 [Source:HGNC Symbol;Acc:HGNC:16393]	0.141821377	0.141821377
ENSG00000198466	ZNF587	zinc finger protein 587 [Source:HGNC Symbol;Acc:HGNC:30955]	0.515936917	0.515936917
ENSG00000198478	SH3BGRL2	SH3 domain binding glutamate-rich protein like 2 [Source:HGNC Symbol;Acc:HGNC:15567]	2.135999854	2.135999854
ENSG00000198513	ATL1	atlastin GTPase 1 [Source:HGNC Symbol;Acc:HGNC:11231]	0.11638794	0.11638794
ENSG00000198948	MFAP3L	microfibrillar-associated protein 3-like [Source:HGNC Symbol;Acc:HGNC:29083]	0.297833822	0.297833822

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 Max_HITsp_urine	X0.8slope_0. 1pvalue_0.1 Max_HITsp_urine
ENSG00000204310	AGPAT1	1-acylglycerol-3-phosphate O-acyltransferase 1 [Source:HGNC Symbol;Acc:HGNC:324]	0.10136124	0.10136124
ENSG00000204420	C6orf25	chromosome 6 open reading frame 25 [Source:HGNC Symbol;Acc:HGNC:13937]	0.42024942	0.42024942
ENSG00000204842	ATXN2	ataxin 2 [Source:HGNC Symbol;Acc:HGNC:10555]	0.372568288	0.372568288
ENSG00000205542	TMSB4X	thymosin beta 4, X-linked [Source:HGNC Symbol;Acc:HGNC:11881]	6.744611196	6.744611196
ENSG00000206560	ANKRD28	ankyrin repeat domain 28 [Source:HGNC Symbol;Acc:HGNC:29024]	0.187959185	0.187959185
ENSG00000209082	MT-TL1	mitochondrially encoded tRNA leucine 1 (UUA/G) [Source:HGNC Symbol;Acc:HGNC:7490]	3.117140247	3.117140247
ENSG00000213516	RBMXL1	RNA binding motif protein, X-linked-like 1 [Source:HGNC Symbol;Acc:HGNC:25073]	0.131637518	0.131637518
ENSG00000214049	UCA1	urothelial cancer associated 1 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:37126]	0.426710459	0.426710459
ENSG00000215271	HOMEZ	homeobox and leucine zipper encoding [Source:HGNC Symbol;Acc:HGNC:20164]	0.118937964	0.118937964
ENSG00000215421	ZNF407	zinc finger protein 407 [Source:HGNC Symbol;Acc:HGNC:19904]	0.151443222	0.151443222
ENSG00000215834	FMO9P	flavin containing monooxygenase 9 pseudogene [Source:HGNC Symbol;Acc:HGNC:32210]	0.205901188	0.205901188
ENSG00000221823	PPP3R1	protein phosphatase 3, regulatory subunit B, alpha [Source:HGNC Symbol;Acc:HGNC:9317]	0.216269193	0.216269193
ENSG00000226759	DAB1-AS1	DAB1 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:49443]	-0.114905454	-0.114905454
ENSG00000227165	WDR11-AS1	WDR11 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:27437]	0.10770574	0.10770574

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Max_HITsp_urine	X0.8slope_0.1pvalue_0.1_Max_HITsp_urine
ENSG00000228474	OST4	oligosaccharyltransferase 4 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:32483]	1.417131385	1.417131385
ENSG00000228794	LINC01128	long intergenic non-protein coding RNA 1128 [Source:HGNC Symbol;Acc:HGNC:49377]	0.101019848	0.101019848
ENSG00000229124	VIM-AS1	VIM antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44879]	0.159633467	NA
ENSG00000229754	CXCR2P1	chemokine (C-X-C motif) receptor 2 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:6028]	0.332552072	0.332552072
ENSG00000241945	PWP2	PWP2 periodic tryptophan protein homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:9711]	0.131951558	0.131951558
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	0.439040702	0.439040702
ENSG00000249307	LINC01088	long intergenic non-protein coding RNA 1088 [Source:HGNC Symbol;Acc:HGNC:49148]	0.150687296	0.150687296
ENSG00000250508			0.104851059	0.104851059
ENSG00000253729	PRKDC	protein kinase, DNA-activated, catalytic polypeptide [Source:HGNC Symbol;Acc:HGNC:9413]	0.37333201	0.37333201
ENSG00000255240			0.119700484	0.119700484
ENSG00000259207	ITGB3	integrin, beta 3 (platelet glycoprotein IIIa, antigen CD61) [Source:HGNC Symbol;Acc:HGNC:6156]	0.277129861	NA
ENSG00000259673	IQCH-AS1	IQCH antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44104]	-0.123239864	-0.123239864
ENSG00000272631			0.113665967	0.113665967

Table 15. The highest impact sustained by the player in the game as measured by the number of hits regressed on RNA expression in urine samples

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000004864	SLC25A13	solute carrier family 25 (aspartate/glutamate carrier), member 13 [Source:HGNC Symbol;Acc:HGNC:10983]	-0.110127348	-0.110127348
ENSG00000005189		Putative RNA exonuclease NEF-sp [Source:UniProtKB/Swiss-Prot;Acc:Q96IC2]	-0.111815797	-0.111815797
ENSG00000011451	WIZ	widely interspaced zinc finger motifs [Source:HGNC Symbol;Acc:HGNC:30917]	0.122786525	0.122786525
ENSG00000016602	CLCA4	chloride channel accessory 4 [Source:HGNC Symbol;Acc:HGNC:2018]	0.227126793	0.227126793
ENSG00000057294	PKP2	plakophilin 2 [Source:HGNC Symbol;Acc:HGNC:9024]	0.11972821	0.11972821
ENSG00000059588	TARBP1	TAR (HIV-1) RNA binding protein 1 [Source:HGNC Symbol;Acc:HGNC:11568]	0.163273139	0.163273139
ENSG00000064270	ATP2C2	ATPase, Ca++ transporting, type 2C, member 2 [Source:HGNC Symbol;Acc:HGNC:29103]	0.161536114	0.161536114
ENSG00000066027	PPP2R5A	protein phosphatase 2, regulatory subunit B', alpha [Source:HGNC Symbol;Acc:HGNC:9309]	-0.118772549	-0.118772549
ENSG00000070915	SLC12A3	solute carrier family 12 (sodium/chloride transporter), member 3 [Source:HGNC Symbol;Acc:HGNC:10912]	0.191921278	0.191921278
ENSG00000075043	KCNQ2	potassium voltage-gated channel, KQT-like subfamily, member 2 [Source:HGNC Symbol;Acc:HGNC:6296]	0.208091842	0.208091842
ENSG00000075218	GTSE1	G-2 and S-phase expressed 1 [Source:HGNC Symbol;Acc:HGNC:13698]	0.147670253	0.147670253
ENSG00000076984	MAP2K7	mitogen-activated protein kinase kinase 7 [Source:HGNC Symbol;Acc:HGNC:6847]	0.114517641	0.114517641
ENSG00000077044	DGKD	diacylglycerol kinase, delta 130kDa [Source:HGNC Symbol;Acc:HGNC:2851]	0.314768539	0.314768539
ENSG00000078124	ACER3	alkaline ceramidase 3 [Source:HGNC Symbol;Acc:HGNC:16066]	-0.154178092	-0.154178092
ENSG00000080189	SLC35C2	solute carrier family 35 (GDP-fucose transporter), member C2 [Source:HGNC Symbol;Acc:HGNC:17117]	0.110284769	0.110284769

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000081803	CADPS2	Ca++-dependent secretion activator 2 [Source:HGNC Symbol;Acc:HGNC:16018]	0.232518544	0.232518544
ENSG00000082929	C4orf6	chromosome 4 open reading frame 6 [Source:HGNC Symbol;Acc:HGNC:13716]	0.126772668	NA
ENSG00000086015	MAST2	microtubule associated serine/threonine kinase 2 [Source:HGNC Symbol;Acc:HGNC:19035]	0.216637512	0.216637512
ENSG00000086967	MYBPC2	myosin binding protein C, fast type [Source:HGNC Symbol;Acc:HGNC:7550]	0.203070289	0.203070289
ENSG00000090530	LEPREL1	leprecan-like 1 [Source:HGNC Symbol;Acc:HGNC:19317]	0.12250088	0.12250088
ENSG00000100478	AP4S1	adaptor-related protein complex 4, sigma 1 subunit [Source:HGNC Symbol;Acc:HGNC:575]	-0.102729491	-0.102729491
ENSG00000102606	ARHGEF7	Rho guanine nucleotide exchange factor (GEF) 7 [Source:HGNC Symbol;Acc:HGNC:15607]	0.167882897	0.167882897
ENSG00000102882	MAPK3	mitogen-activated protein kinase 3 [Source:HGNC Symbol;Acc:HGNC:6877]	0.185955908	0.185955908
ENSG00000103540	CCP110	centriolar coiled coil protein 110kDa [Source:HGNC Symbol;Acc:HGNC:24342]	0.159911215	0.159911215
ENSG00000104081	BMF	Bcl2 modifying factor [Source:HGNC Symbol;Acc:HGNC:24132]	0.128283042	0.128283042
ENSG00000104522	TSTA3	tissue specific transplantation antigen P35B [Source:HGNC Symbol;Acc:HGNC:12390]	0.115170328	0.115170328
ENSG00000104866	PPP1R37	protein phosphatase 1, regulatory subunit 37 [Source:HGNC Symbol;Acc:HGNC:27607]	0.141274881	0.141274881
ENSG00000105778	AVL9	AVL9 homolog (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:28994]	0.259806443	0.259806443
ENSG00000106078	COBL	cordon-bleu WH2 repeat protein [Source:HGNC Symbol;Acc:HGNC:22199]	0.268699256	0.268699256
ENSG00000106799	TGFBR1	transforming growth factor, beta receptor 1 [Source:HGNC Symbol;Acc:HGNC:11772]	-0.14151085	-0.14151085
ENSG00000107164	FUBP3	far upstream element (FUSE) binding protein 3 [Source:HGNC Symbol;Acc:HGNC:4005]	0.13205712	0.13205712
ENSG00000108262	GIT1	G protein-coupled receptor kinase interacting ArfGAP 1 [Source:HGNC Symbol;Acc:HGNC:4272]	0.121783678	0.121783678

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000108509	CAMTA2	calmodulin binding transcription activator 2 [Source:HGNC Symbol;Acc:HGNC:18807]	0.145777329	0.145777329
ENSG00000109101	FOXN1	forkhead box N1 [Source:HGNC Symbol;Acc:HGNC:12765]	0.102486654	0.102486654
ENSG00000110906	KCTD10	potassium channel tetramerization domain containing 10 [Source:HGNC Symbol;Acc:HGNC:23236]	0.206396894	0.206396894
ENSG00000111581	NUP107	nucleoporin 107kDa [Source:HGNC Symbol;Acc:HGNC:29914]	-0.130990824	-0.130990824
ENSG00000111752	PHC1	polyhomeotic homolog 1 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:3182]	0.12426254	0.12426254
ENSG00000111788			0.115531105	0.115531105
ENSG00000111846	GCNT2	glucosaminyl (N-acetyl) transferase 2, I-branching enzyme (I blood group) [Source:HGNC Symbol;Acc:HGNC:4204]	0.175996115	0.175996115
ENSG00000112679	DUSP22	dual specificity phosphatase 22 [Source:HGNC Symbol;Acc:HGNC:16077]	0.366644466	0.366644466
ENSG00000113494	PRLR	prolactin receptor [Source:HGNC Symbol;Acc:HGNC:9446]	-0.170802527	-0.170802527
ENSG00000115159	GPD2	glycerol-3-phosphate dehydrogenase 2 (mitochondrial) [Source:HGNC Symbol;Acc:HGNC:4456]	0.164714658	0.164714658
ENSG00000115339	GALNT3	polypeptide N-acetylgalactosaminyltransferase 3 [Source:HGNC Symbol;Acc:HGNC:4125]	0.15392124	0.15392124
ENSG00000116005	PCYOX1	prenylcysteine oxidase 1 [Source:HGNC Symbol;Acc:HGNC:20588]	0.130228451	0.130228451
ENSG00000116138	DNAJC16	DnaJ (Hsp40) homolog, subfamily C, member 16 [Source:HGNC Symbol;Acc:HGNC:29157]	-0.163592011	-0.163592011
ENSG00000117569	PTBP2	polypyrimidine tract binding protein 2 [Source:HGNC Symbol;Acc:HGNC:17662]	-0.129890437	-0.129890437
ENSG00000118194	TNNT2	troponin T type 2 (cardiac) [Source:HGNC Symbol;Acc:HGNC:11949]	0.219544874	0.219544874
ENSG00000119242	CCDC92	coiled-coil domain containing 92 [Source:HGNC Symbol;Acc:HGNC:29563]	0.184147564	0.184147564
ENSG00000119943	PYROXD2	pyridine nucleotide-disulphide oxidoreductase domain 2 [Source:HGNC Symbol;Acc:HGNC:23517]	0.168384424	0.168384424

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000120088	CRHR1	corticotropin releasing hormone receptor 1 [Source:HGNC Symbol;Acc:HGNC:2357]	0.116938068	0.116938068
ENSG00000121957	GPSM2	G-protein signaling modulator 2 [Source:HGNC Symbol;Acc:HGNC:29501]	-0.109771975	-0.109771975
ENSG00000124302	CHST8	carbohydrate (N-acetylgalactosamine 4-O) sulfotransferase 8 [Source:HGNC Symbol;Acc:HGNC:15993]	0.118261551	0.118261551
ENSG00000124466	LYPD3	LY6/PLAUR domain containing 3 [Source:HGNC Symbol;Acc:HGNC:24880]	0.123140736	0.123140736
ENSG00000125746	EML2	echinoderm microtubule associated protein like 2 [Source:HGNC Symbol;Acc:HGNC:18035]	0.207340861	0.207340861
ENSG00000127124	HIVEP3	human immunodeficiency virus type I enhancer binding protein 3 [Source:HGNC Symbol;Acc:HGNC:13561]	0.285164542	0.285164542
ENSG00000128284	APOL3	apolipoprotein L, 3 [Source:HGNC Symbol;Acc:HGNC:14868]	0.148601853	0.148601853
ENSG00000128309	MPST	mercaptopyruvate sulfurtransferase [Source:HGNC Symbol;Acc:HGNC:7223]	0.246697583	0.246697583
ENSG00000129946	SHC2	SHC (Src homology 2 domain containing) transforming protein 2 [Source:HGNC Symbol;Acc:HGNC:29869]	0.111409901	0.111409901
ENSG00000131398	KCNC3	potassium voltage-gated channel, Shaw-related subfamily, member 3 [Source:HGNC Symbol;Acc:HGNC:6235]	0.102329443	0.102329443
ENSG00000131771	PPP1R1B	protein phosphatase 1, regulatory (inhibitor) subunit 1B [Source:HGNC Symbol;Acc:HGNC:9287]	0.21384967	0.21384967
ENSG00000132518	GUCY2D	guanylate cyclase 2D, membrane (retina-specific) [Source:HGNC Symbol;Acc:HGNC:4689]	0.177486345	0.177486345
ENSG00000132570	PCBD2	pterin-4 alpha-carbinolamine dehydratase/dimerization cofactor of hepatocyte nuclear factor 1 alpha (TCF1) 2 [Source:HGNC Symbol;Acc:HGNC:24474]	0.13642788	0.13642788
ENSG00000134531	EMP1	epithelial membrane protein 1 [Source:HGNC Symbol;Acc:HGNC:3333]	0.20283912	0.20283912
ENSG00000136367	ZFHX2	zinc finger homeobox 2 [Source:HGNC Symbol;Acc:HGNC:20152]	0.234495015	0.234495015

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000136861	CDK5RAP2	CDK5 regulatory subunit associated protein 2 [Source:HGNC Symbol;Acc:HGNC:18672]	0.334534954	0.334534954
ENSG00000137504	CREBZF	CREB/ATF bZIP transcription factor [Source:HGNC Symbol;Acc:HGNC:24905]	0.111526524	0.111526524
ENSG00000138101	DTNB	dystrobrevin, beta [Source:HGNC Symbol;Acc:HGNC:3058]	-0.122242688	-0.122242688
ENSG00000140274	DUOXA2	dual oxidase maturation factor 2 [Source:HGNC Symbol;Acc:HGNC:32698]	0.1254845	NA
ENSG00000140750	ARHGA_P17	Rho GTPase activating protein 17 [Source:HGNC Symbol;Acc:HGNC:18239]	0.193254366	0.193254366
ENSG00000143013	LMO4	LIM domain only 4 [Source:HGNC Symbol;Acc:HGNC:6644]	0.106151504	0.106151504
ENSG00000143179	UCK2	uridine-cytidine kinase 2 [Source:HGNC Symbol;Acc:HGNC:12562]	0.164205324	0.164205324
ENSG00000143322	ABL2	ABL proto-oncogene 2, non-receptor tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:77]	-0.217758256	-0.217758256
ENSG00000144130	NT5DC4	5'-nucleotidase domain containing 4 [Source:HGNC Symbol;Acc:HGNC:27678]	0.103745073	0.103745073
ENSG00000144339	TMEFF2	transmembrane protein with EGF-like and two follistatin-like domains 2 [Source:HGNC Symbol;Acc:HGNC:11867]	0.120238816	0.120238816
ENSG00000145016	KIAA0226	KIAA0226 [Source:HGNC Symbol;Acc:HGNC:28991]	-0.298082516	-0.298082516
ENSG00000148204	CRB2	crumbs family member 2 [Source:HGNC Symbol;Acc:HGNC:18688]	0.119128829	0.119128829
ENSG00000150093	ITGB1	integrin, beta 1 (fibronectin receptor, beta polypeptide, antigen CD29 includes MDF2, MSK12) [Source:HGNC Symbol;Acc:HGNC:6153]	0.271478366	0.271478366
ENSG00000151176	PLBD2	phospholipase B domain containing 2 [Source:HGNC Symbol;Acc:HGNC:27283]	0.11988385	0.11988385
ENSG00000151418	ATP6V1G3	ATPase, H ⁺ transporting, lysosomal 13kDa, V1 subunit G3 [Source:HGNC Symbol;Acc:HGNC:18265]	-0.275920997	NA
ENSG00000151650	VENTX	VENT homeobox [Source:HGNC Symbol;Acc:HGNC:13639]	0.106920255	0.106920255

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000154040	CABYR	calcium binding tyrosine-(Y)-phosphorylation regulated [Source:HGNC Symbol;Acc:HGNC:15569]	-0.10106877	-0.10106877
ENSG00000157978	LDLRA_P1	low density lipoprotein receptor adaptor protein 1 [Source:HGNC Symbol;Acc:HGNC:18640]	0.12547496	0.12547496
ENSG00000158747	NBL1	neuroblastoma 1, DAN family BMP antagonist [Source:HGNC Symbol;Acc:HGNC:7650]	0.102166884	0.102166884
ENSG00000159267	HLCS	holocarboxylase synthetase (biotin-(proprionyl-CoA-carboxylase (ATP-hydrolysing)) ligase) [Source:HGNC Symbol;Acc:HGNC:4976]	0.231199561	0.231199561
ENSG00000160917	CPSF4	cleavage and polyadenylation specific factor 4, 30kDa [Source:HGNC Symbol;Acc:HGNC:2327]	0.110691457	0.110691457
ENSG00000161103			-0.235903358	-0.235903358
ENSG00000161649	CD300LG	CD300 molecule-like family member g [Source:HGNC Symbol;Acc:HGNC:30455]	0.14510522	0.14510522
ENSG00000161654	LSM12	LSM12 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:26407]	0.10849167	0.10849167
ENSG00000162458	FBLIM1	filamin binding LIM protein 1 [Source:HGNC Symbol;Acc:HGNC:24686]	0.150448664	0.150448664
ENSG00000163029	SMC6	structural maintenance of chromosomes 6 [Source:HGNC Symbol;Acc:HGNC:20466]	-0.217725066	-0.217725066
ENSG00000164011	ZNF691	zinc finger protein 691 [Source:HGNC Symbol;Acc:HGNC:28028]	0.103609573	0.103609573
ENSG00000164076	CAMKV	CaM kinase-like vesicle-associated [Source:HGNC Symbol;Acc:HGNC:28788]	0.116482874	0.116482874
ENSG00000164078	MST1R	macrophage stimulating 1 receptor (c-met-related tyrosine kinase) [Source:HGNC Symbol;Acc:HGNC:7381]	0.173140081	0.173140081
ENSG00000164080	RAD54L2	RAD54-like 2 (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:29123]	0.276992712	0.276992712
ENSG00000165238	WNK2	WNK lysine deficient protein kinase 2 [Source:HGNC Symbol;Acc:HGNC:14542]	0.313527705	0.313527705

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000165406	8-Mar	membrane-associated ring finger (C3HC4) 8, E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:23356]	0.196983114	0.196983114
ENSG00000166897	ELFN2	extracellular leucine-rich repeat and fibronectin type III domain containing 2 [Source:HGNC Symbol;Acc:HGNC:29396]	0.149450538	0.149450538
ENSG00000167333	TRIM68	tripartite motif containing 68 [Source:HGNC Symbol;Acc:HGNC:21161]	0.191617012	0.191617012
ENSG00000170113	NIPA1	non imprinted in Prader-Willi/Angelman syndrome 1 [Source:HGNC Symbol;Acc:HGNC:17043]	0.184095954	0.184095954
ENSG00000170382	LRRN2	leucine rich repeat neuronal 2 [Source:HGNC Symbol;Acc:HGNC:16914]	0.129756093	0.129756093
ENSG00000170485	NPAS2	neuronal PAS domain protein 2 [Source:HGNC Symbol;Acc:HGNC:7895]	0.314985749	0.314985749
ENSG00000171124	FUT3	fucosyltransferase 3 (galactoside 3(4)-L-fucosyltransferase, Lewis blood group) [Source:HGNC Symbol;Acc:HGNC:4014]	0.114542381	0.114542381
ENSG00000171282	NA	NA	0.204037734	0.204037734
ENSG00000172350	ABCG4	ATP-binding cassette, sub-family G (WHITE), member 4 [Source:HGNC Symbol;Acc:HGNC:13884]	0.165612528	0.165612528
ENSG00000172732	MUS81	MUS81 structure-specific endonuclease subunit [Source:HGNC Symbol;Acc:HGNC:29814]	0.107666424	0.107666424
ENSG00000174403	C20orf166-AS1	C20orf166 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:26393]	0.101093828	0.101093828
ENSG00000176490	DIRAS1	DIRAS family, GTP-binding RAS-like 1 [Source:HGNC Symbol;Acc:HGNC:19127]	0.109381543	0.109381543
ENSG00000176619	LMNB2	lamin B2 [Source:HGNC Symbol;Acc:HGNC:6638]	0.113686714	0.113686714
ENSG00000177409	SAMD9L	sterile alpha motif domain containing 9-like [Source:HGNC Symbol;Acc:HGNC:1349]	-0.100124985	-0.100124985
ENSG00000177463	NR2C2	nuclear receptor subfamily 2, group C, member 2 [Source:HGNC Symbol;Acc:HGNC:7972]	0.145768463	0.145768463
ENSG00000177732	SOX12	SRY (sex determining region Y)-box 12 [Source:HGNC Symbol;Acc:HGNC:11198]	0.107453892	0.107453892

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 Number_of_hits_urine	X0.8slope_0. 1pvalue_0.1 Number_of_hits_urine
ENSG00000178222	RNF212	ring finger protein 212 [Source:HGNC Symbol;Acc:HGNC:27729]	-0.129043541	-0.129043541
ENSG00000178381	ZFAND2A	zinc finger, AN1-type domain 2A [Source:HGNC Symbol;Acc:HGNC:28073]	0.114942582	0.114942582
ENSG00000179344	HLA-DQB1	major histocompatibility complex, class II, DQ beta 1 [Source:HGNC Symbol;Acc:HGNC:4944]	0.110543773	0.110543773
ENSG00000179364	PACS2	phosphofuran acidic cluster sorting protein 2 [Source:HGNC Symbol;Acc:HGNC:23794]	0.23829197	0.23829197
ENSG00000179954	SSC5D	scavenger receptor cysteine rich family, 5 domains [Source:HGNC Symbol;Acc:HGNC:26641]	0.229332392	0.229332392
ENSG00000181830	SLC35C1	solute carrier family 35 (GDP-fucose transporter), member C1 [Source:HGNC Symbol;Acc:HGNC:20197]	0.109327452	0.109327452
ENSG00000182173	TSEN54	TSEN54 tRNA splicing endonuclease subunit [Source:HGNC Symbol;Acc:HGNC:27561]	0.101454141	0.101454141
ENSG00000182872	RBM10	RNA binding motif protein 10 [Source:HGNC Symbol;Acc:HGNC:9896]	0.137603426	0.137603426
ENSG00000182979	MTA1	metastasis associated 1 [Source:HGNC Symbol;Acc:HGNC:7410]	0.170722298	0.170722298
ENSG00000184428	TOP1MT	topoisomerase (DNA) I, mitochondrial [Source:HGNC Symbol;Acc:HGNC:29787]	0.156880641	0.156880641
ENSG00000185681	MORN5	MORN repeat containing 5 [Source:HGNC Symbol;Acc:HGNC:17841]	0.110300187	0.110300187
ENSG00000186716	BCR	breakpoint cluster region [Source:HGNC Symbol;Acc:HGNC:1014]	0.22887557	0.22887557
ENSG00000187091	PLCD1	phospholipase C, delta 1 [Source:HGNC Symbol;Acc:HGNC:9060]	0.149312832	0.149312832
ENSG00000187726	DNAJB13	DnaJ (Hsp40) homolog, subfamily B, member 13 [Source:HGNC Symbol;Acc:HGNC:30718]	0.109771337	0.109771337
ENSG00000188295	ZNF669	zinc finger protein 669 [Source:HGNC Symbol;Acc:HGNC:25736]	-0.114965733	-0.114965733
ENSG00000188305	C19orf35	chromosome 19 open reading frame 35 [Source:HGNC Symbol;Acc:HGNC:24793]	0.109109673	0.109109673

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000188342	GTF2F2	general transcription factor IIF, polypeptide 2, 30kDa [Source:HGNC Symbol;Acc:HGNC:4653]	-0.111631344	-0.111631344
ENSG00000188522	FAM83G	family with sequence similarity 83, member G [Source:HGNC Symbol;Acc:HGNC:32554]	0.132724731	0.132724731
ENSG00000196912	ANKRD36B	ankyrin repeat domain 36B [Source:HGNC Symbol;Acc:HGNC:29333]	0.156343623	0.156343623
ENSG00000196979			0.119560483	0.119560483
ENSG00000197588	KLKP1	kallikrein pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:21260]	0.102829337	0.102829337
ENSG00000198712	MT-CO2	mitochondrially encoded cytochrome c oxidase II [Source:HGNC Symbol;Acc:HGNC:7421]	39.44977646	39.44977646
ENSG00000198763	MT-ND2	mitochondrially encoded NADH dehydrogenase 2 [Source:HGNC Symbol;Acc:HGNC:7456]	58.26926395	58.26926395
ENSG00000198840	MT-ND3	mitochondrially encoded NADH dehydrogenase 3 [Source:HGNC Symbol;Acc:HGNC:7458]	15.75329743	15.75329743
ENSG00000198938	MT-CO3	mitochondrially encoded cytochrome c oxidase III [Source:HGNC Symbol;Acc:HGNC:7422]	69.19449684	69.19449684
ENSG00000200786	RNA5S P234	RNA, 5S ribosomal pseudogene 234 [Source:HGNC Symbol;Acc:HGNC:43134]	0.132518474	0.132518474
ENSG00000204227	RING1	ring finger protein 1 [Source:HGNC Symbol;Acc:HGNC:10018]	0.100397335	0.100397335
ENSG00000204394	VARS	valyl-tRNA synthetase [Source:HGNC Symbol;Acc:HGNC:12651]	0.137036746	0.137036746
ENSG00000204544	MUC21	mucin 21, cell surface associated [Source:HGNC Symbol;Acc:HGNC:21661]	0.436615679	0.436615679
ENSG00000205913	SRRM2-AS1	SRRM2 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44162]	0.179522346	0.179522346
ENSG00000206072	SERPIN B11	serpin peptidase inhibitor, clade B (ovalbumin), member 11 (gene/pseudogene) [Source:HGNC Symbol;Acc:HGNC:14221]	0.174187171	0.174187171
ENSG00000209082	MT-TL1	mitochondrially encoded tRNA leucine 1 (UUA/G) [Source:HGNC Symbol;Acc:HGNC:7490]	3.752960902	3.752960902
ENSG00000210049	MT-TF	mitochondrially encoded tRNA phenylalanine [Source:HGNC Symbol;Acc:HGNC:7481]	1.326454211	1.326454211

Ensembl_ID	hgnc_symbol	description	X0.5slope_0.1pvalue_0.1_Number_of_hits_urine	X0.8slope_0.1pvalue_0.1_Number_of_hits_urine
ENSG00000210077	MT-TV	mitochondrially encoded tRNA valine [Source:HGNC Symbol;Acc:HGNC:7500]	1.931189951	1.931189951
ENSG00000210100	MT-TI	mitochondrially encoded tRNA isoleucine [Source:HGNC Symbol;Acc:HGNC:7488]	0.748172138	NA
ENSG00000210107	MT-TQ	mitochondrially encoded tRNA glutamine [Source:HGNC Symbol;Acc:HGNC:7495]	0.827008658	0.827008658
ENSG00000210117	MT-TW	mitochondrially encoded tRNA tryptophan [Source:HGNC Symbol;Acc:HGNC:7501]	0.954577644	0.954577644
ENSG00000210140	MT-TC	mitochondrially encoded tRNA cysteine [Source:HGNC Symbol;Acc:HGNC:7477]	1.479211632	1.479211632
ENSG00000210156	MT-TK	mitochondrially encoded tRNA lysine [Source:HGNC Symbol;Acc:HGNC:7489]	2.666703242	2.666703242
ENSG00000210176	MT-TH	mitochondrially encoded tRNA histidine [Source:HGNC Symbol;Acc:HGNC:7487]	0.682012426	0.682012426
ENSG00000210191	MT-TL2	mitochondrially encoded tRNA leucine 2 (CUN) [Source:HGNC Symbol;Acc:HGNC:7491]	0.922588714	0.922588714
ENSG00000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]	1.836315218	1.836315218
ENSG00000210195	MT-TT	mitochondrially encoded tRNA threonine [Source:HGNC Symbol;Acc:HGNC:7499]	1.382306537	1.382306537
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	2.287555836	2.287555836
ENSG00000214717	ZBED1	zinc finger, BED-type containing 1 [Source:HGNC Symbol;Acc:HGNC:447]	0.117523428	0.117523428
ENSG00000215764	NA	NA	0.147764961	NA
ENSG00000224546	EIF4BP3	eukaryotic translation initiation factor 4B pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:37936]	0.106753603	0.106753603
ENSG00000225630	MTND2 P28	MT-ND2 pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:42129]	2.381423925	2.381423925
ENSG00000228253	MT-ATP8	mitochondrially encoded ATP synthase 8 [Source:HGNC Symbol;Acc:HGNC:7415]	11.70455103	11.70455103
ENSG00000229344			0.876864647	NA
ENSG00000232040	ZBED9	zinc finger, BED-type containing 9 [Source:HGNC Symbol;Acc:HGNC:13851]	0.105378625	0.105378625

Ensembl_ID	hgnc_symbol	description	X0.5slope_0. 1pvalue_0.1 Number_of_hits_urine	X0.8slope_0. 1pvalue_0.1 Number_of_hits_urine
ENSG00000232111			0.420895402	0.420895402
ENSG00000234690			0.105457816	0.105457816
ENSG00000236279	CLEC2L	C-type lectin domain family 2, member L [Source:HGNC Symbol;Acc:HGNC:21969]	0.114925734	0.114925734
ENSG00000240707	LINC01 168	long intergenic non-protein coding RNA 1168 [Source:HGNC Symbol;Acc:HGNC:49537]	0.16582864	0.16582864
ENSG00000241945	PWP2	PWP2 periodic tryptophan protein homolog (yeast) [Source:HGNC Symbol;Acc:HGNC:9711]	0.15435837	0.15435837
ENSG00000247498			0.117411337	0.117411337
ENSG00000249307	LINC01 088	long intergenic non-protein coding RNA 1088 [Source:HGNC Symbol;Acc:HGNC:49148]	0.129530264	0.129530264
ENSG00000249476			0.142630541	0.142630541
ENSG00000249713			0.11885548	NA
ENSG00000250198			0.108768085	0.108768085
ENSG00000250508			0.113241056	0.113241056
ENSG00000250519			0.196753321	0.196753321
ENSG00000253641			0.108338901	0.108338901
ENSG00000258628			-0.167706429	-0.167706429
ENSG00000259176			-0.14367802	-0.14367802
ENSG00000259479	SORD2 P	sorbitol dehydrogenase 2, pseudogene [Source:HGNC Symbol;Acc:HGNC:49919]	0.273747163	0.273747163
ENSG00000260139	CSPG4 P13	chondroitin sulfate proteoglycan 4 pseudogene 13 [Source:HGNC Symbol;Acc:HGNC:49195]	0.12083532	0.12083532
ENSG00000269190	FBXO17	F-box protein 17 [Source:HGNC Symbol;Acc:HGNC:18754]	0.106896024	0.106896024
ENSG00000271178	IGHV3O R16-13	immunoglobulin heavy variable 3/OR16-13 (non-functional) [Source:HGNC Symbol;Acc:HGNC:5637]	0.103406674	NA

Table 16. Biomarkers differentially expressed in the blood samples of subjects who experienced most forceful head impact (Max_HITsp) when compared with the subjects' baseline, subjects who experienced least forceful head impact (Min_HITsp), or subjects who are not contact sports athletes (Track_field_control)

Ensembl_ID	HGNC_symbol	Description	Max_HIT_sp_blood_vs_Track_field_control_blood	Max_HITsp_blood_vs_baseline_blood_previous_us_day	Max_HITS_p_blood_vs_Min_HITsp_blood_previous_day	Max_HITsp_blood_vs_Track_field_control_blood_previous_us_day
ENSG00000015413	DPEP1	dipeptidase 1 (renal) [Source:HGNC Symbol;Acc:HGNC:3002]	NA	NA	NA	-2.07
ENSG00000099998	GST5	gamma-glutamyltransferase 5 [Source:HGNC Symbol;Acc:HGNC:4260]	NA	NA	NA	-2.27
ENSG000000102098	SCML2	sex comb on midleg-like 2 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:10581]	NA	NA	4.04	NA
ENSG000000135587	SMPD2	sphingomyelin phosphodiesterase 2, neutral membrane (neutral sphingomyelinase) [Source:HGNC Symbol;Acc:HGNC:11121]	NA	NA	NA	-2.51
ENSG000000138433	CIR1	corepressor interacting with RBPJ, 1 [Source:HGNC Symbol;Acc:HGNC:24217]	NA	NA	NA	NA
ENSG000000163029	SMC6	structural maintenance of chromosomes 6 [Source:HGNC Symbol;Acc:HGNC:20466]	NA	NA	NA	2.01
ENSG000000177045	SIX5	SIX homeobox 5 [Source:HGNC Symbol;Acc:HGNC:10891]	NA	-2.69	-3.62	-3.80
ENSG000000181885	CLDN7	claudin 7 [Source:HGNC Symbol;Acc:HGNC:2049]	NA	-2.93	NA	NA
ENSG000000185252	ZNF74	zinc finger protein 74 [Source:HGNC Symbol;Acc:HGNC:13144]	NA	NA	NA	-2.34
ENSG000000185338	SOCS1	suppressor of cytokine signaling 1 [Source:HGNC Symbol;Acc:HGNC:19383]	NA	-3.19	-4.52	-3.90
ENSG000000188365			NA	-3.80	NA	-4.57
ENSG000000212857	NA	C-type lectin domain family 2, member D [Source:EntrezGene;Acc:29121]	NA	NA	NA	-4.47
ENSG000000214708			NA	-3.99	NA	NA
ENSG000000219926			NA	-2.49	NA	NA
ENSG000000227603			NA	-3.43	NA	NA
ENSG000000230843			NA	-3.90	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_HIT_sp_blood_vs_Track_field	Max_HIT_sp_blood_vs_baseline_blood	Max_HITs_p_blood_vs_Min_HIT_sp_blood_previous_day	Max_HITs_p_blood_vs_Min_HIT_sp_blood_previous_day	Max_HITsp_blood_vs_Track_field
ENSG00000231232			NA	-3.78	NA	NA	-4.27
ENSG00000231435			NA	-2.55	NA	NA	-3.99
ENSG00000234009	RPL5P3 4	ribosomal protein L5 pseudogene 34 [Source:HGNC Symbol;Acc:HGNC:36463]	NA	-4.22	NA	NA	-4.31
ENSG00000236559			NA	NA	NA	NA	3.75
ENSG00000237027			NA	NA	NA	NA	-4.02
ENSG00000240752			NA	NA	NA	NA	NA
ENSG00000241552	RN7SL5 8P	RNA, 7SL, cytoplasmic 58, pseudogene [Source:HGNC Symbol;Acc:HGNC:46074]	NA	-3.71	NA	NA	NA
ENSG00000243075	RN7SL5 19P	RNA, 7SL, cytoplasmic 519, pseudogene [Source:HGNC Symbol;Acc:HGNC:46535]	NA	NA	NA	NA	4.84
ENSG00000248498	ASNSP 1	asparagine synthetase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:754]	NA	NA	NA	NA	5.34
ENSG00000249734			NA	NA	NA	NA	3.90
ENSG00000254681	PKD1P5	polycystic kidney disease 1 (autosomal dominant) pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:30069]	NA	-3.37	NA	NA	-4.62
ENSG00000256915			NA	NA	NA	NA	4.47
ENSG00000258406			NA	4.97	NA	NA	4.62
ENSG00000259842	IGHV3O R16-16	immunoglobulin heavy variable 3/OR16-16 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5640]	NA	-3.74	NA	NA	NA
ENSG00000262539			NA	-3.71	NA	NA	NA
ENSG00000269316			NA	-3.46	-4.27	-4.27	-3.99
ENSG00000269753	NA	NA	NA	-3.73	NA	NA	NA
ENSG00000270170	NCBP2- AS2	NCBP2 antisense RNA 2 (head to head) [Source:HGNC Symbol;Acc:HGNC:25121]	NA	-4.00	NA	NA	NA
ENSG00000271945			NA	-4.75	NA	NA	NA
ENSG00000272183			NA	-4.19	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_HITsp_blood_vs_Track_field_control_blood	Max_HITsp_blood_vs_baseline_blood_previous_us_day	Max_HITs_p_blood_vs_Min_HITsp_blood_previous_day	Max_HITsp_blood_vs_Track_field_control_blood_previous_us_day
ENSG00000273185			NA	NA	NA	4.15

Table 17. Biomarkers differentially expressed in the urine or saliva samples of subjects who experienced most forceful head impact (Max_HITsp) as compared to the subjects' baseline or subjects who are not contact sports athletes (Track_field_control).

Ensembl_ID	HGNC_symbol	Description	Max_HITsp_urine_vs_baseline_urine	Max_HITsp_urine_vs_Track_field_control_urine	Max_HITsp_saliva_vs_Track_field_control_urine	Max_HITsp_saliva_vs_Track_field_control_urine
ENSG00000104327	CALB1	calbindin 1, 28kDa [Source:HGNC Symbol;Acc:HGNC:1434]	-2.36	NA	NA	NA
ENSG00000113889	KNG1	kininogen 1 [Source:HGNC Symbol;Acc:HGNC:6383]	-2.55	NA	NA	NA
ENSG00000125652	ALKBH7	alkB, alkylation repair homolog 7 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21306]	NA	2.38	NA	NA
ENSG00000125780	TGM3	transglutaminase 3 [Source:HGNC Symbol;Acc:HGNC:11779]	NA	NA	NA	2.43
ENSG00000127528	KLF2	Kruppel-like factor 2 [Source:HGNC Symbol;Acc:HGNC:6347]	NA	3.21	NA	NA
ENSG00000150201	FXYD4	FXYD domain containing ion transport regulator 4 [Source:HGNC Symbol;Acc:HGNC:4028]	NA	-2.48	NA	NA
ENSG00000170891	CYTL1	cytokine-like 1 [Source:HGNC Symbol;Acc:HGNC:24435]	NA	4.25	NA	NA
ENSG00000185130	H1ST1H_2BL	histone cluster 1, H2bl [Source:HGNC Symbol;Acc:HGNC:4748]	NA	4.01	NA	NA
ENSG00000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]	NA	4.22	NA	NA
ENSG00000211698	TRGV4	T cell receptor gamma variable 4 [Source:HGNC Symbol;Acc:HGNC:12289]	NA	3.92	NA	NA
ENSG00000217643	PTGES_3P2	prostaglandin E synthase 3 (cytosolic) pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:43822]	NA	3.24	NA	NA
ENSG00000224172			NA	4.55		

Ensembl_ID	HGNC_symbol	Description	Max_HITsp_urine_vs_baseline_urine	Max_HITsp_urine_vs_Track_field_control_urine	Max_HITsp_saliva_vs_Track_field_control_saliva_previous_day
ENSG000000227125			NA	3.35	NA
ENSG000000228857			NA	4.04	NA
ENSG00000233115	FAM90A11P	family with sequence similarity 90, member A11, pseudogene [Source:HGNC Symbol;Acc:HGNC:32259]	NA	4.44	NA
ENSG00000234519	WDR82P1	WD repeat domain 82 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:32447]	NA	-3.85	NA
ENSG00000234629			NA	3.74	NA
ENSG00000236495			NA	-4.14	NA
ENSG00000236641	IGHV3-57	immunoglobulin heavy variable 3-57 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5612]	NA	3.98	NA
ENSG00000253759			NA	4.17	NA
ENSG00000255079			NA	3.81	NA
ENSG00000257718			NA	3.90	NA
ENSG00000259770			NA	3.65	NA
ENSG00000264280	NA	NA	NA	4.35	NA
ENSG00000267762			NA	3.63	NA
ENSG00000271029			NA	3.98	NA

Table 18. Biomarkers differentially expressed when the blood samples of subjects who experienced most frequent head impact (Max_freq_hits) are compared to the subject's baseline or subjects who are not contact sports athletes (Track_field_control)

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_blood_vs_baseline_blood	Max_freq_hits_blood_vs_Track_field_control_blood	Max_freq_hits_blood_vs_Track_field_control_blood_previous_day
ENSG00000172201	ID4	inhibitor of DNA binding 4, dominant negative helix-loop-helix protein [Source:HGNC Symbol;Acc:HGNC:5363]	-3.88	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_blood_vs_baseline_blood	Max_freq_hits_blood_vs_Track_field_control_blood	Max_freq_hits_blood_vs_Track_field_control_blood_previous_day
ENSG000000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	NA	NA	3.89
ENSG000000214772			-3.94	NA	NA
ENSG000000235858			NA	4.24	NA
ENSG000000244060	RPS2P4_1	ribosomal protein S2 pseudogene 41 [Source:HGNC Symbol;Acc:HGNC:36357]	NA	3.74	NA
ENSG000000250535	STK19B	serine/threonine kinase 19B, pseudogene [Source:HGNC Symbol;Acc:HGNC:21668]	NA	-4.06	NA
ENSG000000253469			-4.43	NA	NA
ENSG000000256915			NA	4.19	NA
ENSG000000260265			-4.56	NA	NA

Table 19. Biomarkers differentially expressed when the urine samples of subjects who experienced most frequent head impacts (Max_freq_hits) are compared to the subjects' baseline, subjects who experienced least forceful head impact (Min_freq_hits), or subjects who are not contact sports athletes (Track_field_control)

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_urine_previous_day
ENSG00000008438	PGLYR_P1	peptidoglycan recognition protein 1 [Source:HGNC Symbol;Acc:HGNC:8904]	NA	NA	NA
ENSG00000060762	MPC1	mitochondrial pyruvate carrier 1 [Source:HGNC Symbol;Acc:HGNC:21606]	-2.26	NA	NA
ENSG000000104327	CALB1	calbindin 1, 28kDa [Source:HGNC Symbol;Acc:HGNC:1434]	-2.57	NA	-2.44

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day
ENSG00000105518	TMEM205	transmembrane protein 205 [Source:HGNC Symbol:Acc:HGNC:29631]	NA	NA	NA	NA	NA	-2.05
ENSG00000105647	PIK3R2	phosphoinositide-3-kinase, regulatory subunit 2 (beta) [Source:HGNC Symbol:Acc:HGNC:8980]	NA	NA	2.65	NA	NA	NA
ENSG00000107485	GATA3	GATA binding protein 3 [Source:HGNC Symbol:Acc:HGNC:4172]	NA	-2.33	NA	NA	NA	NA
ENSG00000113889	KNG1	kininogen 1 [Source:HGNC Symbol:Acc:HGNC:6383]	-2.63	NA	NA	-2.58	NA	NA
ENSG00000116032	GRIN3B	glutamate receptor, ionotropic, N-methyl-D-aspartate 3B [Source:HGNC Symbol:Acc:HGNC:16768]	NA	NA	2.41	NA	NA	NA
ENSG00000120306	CYSTM1	cysteine-rich transmembrane module containing 1 [Source:HGNC Symbol:Acc:HGNC:30239]	-2.02	NA	NA	NA	NA	NA
ENSG00000120699	EXOSC8	exosome component 8 [Source:HGNC Symbol:Acc:HGNC:17035]	NA	NA	NA	NA	NA	NA
ENSG00000122862	SRGN	serglycin [Source:HGNC Symbol:Acc:HGNC:9361]	NA	NA	3.03	NA	NA	NA
ENSG00000125652	ALKBH7	alkB, alkylation repair homolog 7 (E. coli) [Source:HGNC Symbol:Acc:HGNC:21306]	NA	NA	2.39	NA	2.49	NA
ENSG00000127528	KLF2	Kruppel-like factor 2 [Source:HGNC Symbol:Acc:HGNC:6347]	NA	NA	3.28	NA	NA	NA
ENSG00000128645	HOXD1	homeobox D1 [Source:HGNC Symbol:Acc:HGNC:5132]	NA	NA	2.26	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day
ENSG00000134809	TIMM10	translocase of inner mitochondrial membrane 10 homolog (yeast) [Source:HGNC Symbol:Acc:HGNC:11814]	NA	NA	-2.21	NA	NA	NA
ENSG00000137731	FXYD2	FXYD domain containing ion transport regulator 2 [Source:HGNC Symbol:Acc:HGNC:4026]	NA	NA	NA	-2.14	NA	NA
ENSG00000138207	RBP4	retinol binding protein 4, plasma [Source:HGNC Symbol:Acc:HGNC:9922]	NA	NA	-2.23	NA	NA	NA
ENSG00000143546	S100A8	S100 calcium binding protein A8 [Source:HGNC Symbol:Acc:HGNC:10498]	NA	NA	2.65	NA	NA	NA
ENSG00000150201	FXYD4	FXYD domain containing ion transport regulator 4 [Source:HGNC Symbol:Acc:HGNC:4028]	NA	NA	-2.58	NA	NA	-2.57
ENSG00000160181	TFF2	trefoil factor 2 [Source:HGNC Symbol:Acc:HGNC:11756]	NA	NA	2.78	NA	NA	NA
ENSG00000161992	PRR35	proline rich 35 [Source:HGNC Symbol:Acc:HGNC:14139]	NA	NA	3.16	NA	NA	NA
ENSG00000163209	SPRR3	small proline-rich protein 3 [Source:HGNC Symbol:Acc:HGNC:11268]	NA	NA	2.86	NA	NA	NA
ENSG00000163577	EIF5A2	eukaryotic translation initiation factor 5A2 [Source:HGNC Symbol:Acc:HGNC:3301]	NA	NA	NA	NA	NA	NA
ENSG00000163739	CXCL1	chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha) [Source:HGNC Symbol:Acc:HGNC:4602]	NA	NA	2.66	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day
ENSG00000164114	MAP9	microtubule-associated protein 9 [Source:HGNC Symbol:Acc:HGNC:26118]	NA	NA	NA	NA	NA	NA
ENSG00000164729	SLC35G3	solute carrier family 35, member G3 [Source:HGNC Symbol:Acc:HGNC:26848]	NA	NA	2.38	NA	NA	NA
ENSG00000164825	DEFB1	defensin, beta 1 [Source:HGNC Symbol:Acc:HGNC:2766]	-3.23	NA	NA	NA	NA	NA
ENSG00000165685	TMEM52B	transmembrane protein 52B [Source:HGNC Symbol:Acc:HGNC:26438]	-2.27	NA	NA	-3.00	NA	NA
ENSG00000165799	RNASE7	ribonuclease, RNase A family, 7 [Source:HGNC Symbol:Acc:HGNC:19278]	NA	NA	2.63	NA	NA	NA
ENSG00000168746	C20orf62	chromosome 20 open reading frame 62 [Source:HGNC Symbol:Acc:HGNC:16195]	NA	NA	3.41	NA	NA	NA
ENSG00000169344	UMOD	uromodulin [Source:HGNC Symbol:Acc:HGNC:12559]	-2.08	NA	NA	NA	NA	NA
ENSG00000170891	CYTL1	cytokine-like 1 [Source:HGNC Symbol:Acc:HGNC:24435]	NA	NA	3.24	NA	NA	NA
ENSG00000173915	USMG5	up-regulated during skeletal muscle growth 5 homolog (mouse) [Source:HGNC Symbol:Acc:HGNC:30889]	NA	NA	-2.09	NA	NA	NA
ENSG00000175197	DDIT3	DNA-damage-inducible transcript 3 [Source:HGNC Symbol:Acc:HGNC:2726]	NA	NA	2.25	NA	NA	NA
ENSG00000175283	DOLK	dolichol kinase [Source:HGNC Symbol:Acc:HGNC:23406]	NA	NA	2.17	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine
ENSG00000176125	UFSP1	UFM1-specific peptidase 1 (non-functional) [Source:HGNC Symbol:Acc:HGNC33821]	NA	NA	3.85	NA	NA	NA	NA
ENSG00000179751	SYCN	syncoilin [Source:HGNC Symbol:Acc:HGNC18442]	NA	NA	2.85	NA	NA	NA	NA
ENSG00000181499	OR6T1	olfactory receptor, family 6, subfamily T, member 1 [Source:HGNC Symbol:Acc:HGNC14848]	NA	NA	3.35	NA	NA	NA	NA
ENSG00000184908	CLCNKB	chloride channel, voltage-sensitive Kb [Source:HGNC Symbol:Acc:HGNC2027]	-2.34	NA	NA	NA	-2.40	NA	NA
ENSG00000185130	HIST1H2BL	histone cluster 1, H2bl [Source:HGNC Symbol:Acc:HGNC4748]	NA	NA	3.91	NA	NA	NA	NA
ENSG00000185275	CD24P4	CD24 molecule pseudogene 4 [Source:HGNC Symbol:Acc:HGNC1649]	-2.13	NA	NA	NA	NA	NA	NA
ENSG00000187186		HCG2040265, isoform CRA_a; Uncharacterized protein; cDNA FLJ50015 [Source:UniProtKB/TTrEMBL;Acc:B7Z3J9]	NA	NA	2.85	NA	NA	NA	NA
ENSG00000187808	SOWAHD	sosondowah ankyrin repeat domain family member D [Source:HGNC Symbol:Acc:HGNC32960]	NA	NA	3.42	NA	NA	NA	NA
ENSG00000194297	RNU1-75P	RNA, U1 small nuclear 75, pseudogene [Source:HGNC48417]	NA	NA	3.18	NA	NA	NA	NA
ENSG00000197061	HIST1H4C	histone cluster 1, H4c [Source:HGNC Symbol:Acc:HGNC4787]	-2.05	NA	NA	NA	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine
ENSG00000197674	OR51C1P	olfactory receptor, family 51, subfamily C, member 1 pseudogene [Source:HGNC Symbol:Acc:HGNC15191]	NA	NA	2.60	NA	NA	NA	NA
ENSG00000198518	NA	NA	NA	NA	-2.01	NA	NA	NA	NA
ENSG00000198888	MT-ND1	mitochondrially encoded NADH dehydrogenase 1 [Source:HGNC Symbol:Acc:HGNC7455]	NA	NA		-2.13	NA	NA	NA
ENSG00000199212	RNU105C	RNA, U105C small nucleolar [Source:HGNC Symbol:Acc:HGNC10104]	NA	NA	3.03	NA	NA	NA	NA
ENSG00000199378	Y RNA	[Source:RFAM;Acc:RF00019]	NA	NA	3.56	NA	NA	NA	NA
ENSG00000199536	RNU6-31P	RNA, U6 small nuclear 315, pseudogene [Source:HGNC Symbol:Acc:HGNC47278]	NA	NA	2.83	NA	NA	NA	NA
ENSG00000200087	SNORA73B	small nucleolar RNA, H/ACA box 73B [Source:HGNC Symbol:Acc:HGNC10116]	NA	NA	3.84	NA	NA	NA	3.44
ENSG00000200131	RN7SKP77	RNA, 7SK small nuclear pseudogene 77 [Source:HGNC Symbol:Acc:HGNC45801]	NA	NA	4.78	NA	NA	NA	4.33
ENSG00000200408	RNA5SP74	RNA, 5S ribosomal pseudogene 74 [Source:HGNC Symbol:Acc:HGNC42851]	NA	NA	3.83	NA	NA	NA	NA
ENSG00000201098	RNY1	RNA, Ro-associated Y1 [Source:HGNC Symbol:Acc:HGNC10242]	NA	NA	-2.69	NA	NA	NA	-2.68
ENSG00000201640	RN7SKP28	RNA, 7SK small nuclear pseudogene 28 [Source:HGNC Symbol:Acc:HGNC45752]	NA	NA	3.29	NA	NA	NA	NA
ENSG00000201984	Y RNA	[Source:RFAM;Acc:RF00019]	NA	NA	3.57	NA	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day
ENSG000000203616	RHOT1P2	ras homolog family member T1 pseudogene 2 [Source:HGNC Symbol:Acc:HGNC:37838]	NA	NA	3.37	NA	NA	NA
ENSG000000204444	APOM	apolipoprotein M [Source:HGNC Symbol:Acc:HGNC:13916]	NA	NA	-2.73	NA	NA	-2.78
ENSG000000204544	MUC21	mucin 21, cell surface associated [Source:HGNC Symbol:Acc:HGNC:21661]	NA	NA	2.75	NA	NA	NA
ENSG000000205559	CHKB-AS1	CHKB antisense RNA 1 (head to head) [Source:HGNC Symbol:Acc:HGNC:40146]	NA	NA	3.27	NA	NA	NA
ENSG000000205795	CYS1	cystin 1 [Source:HGNC Symbol:Acc:HGNC:18525]	-2.38	NA	NA	NA	NA	NA
ENSG000000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol:Acc:HGNC:4823]	NA	NA	3.27	NA	NA	3.65
ENSG000000206634	SNORA22	small nucleolar RNA, H/ACA box 22 [Source:HGNC Symbol:Acc:HGNC:32612]	NA	NA	3.37	NA	NA	NA
ENSG000000206652	RNU1-1	RNA, U1 small nuclear 1 [Source:HGNC Symbol:Acc:HGNC:10120]	NA	NA	2.13	NA	NA	NA
ENSG000000207010	RNU6-1295P	RNA, U6 small nuclear 1295, pseudogene [Source:HGNC Symbol:Acc:HGNC:48258]	NA	NA	3.60	NA	NA	NA
ENSG000000210127	MT-TA	mitochondrially encoded tRNA alanine [Source:HGNC Symbol:Acc:HGNC:7475]	-2.25	NA	NA	-2.60	NA	NA
ENSG000000210140	MT-TC	mitochondrially encoded tRNA cysteine [Source:HGNC Symbol:Acc:HGNC:7477]	NA	NA	NA	-2.23	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day
ENSG000000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol:Acc:HGNC:7494]	NA	NA	NA	NA	NA	NA
ENSG000000211698	TRGV4	T cell receptor gamma variable 4 [Source:HGNC Symbol:Acc:HGNC:12289]	NA	NA	4.35	NA	NA	4.22
ENSG000000212497	RNA5S P465	RNA, 5S ribosomal pseudogene 465 [Source:HGNC Symbol:Acc:HGNC:43365]	NA	NA	3.53	NA	NA	NA
ENSG000000213343	RPL21P 18	ribosomal protein L21 pseudogene 18 [Source:HGNC Symbol:Acc:HGNC:28362]	NA	NA	3.50	NA	NA	NA
ENSG000000213871	TAF9BP 1	TAF9B RNA polymerase II, TATA box binding protein (TBP)-associated factor, 31kDa pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:30687]	NA	NA	3.06	NA	NA	NA
ENSG000000213896			NA	NA	4.31	NA	NA	NA
ENSG000000214070			NA	NA	3.27	NA	NA	NA
ENSG000000214381	LINC00 488	long intergenic non-protein coding RNA 488 [Source:HGNC Symbol:Acc:HGNC:322675]	NA	NA	2.61	NA	NA	NA
ENSG000000214759	MESTP 4	mesoderm specific transcript pseudogene 4 [Source:HGNC Symbol:Acc:HGNC:38554]	NA	NA	3.22	NA	NA	NA
ENSG000000215004	GLULP6	glutamate-ammonia ligase (glutamine synthetase) pseudogene 6 [Source:HGNC Symbol:Acc:HGNC:37990]	NA	NA	3.14	NA	NA	NA
ENSG000000215481	BCRP3	breakpoint cluster region pseudogene 3 [Source:HGNC Symbol:Acc:HGNC:1016]	NA	NA	3.07	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine
ENSG000000216966			NA	NA	NA	NA	NA	NA	NA
ENSG000000217643	PTGES3P2	prostaglandin E synthase 3 (cytosolic) pseudogene 2 [Source:HGNC Symbol:Acc:HGNC:43822]	NA	NA	NA	NA	NA	NA	3.27
ENSG000000218180	SLC25A5P7	solute carrier family 25 (mitochondrial carrier; adenine nucleotide translocator), member 5 pseudogene 7 [Source:HGNC Symbol:Acc:HGNC:513]	NA	NA	NA	NA	NA	NA	NA
ENSG000000218803	GSTM2P1	glutathione S-transferase mu 2 (muscle) pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:38009]	NA	NA	NA	NA	NA	NA	2.84
ENSG000000219074	SOD1P1	superoxide dismutase 1, soluble pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:45134]	NA	NA	NA	NA	NA	NA	NA
ENSG000000221571	RNU6ATAC35P	RNA, U6atac small nuclear 35, pseudogene [Source:HGNC Symbol:Acc:HGNC:46934]	NA	NA	NA	NA	NA	NA	NA
ENSG000000222281	RN7SKP111	RNA, 7SK small nuclear pseudogene 111 [Source:HGNC Symbol:Acc:HGNC:45835]	NA	NA	NA	NA	NA	NA	NA
ENSG000000222460	RN7SKP271	RNA, 7SK small nuclear pseudogene 271 [Source:HGNC Symbol:Acc:HGNC:45995]	NA	NA	NA	NA	NA	NA	NA
ENSG000000222678	RN7SKP213	RNA, 7SK small nuclear pseudogene 213 [Source:HGNC Symbol:Acc:HGNC:45937]	NA	NA	NA	NA	NA	NA	NA
ENSG000000222985	RNU2-14P	RNA, U2 small nuclear 14, pseudogene [Source:HGNC Symbol:Acc:HGNC:48507]	NA	NA	NA	NA	NA	NA	NA
ENSG000000223581			NA	NA	NA	NA	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day
ENSG00000223916			NA	NA	NA	NA	NA	NA
ENSG00000223963	PRKRIR_P8	protein-kinase, interferon-inducible double stranded RNA dependent inhibitor, repressor of (P58 repressor) pseudogene 8 [Source:HGNC Symbol;Acc:HGNC:39572]	NA	NA	NA	NA	NA	NA
ENSG00000224172		suppressor of cytokine signaling 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44598]	NA	NA	NA	NA	NA	4.28
ENSG00000224682	SOCS5_P2		NA	NA	NA	NA	NA	NA
ENSG00000225255			NA	NA	NA	NA	NA	NA
ENSG00000225770			NA	NA	NA	NA	NA	3.45
ENSG00000226403			NA	NA	NA	NA	NA	NA
ENSG00000226471			NA	NA	NA	NA	NA	NA
ENSG00000226868			NA	NA	NA	NA	NA	NA
ENSG00000227056	RPL6P2	ribosomal protein L6 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:35964]	NA	NA	NA	NA	NA	NA
ENSG00000227125			NA	NA	NA	NA	NA	NA
ENSG00000227401	RPL37P_1	ribosomal protein L37 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:16337]	NA	NA	NA	3.30	NA	NA
ENSG00000227415			NA	NA	NA	3.39	NA	NA
ENSG00000227603			NA	NA	NA	NA	NA	NA
ENSG00000227646	STEAP2_AS1	STEAP2 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:40820]	NA	NA	NA	3.16	NA	NA
ENSG00000227675	NA		NA	NA	NA	NA	NA	NA
ENSG00000227704			NA	NA	NA	3.83	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine前一天	Max_freq_hits_urine_vs_Track_field_control_urine前一天尿液前一天前天	Max_freq_hits_urine_vs_Track_field_control_urine前一天尿液前一天前天
ENSG00000227818			NA	NA	3.57	NA
ENSG00000227864	ARL5AP_1	ADP-ribosylation factor-like 5A pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:43933]	NA	NA	3.57	NA
ENSG00000228366			NA	NA	3.28	NA
ENSG00000228436			NA	NA	2.51	NA
ENSG00000228857			NA	NA	4.14	NA
ENSG00000229242			NA	NA	3.04	NA
ENSG00000229313			NA	NA	3.05	NA
ENSG00000229376	CICP3	capicua transcriptional repressor pseudogene 3 [Source:HGNC Symbol:Acc:HGNC:37742]	NA	NA	2.92	NA
ENSG00000229925			NA	NA	2.91	NA
ENSG00000229932	YWHAZ_P3	tyrosine 3-monooxygenase/triptophan 5-monooxygenase activation protein, zeta pseudogene 3 [Source:HGNC Symbol:Acc:HGNC:31101]	NA	NA	3.50	NA
ENSG00000230185	C9orf14_7	chromosome 9 open reading frame 147 [Source:HGNC Symbol:Acc:HGNC:31438]	NA	NA	NA	NA
ENSG00000230312			NA	NA	3.42	NA
ENSG00000230696			NA	NA	3.16	NA
ENSG00000230706			NA	NA	3.14	NA
ENSG00000230710	LINC00332	long intergenic non-protein coding RNA 332 [Source:HGNC Symbol:Acc:HGNC:42049]	NA	NA	3.35	NA
ENSG00000230799			NA	NA	3.10	NA
ENSG00000231937			NA	NA	3.43	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine
ENSG000000232015	HSPE1 P25	heat shock 10kDa protein 1 pseudogene 25 [Source:HGNC Symbol:Acc:HGNC:49344]	NA	NA	3.87	NA	NA	NA	NA
ENSG000000232464			NA	NA	3.46	NA	NA	NA	NA
ENSG000000232524			NA	NA	2.80	NA	NA	NA	NA
ENSG000000232591			NA	NA	NA	NA	NA	NA	NA
ENSG000000232658			NA	NA	2.99	NA	NA	NA	NA
ENSG000000232833	NA	NA	NA	NA	3.78	NA	NA	NA	NA
ENSG000000233115	FAM90 A11P	family with sequence similarity 90, member A11, pseudogene [Source:HGNC Symbol:Acc:HGNC:322259]	NA	NA	3.66	NA	NA	NA	NA
ENSG000000233558		WD repeat domain 82 pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:32447]	NA	NA	2.88	NA	NA	NA	NA
ENSG000000234629	WDR82 P1		NA	NA	3.54	NA	NA	NA	NA
ENSG000000235573			NA	NA	3.51	NA	NA	NA	NA
ENSG000000235578			NA	NA	4.25	NA	NA	4.06	
ENSG000000235942	LCE6A	late cornified envelope 6A [Source:HGNC Symbol:Acc:HGNC:31824]	NA	NA	2.91	NA	NA	NA	NA
ENSG000000236209			NA	NA	2.79	NA	NA	NA	NA
ENSG000000236641			NA	NA	3.67	NA	NA	NA	NA
ENSG000000236751	LINC0186	long intergenic non-protein coding RNA 1186 [Source:HGNC Symbol:Acc:HGNC:49573]	NA	NA	3.06	NA	NA	NA	NA
ENSG000000236824	BCYRN1	brain cytoplasmic RNA 1 [Source:HGNC Symbol:Acc:HGNC:1022]	NA	NA	-2.33	NA	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day
ENSG000000237213	RPL23A P22	ribosomal protein L23a pseudogene 22 [Source:HGNC Symbol:Acc:HGNC:35505]	NA	NA	3.15	NA
ENSG000000237979	RPL35P 1	ribosomal protein L35 pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:36695]	NA	NA	3.42	NA
ENSG000000237991	RBMY2 HP	RNA binding motif protein, Y-linked, family 2, member H pseudogene [Source:HGNC Symbol:Acc:HGNC:23893]	NA	NA	3.72	NA
ENSG000000238073	NA	RNA, U7 small nuclear 94 pseudogene [Source:HGNC Symbol:Acc:HGNC:45628]	NA	NA	3.34	NA
ENSG000000238337	NA	RNA, U7 small nuclear 94 pseudogene [Source:HGNC Symbol:Acc:HGNC:23893]	NA	NA	3.37	NA
ENSG000000238609	RNU7-94P	small nucleolar RNA, H/ACA box 84 [Source:HGNC Symbol:Acc:HGNC:33615]	NA	NA	3.30	NA
ENSG000000239126	SNORA 84	small nucleolar RNA, H/ACA box 84 [Source:HGNC Symbol:Acc:HGNC:45628]	NA	NA	3.29	NA
ENSG000000239183	NA	ribosomal protein L21 pseudogene 10 [Source:HGNC Symbol:Acc:HGNC:19795]	NA	NA	3.73	NA
ENSG000000239196	NA	RNA, 7SL, cytoplasmic 399, pseudogene [Source:HGNC Symbol:Acc:HGNC:46415]	NA	NA	3.81	NA
ENSG000000239272	RPL21P 10	golgi to ER traffic protein 4 homolog (S. cerevisiae) [Source:HGNC Symbol:Acc:HGNC:21690]	NA	NA	3.82	NA
ENSG000000239542	RN7SL3 99P	NA	NA	3.58	NA	NA
ENSG000000239857	GET4	NA	NA	2.59	NA	NA
ENSG000000240005		NA	NA	NA	NA	-3.53

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_urine_previous_day	Max_freq_hits_urine_vs_baselin_e_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_urine_previous_day
ENSG000002440803	RN7SL2_31P	RNA, 7SL, cytoplasmic 231, pseudogene [Source:HGNC Symbol;Acc:HGNC:46247]	NA	NA	3.42	NA	NA	NA
ENSG000002442229	RPS3A_P14	ribosomal protein S3a pseudogene 14 [Source:HGNC Symbol;Acc:HGNC:35715]	NA	NA	3.44	NA	NA	NA
ENSG00000242770			NA	NA	4.06	NA	NA	NA
ENSG00000243004			NA	NA	2.02	NA	NA	NA
ENSG00000243974	VT11BP_1	vesicle transport through interaction with t-SNAREs 1B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:43727]	NA	NA	3.37	NA	NA	NA
ENSG00000244060	RPS2P4_1	ribosomal protein S2 pseudogene 41 [Source:HGNC Symbol;Acc:HGNC:36357]	NA	NA		NA	NA	NA
ENSG00000244063			NA	NA	3.33	NA	NA	NA
ENSG00000244260			NA	NA	2.21	NA	NA	NA
ENSG00000244582	RPL21P_120	ribosomal protein L21 pseudogene 120 [Source:HGNC Symbol;Acc:HGNC:35743]	NA	NA	3.58	NA	NA	NA
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	NA	NA	3.07	NA	3.80	
ENSG00000248240			NA	NA	2.79	NA	NA	NA
ENSG00000248370			NA	NA	3.64	NA	NA	NA
ENSG00000248834	MARK2_P5	MAP/microtubule affinity-regulating kinase 2 pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:39796]	NA	NA	4.17	NA	NA	NA
ENSG00000248890	HHIP-AS1	HHIP antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:44182]	NA	NA	2.96	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_urine_vs_baselinе_urine_p�rvious_day	Max_freq_hits_urine_vs_Track_field_urine_vs_baselinе_urine_p�rvious_day
ENSG000000249014	HMGN2_P4	high mobility group nucleosomal binding domain 2 pseudogene 4 [Source:HGNC Symbol:Acc:HGNC:33567]	NA	NA	3.11	NA
ENSG000000249256	ATP5LP_3	ATP synthase, H+ transporting, mitochondrial Fo complex, subunit g, pseudogene 3 [Source:HGNC Symbol:Acc:HGNC:13216]	NA	NA	3.15	NA
ENSG000000249942	PCDHA_10	protocadherin alpha 10 [Source:HGNC Symbol:Acc:HGNC:8664]	NA	NA	3.44	NA
ENSG000000250120			NA	NA	2.81	NA
ENSG000000250234			NA	NA	3.96	NA
ENSG000000250411			NA	NA	3.28	NA
ENSG000000251048			NA	NA	NA	-4.21
ENSG000000251445			NA	NA	3.49	NA
ENSG000000251583			NA	NA	3.14	NA
ENSG000000252350	RPPH1-3P	ribonuclease P RNA component H1, 3 pseudogene [Source:HGNC Symbol:Acc:HGNC:47030]	NA	NA	3.56	NA
ENSG000000252376	RNA5S_P395	RNA, 5S ribosomal pseudogene [Source:HGNC Symbol:Acc:HGNC:43295]	NA	NA	3.59	NA
ENSG000000252396	RN7SK_P195	RNA, 7SK small nuclear pseudogene 195 [Source:HGNC Symbol:Acc:HGNC:45919]	NA	NA	3.58	NA
ENSG000000252731			NA	NA	4.20	NA
ENSG000000253112			NA	NA	3.09	NA
ENSG000000253292	MIOXP1	myo-inositol oxygenase pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:50748]	NA	NA	3.21	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine
ENSG00000253469			NA	NA	NA	NA	NA	NA	NA
ENSG00000253560			NA	NA	NA	3.30	NA	NA	NA
ENSG00000253597	IGHV3-57	immunoglobulin heavy variable 3-57 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5612]	NA	NA	NA	3.64	NA	NA	NA
ENSG00000253882			NA	NA	NA	4.36	NA	NA	4.47
ENSG00000253892			NA	NA	NA	3.06	NA	NA	NA
ENSG00000253920	IGLV3-31	immunoglobulin lambda variable 3-31 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5913]	NA	NA	NA	3.08	NA	NA	NA
ENSG00000254057			NA	NA	NA	3.38	NA	NA	NA
ENSG00000254082			NA	NA	NA	3.36	NA	NA	NA
ENSG00000254086			NA	NA	NA	3.72	NA	NA	NA
ENSG00000254124	EEF1A1 P37	eukaryotic translation elongation factor 1 alpha 1 pseudogene 37 [Source:HGNC Symbol;Acc:HGNC:37915]	NA	NA	NA	3.78	NA	NA	NA
ENSG00000254260			NA	NA	NA	3.36	NA	NA	NA
ENSG00000254325			NA	NA	NA	3.78	NA	NA	NA
ENSG00000254389	RHPN1-AS1	RHPN1 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:28457]	NA	NA	NA	2.95	NA	NA	NA
ENSG00000254509			NA	NA	NA	3.07	NA	NA	NA
ENSG00000254624	OR4R3 P	olfactory receptor, family 4, subfamily R, member 3 pseudogene [Source:HGNC Symbol;Acc:HGNC:15182]	NA	NA	NA	3.94	NA	NA	NA
ENSG00000254638			NA	NA	NA	3.94	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_Track_field_control_urine
ENSG000000254832	OR4A40_P	olfactory receptor, family 4, subfamily A, member 40 pseudogene [Source:HGNC Symbol:Acc:HGNC31259]	NA	NA	3.41	NA	NA	NA	NA
ENSG00000255038			NA	NA	3.09	NA	NA	NA	NA
ENSG00000255040			NA	NA	NA	NA	NA	NA	NA
ENSG00000255079			NA	NA	3.07	NA	NA	NA	NA
ENSG00000255142			NA	NA	3.13	NA	NA	NA	NA
ENSG00000256037	MRPL40P1	mitochondrial ribosomal protein L40 pseudogene 1 [Source:HGNC Symbol:Acc:HGNC44532]	NA	NA	4.02	NA	NA	NA	NA
ENSG00000256660	CLEC12B	C-type lectin domain family 12, member B [Source:HGNC Symbol:Acc:HGNC31966]	NA	NA	NA	NA	NA	NA	NA
ENSG00000256915			NA	NA	NA	NA	NA	NA	NA
ENSG00000257022			NA	NA	3.42	NA	NA	NA	NA
ENSG00000257241			NA	NA	3.78	NA	NA	NA	NA
ENSG00000257292			NA	NA	3.88	NA	NA	NA	NA
ENSG00000257476			NA	NA	2.88	NA	NA	NA	NA
ENSG00000257640			NA	NA	2.96	NA	NA	NA	NA
ENSG00000257718			NA	NA	4.18	NA	3.76	NA	NA
ENSG00000257803			NA	NA	4.21	NA	NA	NA	NA
ENSG00000258225			NA	NA	3.53	NA	NA	NA	NA
ENSG00000258379			NA	NA	3.11	NA	NA	NA	NA
ENSG00000258486	RN7SL1	RNA, 7SL, cytoplasmic 1 [Source:HGNC Symbol:Acc:HGNC10038]	NA	NA	-2.17	NA	NA	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_urine_previous_day
ENSG000000258590	NBEAP1	neurobeachin pseudogene 1 [Source:HGNC Symbol:Acc:HGNC:1007]	NA	NA	NA	NA	NA
ENSG000000258676			NA	NA	3.04	NA	3.13
ENSG000000259035			NA	NA	2.32	NA	NA
ENSG000000259211			NA	NA	3.70	NA	NA
ENSG000000259431	THTPA	thiamine triphosphatase [Source:HGNC Symbol:Acc:HGNC:18987]	NA	NA	NA	NA	NA
ENSG000000259564			NA	NA	3.34	NA	NA
ENSG000000259770			NA	NA	3.97	NA	3.53
ENSG000000260077			NA	NA	2.61	NA	NA
ENSG000000260571	BNIP3P5	BCL2/adenovirus E1B 19kDa interacting protein 3 pseudogene 5 [Source:HGNC Symbol:Acc:HGNC:39658]	NA	NA	3.48	NA	NA
ENSG000000260601			NA	NA	3.59	NA	NA
ENSG000000261916			NA	NA	2.88	NA	NA
ENSG000000261996			NA	NA	3.15	NA	NA
ENSG000000262001	DLGAP1-AS2	DLGAP1 antisense RNA 2 [Source:HGNC Symbol:Acc:HGNC:28146]	NA	NA	2.15	NA	NA
ENSG000000262313			NA	NA	2.82	NA	NA
ENSG000000264280	NA	NA	NA	NA	3.54	NA	NA
ENSG000000265713			NA	NA	2.62	NA	NA
ENSG000000266021	NA	NA	NA	NA	3.32	NA	NA
ENSG000000267142			NA	NA	3.35	NA	3.49
ENSG000000267363			NA	NA	3.48	NA	NA

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_baselinе_urine_previous_day
ENSG00000267493	CIRBP-AS1	CIRBP antisense RNA 1 [Source:HGNC Symbol:Acc:HGNC:28588]	NA	NA	2.98	NA	NA	NA
ENSG00000267500			NA	NA		NA	NA	NA
ENSG00000267706			NA	NA	3.50	NA	NA	NA
ENSG00000267762			NA	NA	3.34	NA	NA	NA
ENSG00000268582			NA	NA	3.87	NA	NA	NA
ENSG00000268798			NA	NA	3.10	NA	NA	NA
ENSG00000269364	LINC01233	long intergenic non-protein coding RNA 1233 [Source:HGNC Symbol:Acc:HGNC:49756]	NA	NA	3.94	NA	NA	NA
ENSG00000269815			NA	NA	3.60	NA	NA	NA
ENSG00000269900	RMRP	RNA component of mitochondrial RNA processing endoribonuclease [Source:HGNC Symbol:Acc:HGNC:10031]	-2.01	NA	NA	NA	NA	NA
ENSG00000270010			NA	NA	3.57	NA	NA	NA
ENSG00000270103	RNU11	RNA, U11 small nuclear [Source:HGNC Symbol:Acc:HGNC:10108]	-3.06	-2.54	NA	-2.77	NA	NA
ENSG00000270188	MTRNR2L11	MT-RNR2-like 11 (pseudogene) [Source:HGNC Symbol:Acc:HGNC:37168]	NA	NA	2.63	NA	NA	NA
ENSG00000270708			NA	NA	3.60	NA	4.10	
ENSG00000270878			NA	NA	3.74	NA	3.58	
ENSG00000271029			NA	NA	3.62	NA	NA	
ENSG00000271225			NA	NA	2.89	NA	NA	
ENSG00000271365			NA	NA	3.66	NA	NA	
ENSG00000271581			NA	NA	2.50	NA	NA	

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_urine_vs_baseline_urine	Max_freq_hits_urine_vs_Track_field_urine	Max_freq_hits_urine_vs_Track_field_control_urine	Max_freq_hits_urine_vs_baselin_e_urine_p�rvious_day
ENSG00000271767	NA	NA	NA	NA	3.13	NA
ENSG00000272870			NA	NA	2.43	NA
ENSG00000273106			NA	NA	3.33	NA
ENSG00000273327	OR6L2P	olfactory receptor, family 6, subfamily L, member 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:15125]	NA	NA	2.90	NA

Table 20. Biomarkers differentially expressed when the saliva samples of subjects who experienced most frequent head impact (Max_freq_hits) are compared to the subjects' baseline or subjects who experienced least frequent head impact (Min_freq_hits)

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_saliva_vs_baseline_saliva	Max_freq_hits_saliva_Min_freq_saliva
ENSG00000120699	EXOSC8	exosome component 8 [Source:HGNC Symbol;Acc:HGNC:17035]	-3.24	NA
ENSG00000163577	EIF5A2	eukaryotic translation initiation factor 5A2 [Source:HGNC Symbol;Acc:HGNC:3301]	-3.28	NA
ENSG00000164114	MAP9	microtubule-associated protein 9 [Source:HGNC Symbol;Acc:HGNC:26118]	-2.96	NA
ENSG00000180708	OR10K2	olfactory receptor, family 10, subfamily K, member 2 [Source:HGNC Symbol;Acc:HGNC:14826]	-4.16	NA
ENSG00000221571	RNU6AT AC35P	RNA, U6atac small nuclear 35, pseudogene [Source:HGNC Symbol;Acc:HGNC:46934]	4.58	NA
ENSG00000223963	PRKRIR P8	protein-kinase, interferon-inducible double stranded RNA dependent inhibitor, repressor of (P58 repressor) [Source:HGNC Symbol;Acc:HGNC:39572]	-3.94	-4.59

Ensembl_ID	HGNC_symbol	Description	Max_freq_hits_saliva_vs_baseline_saliva	Max_freq_hits_saliva_s_Min_freq_hits_saliva
ENSG000000224682	SOCS5P2	suppressor of cytokine signaling 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44598]	NA	-3.98
ENSG000000226471			3.44	NA
ENSG000000228445	UGT1A2P	UDP glucuronosyltransferase 1 family, polypeptide A2 pseudogene [Source:HGNC Symbol;Acc:HGNC:12534]	-4.43	NA
ENSG000000228695	CES1P1	carboxylesterase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:18546]	2.37	NA
ENSG000000229571	PRAMEF26	PRAME family member 26 [Source:HGNC Symbol;Acc:HGNC:49178]	-4.02	NA
ENSG000000230205			3.98	NA
ENSG000000250437			NA	3.98
ENSG000000251634			4.09	NA
ENSG000000255040			-3.84	NA
ENSG000000256660	CLEC12B	C-type lectin domain family 12, member B [Source:HGNC Symbol;Acc:HGNC:31966]	-3.31	NA
ENSG000000258590	NBEAP1	neurobeachin pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:1007]	NA	-4.25
ENSG000000259431	THTPA	thiamine triphosphatase [Source:HGNC Symbol;Acc:HGNC:18987]	-4.58	-4.57
ENSG000000270423			4.32	NA
ENSG000000272729			-4.11	NA

Table 21. Biomarkers differentially expressed when the blood samples of subjects who experienced least forceful head impact (Min_HITsp) are compared to the subjects' baseline or subjects who are not contact sports athletes (Track_field_control)

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_blood_vs_baseline_blood	Min_HITsp_blood_vs_Track_field_control_blood	Min_HITsp_blood_vs_baseline_blood_previous_day	Min_HITsp_blood_vs_Track_field_control_blood_prevous_day
ENSG00000096006	CRISP3	cysteine-rich secretory protein 3 [Source:HGNC Symbol;Acc:HGNC:16904]	NA	NA	-3.65	NA
ENSG00000165480	SKA3	spindle and kinetochore associated complex subunit 3 [Source:HGNC Symbol;Acc:HGNC:20262]	2.29	NA	2.49	NA
ENSG00000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	NA	3.21	NA	3.03
ENSG00000212297	RNU6-821P	RNA, U6 small nuclear 821, pseudogene [Source:HGNC Symbol;Acc:HGNC:47784]	NA	4.09	NA	4.58
ENSG00000214114	MYCBP	MYC binding protein [Source:HGNC Symbol;Acc:HGNC:7554]	NA	2.58	NA	
ENSG00000230140			NA	2.93	NA	3.11
ENSG00000233690	EBAG9_P1	estrogen receptor binding site associated, antigen, 9 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45233]	NA	NA	-4.02	NA
ENSG00000235688			NA	NA	NA	-4.52
ENSG00000254624	OR4R3_P	olfactory receptor, family 4, subfamily R, member 3 pseudogene [Source:HGNC Symbol;Acc:HGNC:15182]	NA	NA	-4.30	NA
ENSG00000259834		potassium voltage-gated channel, shaker-related subfamily, member 3 [Source:EntrezGene;Acc:3738]	NA	4.21	NA	4.53
ENSG00000271533			NA	NA	-4.09	NA

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_blood_vs_basel_urine_blood	Min_HITsp_blood_vs_Track_field_control_blood	Min_HITsp_blood_vs_basel_urine_blood前一天	Min_HITsp_blood_vs_Track_field_control_blood前一天
ENSG000000271945			NA	NA	-4.87	NA

Table 22. Biomarkers differentially expressed when the urine sample of subjects who experienced least forceful head impact (Min_HITsp) are compared to subjects who are not contact sports athletes (Track_field_control)

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_urine_vs_Track_field_control_urine	Min_HITsp_urine_vs_Track_field_control_urine前一天
ENSG00000007306	CEACA_M7	carcinoembryonic antigen-related cell adhesion molecule 7 [Source:HGNC Symbol;Acc:HGNC:1819]	2.71	2.68
ENSG00000043462	LCP2	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa) [Source:HGNC Symbol;Acc:HGNC:6529]	2.25	2.13
ENSG00000057657	PRDM1	PR domain containing 1, with ZNF domain [Source:HGNC Symbol;Acc:HGNC:9346]	2.30	2.19
ENSG00000059728	MXD1	MAX dimerization protein 1 [Source:HGNC Symbol;Acc:HGNC:6761]	2.45	2.33
ENSG00000099985	OSM	oncostatin M [Source:HGNC Symbol;Acc:HGNC:8506]	NA	2.89
ENSG00000101336	HCK	HCK proto-oncogene, Src family tyrosine kinase [Source:HGNC Symbol;Acc:HGNC:4840]	2.39	2.27
ENSG00000103569	AQP9	aquaporin 9 [Source:HGNC Symbol;Acc:HGNC:643]	3.21	3.09
ENSG00000116741	RGS2	regulator of G-protein signalling 2 [Source:HGNC Symbol;Acc:HGNC:9998]	NA	2.27
ENSG00000120738	EGR1	early growth response 1 [Source:HGNC Symbol;Acc:HGNC:3238]	2.42	NA
ENSG00000122861	PLAU	plasminogen activator, urokinase [Source:HGNC Symbol;Acc:HGNC:9052]	2.70	2.56
ENSG00000122862	SRGN	serglycin [Source:HGNC Symbol;Acc:HGNC:9361]	NA	3.83
ENSG00000123395	ATG101	autophagy related 101 [Source:HGNC Symbol;Acc:HGNC:25679]	2.09	NA
ENSG00000140279	DUOX2	dual oxidase 2 [Source:HGNC Symbol;Acc:HGNC:13273]	2.50	2.39
ENSG00000140678	ITGAX	integrin, alpha X (complement component 3 receptor 4 subunit) [Source:HGNC Symbol;Acc:HGNC:6152]	2.24	NA

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_urine_vs_Track_field_control_urine	Min_HITsp_urine_vs_Track_field_control_urine_previous_day
ENSG000000140749	IGSF6	immunoglobulin superfamily, member 6 [Source:HGNC Symbol;Acc:HGNC:5953]	2.93	2.75
ENSG000000145113	MUC4	mucin 4, cell surface associated [Source:HGNC Symbol;Acc:HGNC:7514]	2.48	2.38
ENSG000000147180	ZNF711	zinc finger protein 711 [Source:HGNC Symbol;Acc:HGNC:13128]	2.77	2.71
ENSG000000150201	FXYD4	FXYD domain containing ion transport regulator 4 [Source:HGNC Symbol;Acc:HGNC:4028]	-2.95	NA
ENSG000000153802	TMPRSS11D	transmembrane protease, serine 11D [Source:HGNC Symbol;Acc:HGNC:24059]	NA	2.10
ENSG000000163739	CXCL1	chemokine (C-X-C motif) ligand 1 (melanoma growth stimulating activity, alpha) [Source:HGNC Symbol;Acc:HGNC:4602]	3.37	3.25
ENSG000000169429	CXCL8	chemokine (C-X-C motif) ligand 8 [Source:HGNC Symbol;Acc:HGNC:6025]	3.66	3.71
ENSG000000171223	JUNB	jun B proto-oncogene [Source:HGNC Symbol;Acc:HGNC:6205]	2.55	2.40
ENSG000000186831	KRT17P2	keratin 17 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:6429]	NA	3.57
ENSG000000188215	DCUN1D3	DCN1, defective in cullin neddylation 1, domain containing 3 [Source:HGNC Symbol;Acc:HGNC:28734]	2.06	NA
ENSG000000196352	CD55	CD55 molecule, decay accelerating factor for complement (Cromer blood group) [Source:HGNC Symbol;Acc:HGNC:2665]	2.02	NA
ENSG000000198868	MIR4461	microRNA 4461 [Source:HGNC Symbol;Acc:HGNC:41656]	4.30	4.68
ENSG000000200087	SNORA73B	small nucleolar RNA, H/ACA box 73B [Source:HGNC Symbol;Acc:HGNC:10116]	3.83	4.08
ENSG000000200408	RNA5S P74	RNA, 5S ribosomal pseudogene 74 [Source:HGNC Symbol;Acc:HGNC:42851]	NA	3.84
ENSG000000200785	SNORD8	small nucleolar RNA, C/D box 8 [Source:HGNC Symbol;Acc:HGNC:20159]	NA	4.11
ENSG000000204293	OR8B2	olfactory receptor, family 8, subfamily B, member 2 [Source:HGNC Symbol;Acc:HGNC:8471]	NA	3.47
ENSG000000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]	4.09	4.19

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_urine_vs_Track_field_control_urine	Min_HITsp_urine_vs_Track_field_previous_urine
ENSG00000206634	SNORA22	small nucleolar RNA, H/ACA box 22 [Source:HGNC Symbol;Acc:HGNC:32612]	4.08	4.24
ENSG00000211698	TRGV4	T cell receptor gamma variable 4 [Source:HGNC Symbol;Acc:HGNC:12289]	3.45	3.83
ENSG00000212443	SNORA53	small nucleolar RNA, H/ACA box 53 [Source:HGNC Symbol;Acc:HGNC:32646]	3.89	4.04
ENSG00000213370	RANP6	RAN, member RAS oncogene family pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:39861]	NA	3.95
ENSG00000215004	MESTP4	mesoderm specific transcript pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:38554]	3.31	3.30
ENSG00000215043	GLULP6	glutamate-ammonia ligase (glutamine synthetase) pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:37990]	NA	4.31
ENSG00000216966	PTGES3P2	prostaglandin E synthase 3 (cytosolic) pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:43822]	3.50	4.04
ENSG00000217643	LINC01078	long intergenic non-protein coding RNA 1078 [Source:HGNC Symbol;Acc:HGNC:49121]	NA	3.43
ENSG00000223581			NA	4.24
ENSG00000223880	LINC01078	long intergenic non-protein coding RNA 1078 [Source:HGNC Symbol;Acc:HGNC:49121]	3.97	4.25
ENSG00000225255			NA	2.73
ENSG00000227056	RPL6P2	ribosomal protein L6 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:35964]	-3.64	NA
ENSG00000227401	RPL37P1	ribosomal protein L37 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:16337]	NA	3.94
ENSG00000228857	C9orf147	chromosome 9 open reading frame 147 [Source:HGNC Symbol;Acc:HGNC:31438]	4.35	4.93
ENSG00000230185			NA	3.02
ENSG00000230312			4.17	4.85
ENSG00000230799			3.64	3.69
ENSG00000231259			4.28	4.64
ENSG00000232658			NA	3.68
ENSG00000232833			NA	4.19
ENSG00000232990	MTATP6P7	mitochondrially encoded ATP synthase 6 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:44581]	3.91	4.69

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_urine_vs_Track_field_control_urine	Min_HITsp_urine_vs_Track_field_previous_urine
ENSG000000234629	WDR82_P1	WD repeat domain 82 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC_32447]	NA	3.68
ENSG000000235101	SETP9	SET pseudogene 9 [Source:HGNC Symbol;Acc:HGNC_42928]	NA	3.81
ENSG000000238073	RBMY2_HP	RNA binding motif protein, Y-linked, family 2, member H pseudogene [Source:HGNC Symbol;Acc:HGNC_23893]	NA	4.21
ENSG000000239002	SCARN_A10	small Cajal body-specific RNA 10 [Source:HGNC Symbol;Acc:HGNC_32567]	4.64	4.53
ENSG000000239272	RPL21P_10	ribosomal protein L21 pseudogene 10 [Source:HGNC Symbol;Acc:HGNC_19795]	NA	3.95
ENSG000000240131	LINC00903	long intergenic non-protein coding RNA 903 [Source:HGNC Symbol;Acc:HGNC_40351]	NA	4.11
ENSG000000241397	RN7SL5_66P	RNA, 7SL, cytoplasmic 566, pseudogene [Source:HGNC Symbol;Acc:HGNC_46582]	3.89	NA
ENSG000000242770			3.67	4.30
ENSG000000244063	RPL30P_7	ribosomal protein L30 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC_36402]	NA	4.03
ENSG000000244361			NA	4.26
ENSG000000249019			NA	3.86
ENSG000000249588			4.12	4.12
ENSG000000253759	IGHV3-57	immunoglobulin heavy variable 3-57 (pseudogene)	4.13	4.52
ENSG000000253882			NA	3.10
ENSG000000254124	EEF1A1_P37	eukaryotic translation elongation factor 1 alpha 1 pseudogene 37 [Source:HGNC Symbol;Acc:HGNC_37915]	4.19	NA
ENSG000000254325			3.80	3.67
ENSG000000254638			3.77	4.46
ENSG000000257241			NA	4.32
ENSG000000257718			3.66	3.83
ENSG000000257803			NA	3.91
ENSG000000258676			3.48	3.38

Ensembl_ID	HGNC_symbol	Description	Min_HITsp_urine_vs_Track_field_control_urine	Min_HITsp_urine_vs_Track_field_previous_day
ENSG000000259770			3.79	3.92
ENSG000000261596			NA	3.50
ENSG000000264280			3.31	3.47
ENSG000000264462	MIR3648-1	microRNA 3648-1 [Source:HGNC Symbol;Acc:HGNC:38941]	3.20	NA
ENSG000000267500				4.06
ENSG000000268543			3.80	3.92
ENSG000000270810			NA	4.33
ENSG000000272870			NA	2.67

Table 23. Biomarkers differentially expressed when the blood samples of subjects who experienced frequent head impact (Min_freq_hits) are compared to the subjects' baseline or subjects who are not contact sports athletes (Track_field_control).

Ensembl_ID	HGNC_symbol	Description	Min_freq_hits_blood_vs_baseline_blood_previous_day	Min_freq_hits_blood_vs_Track_field_control_blood_previous_day
ENSG000000040341	STAU2	staufen double-stranded RNA binding protein 2 [Source:HGNC Symbol;Acc:HGNC:11371]	NA	2.21
ENSG000000086666	ZFAND6	zinc finger, AN1-type domain 6 [Source:HGNC Symbol;Acc:HGNC:30164]	2.58	2.71
ENSG000000110013	SIAE	sialic acid acetyltransferase [Source:HGNC Symbol;Acc:HGNC:18187]	NA	2.48
ENSG00000119778	ATAD2B	ATPase family, AAA domain containing 2B [Source:HGNC Symbol;Acc:HGNC:29230]	NA	2.11
ENSG00000165480	SKA3	spindle and kinetochore associated complex subunit 3 [Source:HGNC Symbol;Acc:HGNC:20262]		NA
ENSG00000168461	RAB31	RAB31, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:9771]	2.34	NA

Ensembl_ID	HGNC_symbol	Description	Min_freq_hits_blood_vs_baseline_blood_previous_day	Min_freq_hits_blood_vs_Track_field_blood_previous_day
ENSG000000198168	SVIP	small VCP/p97-interacting protein [Source:HGNC Symbol;Acc:HGNC:25238]	2.26	NA
ENSG000000198886	MT-ND4	mitochondrially encoded NADH dehydrogenase 4 [Source:HGNC Symbol;Acc:HGNC:7459]	NA	3.28
ENSG000000202354	RNY3	RNA, Ro-associated Y3 [Source:HGNC Symbol;Acc:HGNC:10243]	3.35	NA
ENSG000000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	NA	3.15
ENSG000000271043	MTRNR_2L2	MT-RNR2-like 2 [Source:HGNC Symbol;Acc:HGNC:37156]	2.75	3.84

Table 24. Biomarkers differentially expressed when the urine sample of subjects who experienced frequent head impact (Min_freq_hits) are compared to subjects who are not contact sports athletes (Track_field_control)

Ensembl_ID	HGNC_symbol	Description	Min_freq_hits_urine_vs_Track_field_control_urine	Min_freq_hits_urine_vs_Track_field_control_urine_previous_day
ENSG00000125652	ALKBH7	alkB, alkylation repair homolog 7 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21306]	NA	2.29
ENSG00000198868	MIR446_1	microRNA 4461 [Source:HGNC Symbol;Acc:HGNC:41656]	4.15	NA
ENSG00000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]	3.81	3.84
ENSG00000216629	OR2W4_P	olfactory receptor, family 2, subfamily W, member 4 pseudogene [Source:HGNC Symbol;Acc:HGNC:15071]	-2.91	NA
ENSG00000228857			4.34	4.47
ENSG00000236641			3.77	NA

Ensembl_ID	HGNC_symbol	Description	Min_freq_hits_urine_vs_Track_field_control_urine	Min_freq_hits_urine_vs_Track_field_control_urine_previous_day
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	3.59	3.77
ENSG00000254325			3.26	NA
ENSG00000257718			3.60	3.55
ENSG00000259108			-3.16	-3.20

Table 25. Biomarkers differentially expressed when the baseline blood sample of subjects who are contact sport athletes (baseline) are compared to the subjects who are not contact sports athletes (Track field control)

Ensembl_ID	HGNC_symbol	Description	baseline_blood_vs_Track_field_control_blood	baseline_blood_vs_Track_field_control_blood_previous_day
ENSG00000178172	SPINK6	serine peptidase inhibitor, Kazal type 6 [Source:HGNC Symbol;Acc:HGNC:29486]	4.24	4.78
ENSG00000198022			NA	2.75
ENSG00000200225	RNA5S P382	RNA, 5S ribosomal pseudogene 382 [Source:HGNC Symbol;Acc:HGNC:43282]	NA	4.26
ENSG00000201704	RNA5S P396	RNA, 5S ribosomal pseudogene 396 [Source:HGNC Symbol;Acc:HGNC:43296]	NA	3.68
ENSG00000204566	C10orf15	chromosome 10 open reading frame 115 [Source:HGNC Symbol;Acc:HGNC:31449]	3.82	NA
ENSG00000212297	RNU6-821P	RNA, U6 small nuclear 821, pseudogene [Source:HGNC Symbol;Acc:HGNC:47784]	3.78	4.18
ENSG00000223881			4.42	NA
ENSG00000227675			NA	3.88
ENSG00000230140			2.67	2.71
ENSG00000230604	TSEN15 P2	TSEN15 tRNA splicing endonuclease subunit pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:43963]	NA	4.27
ENSG00000232591			NA	3.65

Ensembl_ID	HGNC_symbol	Description	baseline_blood_vs_Track_field_control_blood	baseline_blood_vs_Track_field_control_blood_previous_day
ENSG000000236559			4.52	4.65
ENSG000000237027			3.51	3.51
ENSG000000238215			NA	3.89
ENSG000000238283	TBC1D3_P1	TBC1 domain family, member 3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:27445]	NA	4.01
ENSG000000242120			NA	2.89
ENSG000000243075	RN7SL5_19P	RNA, 7SL, cytoplasmic 519, pseudogene [Source:HGNC Symbol;Acc:HGNC:46535]	4.14	4.30
ENSG000000248242			NA	3.71
ENSG000000248498	ASNSP_1	asparagine synthetase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:754]	NA	3.57
ENSG000000249734			NA	3.41
ENSG000000256721	CACNA1C_1T3	CACNA1C intronic transcript 3 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41314]	3.40	NA
ENSG000000256915			3.73	3.94
ENSG000000258406			3.99	4.33
ENSG000000259513	CYCSP_38	cytochrome c, somatic pseudogene 38 [Source:HGNC Symbol;Acc:HGNC:24411]	NA	4.26
ENSG000000259790	ANP32B_P1	acidic (leucine-rich) nuclear phosphoprotein 32 family, member B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:24267]	NA	3.85
ENSG000000259834		potassium voltage-gated channel, shaker-related subfamily member 3 [Source:EntrezGene;Acc:3738]	NA	4.12
ENSG000000260265			4.41	4.08

Ensembl_ID	HGNC_symbol	Description	baseline_blood_vs_Track_field_control_blood	baseline_blood_vs_Track_field_control_blood_previous_day
ENSG000000267167			NA	3.89
ENSG000000268055			NA	3.49
ENSG000000268280			3.82	3.91
ENSG000000271945			NA	4.93
ENSG000000273185			4.77	4.91

Table 26. Biomarkers differentially expressed when the baseline urine sample of subjects who are contact sport athletes (baseline) are compared to the subjects who are not contact sports athletes (Track field control)

Ensembl_ID	HGNC_symbol	Description	baseline_urine_vs_Track_field_control_urine	baseline_urine_vs_Track_field_control_urine_previous_day
ENSG00000068366	ACSL4	acyl-CoA synthetase long-chain family member 4 [Source:HGNC Symbol;Acc:HGNC:3571]	2.01	NA
ENSG000000175879	HOXD8	homeobox D8 [Source:HGNC Symbol;Acc:HGNC:5139]	2.50	2.48
ENSG000000188536	HBA2	hemoglobin, alpha 2 [Source:HGNC Symbol;Acc:HGNC:4824]	NA	3.44
ENSG000000200087	SNORA73B	small nucleolar RNA, H/ACA box 73B [Source:HGNC Symbol;Acc:HGNC:10116]	4.20	4.17
ENSG000000200131	RN7SKP77	RNA, 7SK small nuclear pseudogene 77 [Source:HGNC Symbol;Acc:HGNC:45801]	NA	3.96
ENSG000000200785	SNORD8	small nucleolar RNA, C/D box 8 [Source:HGNC Symbol;Acc:HGNC:20159]	NA	5.28
ENSG000000206172	HBA1	hemoglobin, alpha 1 [Source:HGNC Symbol;Acc:HGNC:4823]	3.56	3.68
ENSG000000206634	SNORA22	small nucleolar RNA, H/ACA box 22 [Source:HGNC Symbol;Acc:HGNC:32612]	4.23	3.97

Ensembl_ID	HGNC_symbol	Description	baseline_urine_vs_Track_field_control_urine	baseline_urine_vs_Track_field_control_urine_previous_day
ENSG00000206652	RNU1-1	RNA, U1 small nuclear 1 [Source:HGNC Symbol;Acc:HGNC:10120]	2.82	2.80
ENSG00000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]	2.74	2.73
ENSG00000211698	TRGV4	T cell receptor gamma variable 4 [Source:HGNC Symbol;Acc:HGNC:12289]	NA	3.31
ENSG00000219074	SOD1P1	superoxide dismutase 1, soluble pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45134]	3.86	3.79
ENSG00000228857			4.05	4.07
ENSG00000232015	HSPE1P25	heat shock 10kDa protein 1 pseudogene 25 [Source:HGNC Symbol;Acc:HGNC:49344]	NA	3.76
ENSG00000232833	NA	NA	3.72	3.61
ENSG00000234629	WDR82P1	WD repeat domain 82 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:32447]	3.51	NA
ENSG00000236559			NA	NA
ENSG00000236641			3.46	3.43
ENSG00000239002	SCARN A10	small Cajal body-specific RNA 10 [Source:HGNC Symbol;Acc:HGNC:32567]	3.37	3.31
ENSG00000244734	HBB	hemoglobin, beta [Source:HGNC Symbol;Acc:HGNC:4827]	NA	4.18
ENSG00000251445			NA	3.76
ENSG00000253759	IGHV3-57	immunoglobulin heavy variable 3-57 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5612]	3.88	3.62
ENSG00000257718			3.82	3.80
ENSG00000259770			3.22	NA
ENSG00000264280	NA	NA	3.33	3.30

Ensembl_ID	HGNC_symbol	Description	baseline_urine_vs_Track_field_control_urine_previous_day
ENSG00000270878			3.07
ENSG00000271043	MTRNR2L2	MT-RNR2-like 2 [Source:HGNC Symbol;Acc:HGNC:37156]	NA

Table 27. Some biomarkers that are differentially expressed in plasma based on the number of head impact incidents

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000229344		Small nucleolar RNA SNORA67 [Source:RFAM;Acc:RF00272]	1.94	1.85	NA
ENSG000000212338		family with sequence similarity 228, member A [Source:HGNC Symbol;Acc:HGNC:34418]	-1.37	NA	-1.29
ENSG000000186453	FAM228A		-1.12	NA	-1.41
ENSG000000234723			-1.08	NA	NA
ENSG000000249072			1.81	1.76	NA
ENSG000000270683	FAM71BP1	family with sequence similarity 71, member B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49805]	-1.10	-1.27	NA
ENSG000000227593			-1.39	NA	-1.33
ENSG000000252596	NA	NA	-1.41	NA	-1.36
ENSG000000239011	NA	NA	-1.12	NA	-1.37
ENSG000000163993	S100P	S100 calcium binding protein P [Source:HGNC Symbol;Acc:HGNC:10504]	-1.60	NA	-1.53
ENSG000000237731	RNGTTP1	RNA guanylyltransferase and 5'-phosphatase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39652]	-1.10	NA	-1.64
ENSG000000229775			-1.69	NA	-1.65
ENSG000000237256	PGAM3P	phosphoglycerate mutase 3, pseudogene [Source:HGNC Symbol;Acc:HGNC:16557]	-1.49	NA	-1.67
ENSG000000225181			-1.22	NA	-1.84
ENSG000000200510	NA	NA	1.10	NA	NA
ENSG000000264469			-1.07	NA	NA
ENSG000000203691	NA	NA	-1.13	NA	NA
ENSG000000201271	RNU1-112P	RNA, U1 small nuclear 112, pseudogene [Source:HGNC Symbol;Acc:HGNC:48454]	-1.21	NA	NA
ENSG000000242716	NA	NA	1.73	1.76	NA
ENSG000000215030	RPL13P12	ribosomal protein L13 pseudogene 12 [Source:HGNC Symbol;Acc:HGNC:35701]	1.06	1.24	NA

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000158856	DMTN	dematin actin binding protein [Source:HGNC Symbol;Acc:HGNC:3382]	1.81	1.20	NA
ENSG00000100345	MYH9	myosin, heavy chain 9, non-muscle [Source:HGNC Symbol;Acc:HGNC:7579]	1.61	1.17	NA
ENSG00000175602	CCDC85B	coiled-coil domain containing 85B [Source:HGNC Symbol;Acc:HGNC:24926]	1.54	1.16	NA
ENSG000000219188	CACYBPP3	calcyclin binding protein pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:45124]	-1.19	-1.08	NA
ENSG000000199287	NA	NA	-1.28	-2.02	NA
ENSG00000176043			NA	-1.32	1.69
ENSG000000227159	DDX11L16	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11 like 16 [Source:HGNC Symbol;Acc:HGNC:37115]	1.06	NA	1.32
ENSG000000264386	MIR4513	microRNA 4513 [Source:HGNC Symbol;Acc:HGNC:41855]	1.10	NA	1.23
ENSG000000252670	NA	NA	NA	-1.36	1.22
ENSG000000231680			-1.12	NA	-1.01
ENSG000000253780	GHV II-2-1	immunoglobulin heavy variable (III)-2-1 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5695]	-1.36	NA	-1.07
ENSG000000220505	EIF4EBP2P3	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:49318]	-1.48	NA	-1.09
ENSG000000249941			-1.33	NA	-1.10
ENSG000000225906			-1.29	NA	-1.11
ENSG000000232578			-1.17	NA	-1.13
ENSG000000211967	GHV 3-53	immunoglobulin heavy variable 3-53 [Source:HGNC Symbol;Acc:HGNC:56101]	-1.05	NA	-1.15
ENSG000000235186			NA	NA	-1.15
ENSG000000258088			-1.46	NA	-1.16
ENSG000000186038	HTR3E	5-hydroxytryptamine (serotonin) receptor 3E, ionotropic [Source:HGNC Symbol;Acc:HGNC:24005]	-1.14	NA	-1.17

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000206848	RNU6-890P	RNA, U6 small nuclear 890, pseudogene [Source:HGNC Symbol;Acc:HGNC:47853]	-1.47	NA	-1.21
ENSG000000270680		ARHGAP26 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:40792]	NA	1.35	-1.23
ENSG000000226272	ARHGAP26-AS1	HERV-H LTR-associating 3 [Source:HGNC Symbol;Acc:HGNC:4906]	-1.34	NA	-1.24
ENSG000000197568	HHLA3		-1.43	NA	-1.24
ENSG000000256972			-1.15	NA	-1.25
ENSG000000250392			NA	NA	-1.25
ENSG000000260198			-1.17	NA	-1.26
ENSG000000249465	RBMXP4	RNA binding motif protein, X-linked pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:34028]	-1.54	NA	-1.27
ENSG000000187689	AMTN	amelotin [Source:HGNC Symbol;Acc:HGNC:33188]	-1.43	NA	-1.30
ENSG000000199470		Small nucleolar RNA SNORA64/SNORA10 family [Source:RFAM;Acc:RF00264]	-1.10	NA	-1.31
ENSG000000238763	NA	NA	-1.25	NA	-1.33
ENSG000000226939			-1.18	NA	-1.34
ENSG000000232650			-1.17	NA	-1.35
ENSG000000217557			-1.11	NA	-1.36
ENSG000000185296			-1.15	NA	-1.36
ENSG000000221291			-1.23	NA	-1.37
ENSG000000265408			-1.21	NA	-1.43
ENSG000000212564	RNU6-1326P	RNA, U6 small nuclear 1326, pseudogene [Source:HGNC Symbol;Acc:HGNC:48289]	NA	NA	-1.45
ENSG000000259418			-1.27	NA	-1.45
ENSG000000261665	TUBA8P2	tubulin, alpha 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44569]	NA	1.10	-1.49
ENSG000000250256			-1.20	NA	-1.51
ENSG000000235902			-1.36	NA	-1.54

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000255408	PCDHA3	protocadherin alpha 3 [Source:HGNC Symbol;Acc:HGNC:8669]	-1.37	NA	-1.58
ENSG000000252672	NA	NA	NA	NA	-1.60
ENSG000000230645			-1.27	NA	-1.61
ENSG000000229031			-1.52	NA	-1.62
ENSG000000267670			NA	NA	-1.64
ENSG000000240286	MEAF6P1	MYST/Esa1-associated factor 6 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:42660]	-1.07	NA	-1.69
ENSG000000168992	OR7E102P	olfactory receptor, family 7, subfamily E, member 102 pseudogene [Source:HGNC Symbol;Acc:HGNC:15043]	-1.26	NA	-1.84
ENSG000000182393	IFNL1	interferon, lambda 1 [Source:HGNC Symbol;Acc:HGNC:18363]	NA	2.15	-1.91
ENSG000000168067	MAP4K2	mitogen-activated protein kinase kinase kinase kinase 2 [Source:HGNC Symbol;Acc:HGNC:6864]	1.59	NA	NA
ENSG000000272468		junctional adhesion molecule 3 [Source:HGNC Symbol;Acc:HGNC:15532]	1.58	NA	NA
ENSG000000166086	JAM3	RNA, 7SK small nuclear pseudogene 109 [Source:HGNC Symbol;Acc:HGNC:45833]	-1.02	NA	NA
ENSG000000260229			-1.05	NA	NA
ENSG000000225224	RN7SKP109	RNA, U6 small nuclear pseudogene 1183, pseudogene [Source:HGNC Symbol;Acc:HGNC:48146]	-1.07	NA	NA
ENSG000000225785		IMP3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49385]	-1.11	NA	NA
ENSG000000252863	RNU6-1183P	cytochrome c, somatic pseudogene 33 [Source:HGNC Symbol;Acc:HGNC:24407]	-1.12	NA	NA
ENSG000000230589	IMP3P1	long intergenic non-protein coding RNA 320 [Source:HGNC Symbol;Acc:HGNC:19690]	-1.12	NA	NA
ENSG000000253849			-1.15	NA	NA
ENSG000000224924	LINC00320	cytochrome c, somatic pseudogene 33 [Source:HGNC Symbol;Acc:HGNC:24407]	-1.15	NA	NA
ENSG000000233545	CYCSP33		-1.15	NA	NA
ENSG000000224288			-1.18	NA	NA

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000239791		guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:45110]	-1.20	NA	NA
ENSG000000239557	GNAI2P2	guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:45110]	-1.21	NA	NA
ENSG000000136872	ALDOB	aldolase B, fructose-bisphosphate [Source:HGNC Symbol;Acc:HGNC:417]	-1.22	NA	NA
ENSG000000254845	NA	NA	-1.29	NA	NA
ENSG000000226104	NA	NA	-1.32	NA	NA
ENSG000000241757	RN7SL714P	RNA, 7SL, cytoplasmic 714, pseudogene [Source:HGNC Symbol;Acc:HGNC:46730]	-1.33	NA	NA
ENSG000000261340			-1.35	NA	NA
ENSG000000213144	ZNF299P	zinc finger protein 299, pseudogene [Source:HGNC Symbol;Acc:HGNC:13088]	-1.39	NA	NA
ENSG000000219368	CFHR1	complement factor H-related 1 [Source:HGNC Symbol;Acc:HGNC:4888]	-1.57	NA	NA
ENSG000000244414	MIR6723	microRNA 6723 [Source:HGNC Symbol;Acc:HGNC:50152]	-1.73	NA	NA
ENSG000000237973			1.18	1.89	NA
ENSG000000223554			1.37	1.53	NA
ENSG000000244921			1.04	1.51	NA
ENSG000000259045			1.14	1.42	NA
ENSG000000133136	GNG5P2	guanine nucleotide binding protein (G protein), gamma 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:24826]	1.32	1.23	NA
ENSG000000227468	PCTP	phosphatidylcholine transfer protein [Source:HGNC Symbol;Acc:HGNC:8752]	1.43	1.20	NA
ENSG000000141179	ADAM12	ADAM metallopeptidase domain 12 [Source:HGNC Symbol;Acc:HGNC:190]	1.13	1.13	NA
ENSG000000234975	FTH1P2	ferritin, heavy polypeptide 1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:3989]	1.01	1.07	NA
ENSG000000265565	MIR3143	microRNA 3143 [Source:HGNC Symbol;Acc:HGNC:38284]	1.27	1.01	NA

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000172476	RAB40A	RAB40A, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:18283]	-1.10	-1.09	NA
ENSG00000120586	NA	NA	-1.38	-1.16	NA
ENSG000000230019	YWHAQ_P9	YWHAQ pseudogene 9 [Source:HGNC Symbol;Acc:HGNC:37688]	-1.19	-1.18	NA
ENSG000000253377			-1.65	-1.18	NA
ENSG000000243824			-1.32	-1.22	NA
ENSG000000184674	NA	NA	-1.15	-1.22	NA
ENSG000000250461			-1.96	-1.28	NA
ENSG000000266603	NA	NA	-1.11	-1.31	NA
ENSG000000263929	NA	NA	-1.29	-1.33	NA
ENSG000000250612			-2.06	-1.43	NA
ENSG000000259411	HNRNPA1P45	heterogeneous nuclear ribonucleoprotein A1 pseudogene 45 [Source:HGNC Symbol;Acc:HGNC:48775]	-1.33	-1.52	NA
ENSG000000238754		Small nucleolar RNA U109 [Source:RFAM;Acc:RF01233]	NA	-1.55	NA
ENSG000000252497	RPPH1-2P	ribonuclease P RNA component H1, 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:47029]	-1.54	-1.56	NA
ENSG000000268995	VN1R82P	vomeronasal 1 receptor 82 pseudogene [Source:HGNC Symbol;Acc:HGNC:37402]	-1.12	-1.58	NA
ENSG000000235938	NA	NA	NA	-2.41	1.78
ENSG000000268230			NA	-1.39	1.52
ENSG000000270457			NA	-1.94	1.40
ENSG000000203426	NA	NA	NA	-1.52	1.30
ENSG000000236876	TMSB4XP1	thymosin beta 4, X-linked pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:11883]	NA	NA	1.24
ENSG000000109854	HTATIP2	HIV-1 Tat interactive protein 2, 30kDa [Source:HGNC Symbol;Acc:HGNC:16637]	1.04	NA	1.22
ENSG000000239617		Y RNA [Source:RFAM;Acc:RF00019]	NA	NA	1.22
ENSG000000200702		Y RNA [Source:RFAM;Acc:RF00019]	NA	-1.27	1.22

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000221096	NA	NA	NA	-1.71	1.14
ENSG000000271361	HTATSF1P2	HIV-1 Tat specific factor 1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:38586]	1.01	NA	1.11
ENSG000000263740	RN7SL4P	RNA, 7SL, cytoplasmic 4, pseudogene [Source:HGNC Symbol;Acc:HGNC:10039]	NA	NA	1.10
ENSG000000198829	SUCNR1	succinate receptor 1 [Source:HGNC Symbol;Acc:HGNC:4542]	NA	NA	1.09
ENSG000000248898	LDHAP3	lactate dehydrogenase A pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:65381]	-1.35	NA	-1.08
ENSG000000164237	CMBL	carboxymethylenebutenolide homolog (Pseudomonas) [Source:HGNC Symbol;Acc:HGNC:25090]	-1.17	NA	-1.02
ENSG000000159231	CBR3	carbonyl reductase 3 [Source:HGNC Symbol;Acc:HGNC:1549]	NA	1.16	-1.06
ENSG000000162817	C1orf115	chromosome 1 open reading frame 115 [Source:HGNC Symbol;Acc:HGNC:25873]	-1.02	NA	-1.07
ENSG000000213401	MAGEA12	melanoma antigen family A, 12 [Source:HGNC Symbol;Acc:HGNC:67991]	-1.18	NA	-1.07
ENSG000000266596	NA	NA	NA	NA	-1.07
ENSG000000263542			-1.13	NA	-1.08
ENSG000000165841	CYP2C19	cytochrome P450, family 2, subfamily C, polypeptide 19 [Source:HGNC Symbol;Acc:HGNC:2621]	-1.13	NA	-1.09
ENSG000000164124	TMEM144	transmembrane protein 144 [Source:HGNC Symbol;Acc:HGNC:25633]	-1.36	NA	-1.10
ENSG000000230528	NOS2P3	nitric oxide synthase 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:35124]	-1.51	NA	-1.10
ENSG000000252164	RNA55SP282	RNA, 5S ribosomal pseudogene 282 [Source:HGNC Symbol;Acc:HGNC:43182]	-1.38	NA	-1.10
ENSG000000227274			-1.10	NA	-1.10
ENSG000000225216			-1.25	NA	-1.11
ENSG000000257519			-1.09	NA	-1.11

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000253008	MIR2355	microRNA 2355 [Source:HGNC Symbol;Acc:HGNC:38328]	-1.15	NA	-1.12
ENSG00000136457	CHAD	chondroadherin [Source:HGNC Symbol;Acc:HGNC:1909]	NA	NA	-1.12
ENSG000000227438		Small nucleolar RNA U3 [Source:RFAM;Acc:RF00012]	-1.13	NA	-1.13
ENSG000000200492		Small nucleolar RNA U3 [Source:RFAM;Acc:RF00012]	-1.17	NA	-1.13
ENSG000000239072	NA	NA	-1.19	NA	-1.14
ENSG000000222036	POTE	POTE ankyrin domain family, member G [Source:HGNC Symbol;Acc:HGNC:33896]	-1.22	NA	-1.14
ENSG000000254683	SNRPCP6	small nuclear ribonucleoprotein polypeptide C pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:49821]	-1.06	NA	-1.15
ENSG000000266667		epithelial cell adhesion molecule [Source:HGNC Symbol;Acc:HGNC:11529]	-1.47	NA	-1.15
ENSG00000019888	EPCAM	RNA, 7SK small nuclear pseudogene 157 [Source:HGNC Symbol;Acc:HGNC:45881]	-1.01	NA	-1.15
ENSG000000251983	RN7SKP157	intelectin 1 (galactofuranose binding) [Source:HGNC Symbol;Acc:HGNC:18259]	-1.27	NA	-1.16
ENSG000000179914	ITLN1	lipoma HMGC fusion partner-like 5 [Source:HGNC Symbol;Acc:HGNC:21253]	-1.01	NA	-1.16
ENSG000000197753	LHFPL5	NA	-1.30	NA	-1.16
ENSG000000259588		NA	NA	NA	-1.16
ENSG000000181227		olfactory receptor, family 4, subfamily D, member 1 [Source:HGNC Symbol;Acc:HGNC:8293]	-1.37	NA	-1.16
ENSG000000141194	OR4D1	NA	-1.52	NA	-1.17
ENSG000000251354		NA	-1.40	NA	-1.17
ENSG000000267513		NA	-1.38	NA	-1.17
ENSG000000227790		NA	-1.22	NA	-1.17
ENSG000000232491		NA	NA	NA	-1.18
ENSG000000171794	UTF1	undifferentiated embryonic cell transcription factor 1 [Source:HGNC Symbol;Acc:HGNC:12634]	-1.28	NA	-1.18

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000263774		germ cell associated 2 (haspin) [Source:HGNC Symbol;Acc:HGNC:19682]	-1.04	NA	-1.18
ENSG00000177602	GSG2	germ cell associated 2 (haspin) [Source:HGNC Symbol;Acc:HGNC:19682]	NA	NA	-1.19
ENSG00000232120		chromosome 10 open reading frame 107 [Source:HGNC Symbol;Acc:HGNC:28678]	-1.24	NA	-1.19
ENSG00000264235		chromosome 10 open reading frame 107 [Source:HGNC Symbol;Acc:HGNC:28678]	-1.27	NA	-1.19
ENSG00000183346	C10orf107	chromosome 10 open reading frame 107 [Source:HGNC Symbol;Acc:HGNC:28678]	-1.25	NA	-1.19
ENSG00000265946		klotho [Source:HGNC Symbol;Acc:HGNC:6344]	-1.01	NA	-1.20
ENSG00000133116	KL	klotho [Source:HGNC Symbol;Acc:HGNC:6344]	-1.25	NA	-1.20
ENSG00000200783	RN7SKP180	RNA, 7SK small nuclear pseudogene 180 [Source:HGNC Symbol;Acc:HGNC:45904]	-1.25	NA	-1.20
ENSG00000227011	C17orf112	chromosome 17 open reading frame 112 [Source:HGNC Symbol;Acc:HGNC:42963]	-1.54	NA	-1.21
ENSG00000237621	OR9A1P	olfactory receptor, family 9, subfamily A, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:8486]	-1.05	NA	-1.21
ENSG00000259761		hemoglobin, gamma G [Source:HGNC Symbol;Acc:HGNC:4832]	-1.23	NA	-1.21
ENSG00000196565	HBG2	hemoglobin, gamma G [Source:HGNC Symbol;Acc:HGNC:4832]	-1.40	NA	-1.21
ENSG00000236852		chromosome 1 open reading frame 100 [Source:HGNC Symbol;Acc:HGNC:30435]	NA	NA	-1.21
ENSG00000173728	C1orf100	chromosome 1 open reading frame 100 [Source:HGNC Symbol;Acc:HGNC:30435]	NA	NA	-1.21
ENSG00000238617	NA	long intergenic non-protein coding RNA 587 [Source:HGNC Symbol;Acc:HGNC:31372]	-1.07	NA	-1.22
ENSG00000255031		long intergenic non-protein coding RNA 587 [Source:HGNC Symbol;Acc:HGNC:31372]	-1.23	NA	-1.22
ENSG00000204250	LINC00587	long intergenic non-protein coding RNA 587 [Source:HGNC Symbol;Acc:HGNC:31372]	-1.69	NA	-1.22
ENSG00000259047		long intergenic non-protein coding RNA 587 [Source:HGNC Symbol;Acc:HGNC:31372]	-1.27	NA	-1.22
ENSG00000266941		NA	NA	NA	-1.22
ENSG00000258273		NA	-1.17	NA	-1.23
ENSG00000087494	PTHLH	parathyroid hormone-like hormone [Source:HGNC Symbol;Acc:HGNC:9607]	-1.30	NA	-1.23

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000252343	RNU2-34P	RNA, U2 small nuclear 34, pseudogene [Source:HGNC Symbol;Acc:HGNC:48527]	-1.16	NA	-1.23
ENSG000000272626			-1.14	NA	-1.24
ENSG000000258828	KRT8P2	keratin 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:20282]	-1.38	NA	-1.24
ENSG000000224618			-1.54	NA	-1.24
ENSG000000234713			-1.39	NA	-1.24
ENSG000000237356			-1.09	NA	-1.24
ENSG000000250770			-1.07	NA	-1.25
ENSG000000238858	NA	NA	NA	NA	-1.25
ENSG000000234683			-1.39	NA	-1.25
ENSG000000271415			-1.19	NA	-1.25
ENSG000000239073	NA	NA	-1.43	NA	-1.25
ENSG000000248891			NA	NA	-1.26
ENSG000000251062			-1.33	NA	-1.26
ENSG000000223783			-1.33	NA	-1.27
ENSG000000259604			NA	NA	-1.27
ENSG000000226659			-1.43	NA	-1.27
ENSG000000235147			NA	NA	-1.28
ENSG000000264296			NA	NA	-1.29
ENSG000000223026	RN7SKP247	RNA, 7SK small nuclear pseudogene 247 [Source:HGNC Symbol;Acc:HGNC:45971] ubiquitin A-52 residue ribosomal protein fusion product 1 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:36615]	-1.22	NA	-1.29
ENSG000000241656	UBA52P7		-1.12	NA	-1.29
ENSG000000257777			NA	NA	-1.30
ENSG000000221083		Small nucleolar RNA SNORA77 [Source:RFAM;Acc:RF00599]	-2.14	NA	-1.30
ENSG000000269069			-1.21	NA	-1.30
ENSG000000241954			NA	NA	-1.30

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG00000163793	DNAJC5G	Dnaj (Hsp40) homolog, subfamily C, member 5 gamma [Source:HGNC Symbol;Acc:HGNC:24844]	-1.39	NA	-1.32
ENSG00000264910	RN7SL525P	RNA, 7SL, cytoplasmic 525, pseudogene [Source:HGNC Symbol;Acc:HGNC:46541]	-1.21	NA	-1.32
ENSG00000211538	MIR501	microRNA 501 [Source:HGNC Symbol;Acc:HGNC:32135]	NA	NA	-1.32
ENSG00000256257	CACNA1C-IT2	CACNA1C intronic transcript 2 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41313]	NA	NA	-1.32
ENSG00000253784		abhydrolase domain containing 17A pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:34044]	-1.33	NA	-1.32
ENSG00000226981	ABHD17AP6	piwi-like RNA-mediated gene silencing 4 [Source:HGNC Symbol;Acc:HGNC:18444]	-1.10	NA	-1.33
ENSG00000134627	PIWIL4	sedoheptulokinase [Source:HGNC Symbol;Acc:HGNC:1492]	-1.10	NA	-1.33
ENSG00000197417	SHPK	keratin 18 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:6431]	-1.15	NA	-1.33
ENSG00000257004		cytochrome c, somatic pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:24402]	-1.25	NA	-1.34
ENSG00000215089	KRT18P11	NA	-1.07	NA	-1.34
ENSG00000255003	CYCSP28	CD80 molecule [Source:HGNC Symbol;Acc:HGNC:1700]	-1.39	NA	-1.35
ENSG00000167230	NA	CD80 molecule [Source:HGNC Symbol;Acc:HGNC:1700]	-1.29	NA	-1.35
ENSG00000234113		oligosaccharyltransferase complex subunit	-1.25	NA	-1.36
ENSG00000121594	CD80	pseudogene 8 [Source:HGNC Symbol;Acc:HGNC:42869]	-1.73	NA	-1.36
ENSG00000228648		vomeronasal 2 receptor 17 pseudogene [Source:HGNC Symbol;Acc:HGNC:33223]	-1.31	NA	-1.36
ENSG00000226801	OSTCP8		1.40		
ENSG00000213014	VN2R17P				

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000227970	NIRH5P	nuclear receptor subfamily 1, group H, member 5, pseudogene [Source:HGNC; Symbol;Acc:HGNC:32673]	-1.21	NA	-1.37
ENSG000000230495			-1.40	NA	-1.37
ENSG000000235154			-1.36	NA	-1.37
ENSG000000253603			-1.68	NA	-1.37
ENSG000000177685	CRACR2B	calcium release activated channel regulator 2B [Source:HGNC Symbol;Acc:HGNC:28703]	NA	1.24	-1.38
ENSG000000243136	RN7SL22P	RNA, 7SL, cytoplasmic 22, pseudogene [Source:HGNC Symbol;Acc:HGNC:46038]	-1.62	NA	-1.39
ENSG000000264439			-1.17	NA	-1.39
ENSG000000240808			-1.59	NA	-1.39
ENSG000000263435			-1.35	NA	-1.39
ENSG000000243290	IGKV1-12	immunoglobulin kappa variable 1-12 [Source:HGNC Symbol;Acc:HGNC:5730]	-1.03	NA	-1.39
ENSG000000258845			-1.26	NA	-1.41
ENSG000000260282	EIF4EBP2P2	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:49317]	-1.22	NA	-1.42
ENSG000000252904		Small nucleolar RNA SNORA76 [Source:RFAM;Acc:RF00598]	-1.48	NA	-1.42
ENSG000000266187	RN7SL480P	RNA, 7SL, cytoplasmic 480, pseudogene [Source:HGNC Symbol;Acc:HGNC:46496]	NA	NA	-1.42
ENSG000000258790	KIAA0391	KIAA0391 [Source:HGNC Symbol;Acc:HGNC:19958]	-1.27	NA	-1.44
ENSG000000258642			NA	NA	-1.45
ENSG000000127588	GNG13	guanine nucleotide binding protein (G protein), gamma 13 [Source:HGNC Symbol;Acc:HGNC:14131]	NA	1.36	-1.45
ENSG000000213048	OR5S1P	olfactory receptor, family 5, subfamily S, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15040]	-1.12	NA	-1.46
ENSG000000225112			NA	1.14	-1.47

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000266399			-1.13	NA	-1.48
ENSG00000184108	TRIML1	tripartite motif family-like 1 [Source:HGNC Symbol;Acc:HGNC:26698]	-1.24	NA	-1.49
ENSG00000254070			-1.40	NA	-1.50
ENSG00000250360			-1.09	NA	-1.50
ENSG00000147183	CPXCR1	CPX chromosome region, candidate 1 [Source:HGNC Symbol;Acc:HGNC:23332]	-1.37	NA	-1.51
ENSG00000234724	HDAC1P1	histone deacetylase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45190]	-1.29	NA	-1.52
ENSG00000257915	GLULP5	glutamate-ammonia ligase (glutamine synthetase) pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:37989]	-1.12	NA	-1.52
ENSG00000254273			-1.11	NA	-1.55
ENSG00000230867			-1.31	NA	-1.55
ENSG00000188060	RAB42	RAB42, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:28702]	-1.31	NA	-1.56
ENSG00000200753		Small nucleolar RNA SNORD56 [Source:RFAM;Acc:RF00275]	-1.16	NA	-1.57
ENSG00000230022	FNTAP2	farnesytransferase, CAAX box, alpha pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:3784]	-1.29	NA	-1.57
ENSG00000259802			NA	1.12	-1.57
ENSG00000227676	LINC01068	long intergenic non-protein coding RNA 1068 [Source:HGNC Symbol;Acc:HGNC:49106]	-1.33	NA	-1.59
ENSG00000252180	NA	NA	-1.43	NA	-1.59
ENSG00000229485	KSR1P1	kinase suppressor of ras 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44977]	NA	1.16	-1.61
ENSG00000233643			-1.06	NA	-1.61
ENSG00000268357	VN1R81P	vomeronasal 1 receptor 81 pseudogene [Source:HGNC Symbol;Acc:HGNC:37401]	-1.44	NA	-1.61
ENSG00000270496	BNIP3P7	BCL2/adenovirus E1B 19kDa interacting protein 3 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:49101]	-1.68	NA	-1.63

Ensembl_ID	hgnc_symbol	description	high_freq_hits_vs_Baseline.x	high_freq_hits_vs_Low_freq_hits.x	low_freq_hits_vs_Baseline.x
ENSG000000206637		Small nucleolar RNA SNORA70 [Source:RFAM;Acc:RF00156]	-1.26	NA	-1.64
ENSG00000198787	OR4D12P	olfactory receptor, family 4, subfamily D, member 12 pseudogene [Source:HGNC Symbol;Acc:HGNC:19587]	-1.48	NA	-1.66
ENSG000000234619	RPL7P11	ribosomal protein L7 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:35667]	-1.09	NA	-1.70
ENSG000000230515			-1.29	NA	-1.71
ENSG000000250347			-1.20	NA	-1.71
ENSG000000228513			-1.34	NA	-1.72
ENSG000000207712	MIR627	microRNA 627 [Source:HGNC Symbol;Acc:HGNC:32883]	-1.10	NA	-1.74
ENSG000000270377			-1.20	NA	-1.85
ENSG000000249429			-1.79	NA	-1.96

Table 28. Some biomarkers that are differentially expressed in plasma based on the level of head impact.

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Min_hitsp.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000225181			NA	NA	-1.88	
ENSG000000264386	MIR4513	microRNA_4513 [Source:HGNC Symbol;Acc:HGNC:41855]	NA	NA	-1.47	1.49
ENSG000000252670	NA	NA	NA	NA	1.34	
ENSG000000235186			NA	NA	-1.33	
ENSG000000270680			NA	NA	-1.37	
ENSG000000201271	RNU1-112P	RNA, U1 small nuclear 112, pseudogene [Source:HGNC Symbol;Acc:HGNC:48454]	NA	NA	-1.39	
ENSG000000238763	NA	NA	NA	NA	NA	-1.41
ENSG000000230645			NA	NA	-1.50	
ENSG000000261665	TUBA8P2	tubulin, alpha 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44569]	NA	NA	-1.62	
ENSG000000265408			NA	NA	-1.64	
ENSG000000182393	IFNL1	interferon, lambda 1 [Source:HGNC Symbol;Acc:HGNC:18363]	NA	NA	1.85	-1.87
ENSG000000237973	MIR6723	microRNA_6723 [Source:HGNC Symbol;Acc:HGNC:50152]	NA	NA	1.49	NA
ENSG000000221096	NA	NA	NA	NA	-1.48	NA
ENSG000000259145	NA	NA	NA	NA	-1.62	NA
ENSG000000268995	VN1R82P	vomeronasal 1 receptor 82 pseudogene [Source:HGNC Symbol;Acc:HGNC:37402]	NA	NA	-1.80	NA
ENSG000000238754		Small nucleolar RNA_U109 [Source:RFAM;Acc:RF01233]	NA	NA	-1.88	NA
ENSG000000203426	NA	NA	NA	NA	-1.70	1.64
ENSG000000239617			NA	NA	-1.76	1.57
ENSG000000200702		Y RNA [Source:RFAM;Acc:RF00019]	NA	NA	-1.42	1.54
ENSG000000109854	HTATIP2	HIV-1 Tat interactive protein 2, 30kDa [Source:HGNC Symbol;Acc:HGNC:16637]	NA	NA	NA	1.45
ENSG000000248898			NA	NA	-1.80	1.34
ENSG000000198829	SUCNR1	succinate receptor 1 [Source:HGNC Symbol;Acc:HGNC:4542]	NA	NA	NA	1.25

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000269028	MTRNR2L12	MT-RNR2-like 12 [Source:HGNC Symbol;Acc:HGNC:37169]	NA	-1.83	1.12
ENSG000000259588		hemoglobin, gamma G [Source:HGNC Symbol;Acc:HGNC:4832]	NA	NA	-1.28
ENSG000000196565	HBG2	guanine nucleotide binding protein (G protein), gamma 13 [Source:HGNC Symbol;Acc:HGNC:14131]	NA	NA	-1.30
ENSG000000127588	GNG13	keratin 18 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:6431]	NA	2.00	-1.33
ENSG000000215089	KRT18P11	calcium release activated channel regulator 2B [Source:HGNC Symbol;Acc:HGNC:28703]	NA	NA	-1.33
ENSG000000177685	CRACR2B	carbonyl reductase 3 [Source:HGNC Symbol;Acc:HGNC:1549]	NA	1.94	-1.36
ENSG000000159231	CBR3	heat shock 70kDa protein 1A [Source:HGNC Symbol;Acc:HGNC:5232]	NA	1.38	-1.38
ENSG000000181227		CPY chromosome region, candidate 1 [Source:HGNC Symbol;Acc:HGNC:2332]	NA	NA	-1.42
ENSG000000204389	HSPA1A	MHC class I polypeptide-related sequence F (pseudogene) [Source:HGNC Symbol;Acc:HGNC:16801]	NA	1.35	-1.43
ENSG000000147183	CPXCR1	RNA, U2 small nuclear 34, pseudogene [Source:HGNC Symbol;Acc:HGNC:48527]	NA	NA	-1.44
ENSG000000233265	MICF	kinase suppressor of ras 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44977]	NA	1.95	-1.44
ENSG000000236852		dermatin actin binding protein [Source:HGNC Symbol;Acc:HGNC:3382]	NA	NA	-1.45
ENSG000000252343	RNU2-34P	microRNA 3143 [Source:HGNC Symbol;Acc:HGNC:38284]	NA	NA	-1.47
ENSG000000229485	KSR1P1	NA	2.02	-1.52	
ENSG000000259802		NA	NA	-1.59	
ENSG000000264235		NA	NA	-1.74	
ENSG000000158856	DMTN	NA	NA	NA	
ENSG000000265565	MIR3143	NA	NA	NA	
ENSG000000272468		NA	NA	NA	

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG00000100345	MYH9	myosin, heavy chain 9, non-muscle [Source:HGNC Symbol;Acc:HGNC:7579]	1.85	1.41	NA
ENSG00000268230			1.82	1.24	NA
ENSG00000242716	NA	NA	1.82	2.01	NA
ENSG00000175602	CCDC85B	coiled-coil domain containing 85B [Source:HGNC Symbol;Acc:HGNC:24926]	1.81	1.30	NA
ENSG00000223554			1.78	2.21	NA
ENSG00000235938	NA	NA	1.66	NA	1.47
ENSG00000133136	GNG5P2	guanine nucleotide binding protein (G protein), gamma 5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:24826]	1.63	1.64	NA
ENSG00000227159	DDX11L16	DEAD/H (Asp-Glu-Ala-Asp/His) box helicase 11 like 16 [Source:HGNC Symbol;Acc:HGNC:37115]	1.62	NA	1.20
ENSG00000168067	MAP4K2	mitogen-activated protein kinase kinase kinase 2 [Source:HGNC Symbol;Acc:HGNC:6864]	1.62	1.03	NA
ENSG00000270457			1.40	NA	NA
ENSG00000215030	RPL13P12	ribosomal protein L13 pseudogene 12 [Source:HGNC Symbol;Acc:HGNC:35701]	1.39	2.18	NA
ENSG00000176043			1.38	NA	1.44
ENSG00000141179	PCTP	phosphatidylcholine transfer protein [Source:HGNC Symbol;Acc:HGNC:8752]	1.36	1.22	NA
ENSG00000263740	RN7SL4P	RNA, 7SL, cytoplasmic 4, pseudogene [Source:HGNC Symbol;Acc:HGNC:10039]	1.34	NA	1.12
ENSG00000148848	ADAM12	ADAM metallopeptidase domain 12 [Source:HGNC Symbol;Acc:HGNC:190]	1.30	1.17	NA
ENSG00000271361	HTATSF1P2	HIV-1 Tat specific factor 1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:38586]	1.24	NA	1.42
ENSG00000229344			1.23	1.27	NA
ENSG00000234975	FTH1P2	ferritin, heavy polypeptide 1 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:3989]	1.16	1.28	NA
ENSG00000236876	TMSB4XP1	thymosin beta 4, X-linked pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:11883]	1.16	NA	NA
ENSG00000166086	JAM3	junctional adhesion molecule 3 [Source:HGNC Symbol;Acc:HGNC:15532]	1.07	NA	NA

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000162817	C1orf115	chromosome 1 open reading frame 115 [Source:HGNC Symbol;Acc:HGNC:25873]	-1.04	NA	-1.13
ENSG000000164237	CMBL	carboxymethylenebutenolidase homolog (Pseudomonas) [Source:HGNC Symbol;Acc:HGNC:25090]	-1.06	NA	NA
ENSG000000172476	RAB40A	RAB40A, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:18283]	-1.10	-1.23	NA
ENSG000000260198			-1.22	NA	-1.18
ENSG000000237256	PGAM3P	phosphoglycerate mutase 3, pseudogene [Source:HGNC Symbol;Acc:HGNC:16557]	-1.23	NA	-1.87
ENSG000000198888	EPCAM	epithelial cell adhesion molecule [Source:HGNC Symbol;Acc:HGNC:11529]	-1.26	NA	NA
ENSG000000230589	IMP3P1	IMP3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49385]	-1.26	NA	NA
ENSG000000230022	FNTAP2	farnesyltransferase, CAAAX box, alpha pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:3784]	-1.27	NA	-1.70
ENSG000000227438			-1.28	NA	-1.25
ENSG000000227790			-1.29	NA	-1.31
ENSG000000237356			-1.29	NA	-1.23
ENSG000000204250	LINC00587	long intergenic non-protein coding RNA 587 [Source:HGNC Symbol;Acc:HGNC:31372]	-1.29	NA	-1.39
ENSG000000270683	FAM71BP1	family with sequence similarity 71, member B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49805]	-1.29	-1.66	NA
ENSG000000200783	RN7SKP180	RNA, 7SK small nuclear pseudogene 180 [Source:HGNC Symbol;Acc:HGNC:45904]	-1.30	NA	-1.28
ENSG000000165841	CYP2C19	cytochrome P450, family 2, subfamily C, polypeptide 19 [Source:HGNC Symbol;Acc:HGNC:2621]	-1.33	NA	-1.28
ENSG000000263542			-1.34	NA	-1.30
ENSG000000256972			-1.34	NA	NA
ENSG000000250347			-1.34	NA	-1.83
ENSG000000263929	NA	NA	-1.35	-1.65	NA
ENSG000000269069			-1.35	NA	-1.40

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000261340			-1.35	NA	NA
ENSG00000197568	HHLA3	HERV-H LTR-associating 3 [Source:HGNC Symbol;Acc:HGNC:4906]	-1.36	NA	-1.23
ENSG00000227011	C17orf112	chromosome 17 open reading frame 112 [Source:HGNC Symbol;Acc:HGNC:42963]	-1.36	NA	-1.33
ENSG00000198787	OR4D12P	olfactory receptor, family 4, subfamily D, member 12 pseudogene [Source:HGNC Symbol;Acc:HGNC:19587]	-1.36	NA	-1.69
ENSG00000258088			-1.36	NA	-1.22
ENSG00000229775			-1.36	NA	-1.59
ENSG00000258790	KIAA0391	KIAA0391 [Source:HGNC Symbol;Acc:HGNC:19958]	-1.36	NA	-1.36
ENSG00000223783			-1.36	NA	-1.18
ENSG00000224924	LINC00320	long intergenic non-protein coding RNA 320 [Source:HGNC Symbol;Acc:HGNC:19690]	-1.36	NA	NA
ENSG00000159186			-1.37	NA	NA
ENSG00000188060	RAB42	RAB42, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:28702]	-1.37	NA	-1.49
ENSG00000257723	CHCHD3P2	coiled-coil-helix-coiled-coil-helix domain containing 3 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44698]	-1.38	-1.42	NA
ENSG00000241656	UBA52P7	ubiquitin A-52 residue ribosomal protein fusion product 1 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:36615]	-1.39	NA	-1.35
ENSG00000253008	MIR2355	microRNA 2355 [Source:HGNC Symbol;Acc:HGNC:38328]	-1.39	NA	-1.36
ENSG00000224618			-1.40	NA	NA
ENSG00000266399			-1.40	NA	-1.75
ENSG00000167230	NA	NA	-1.40	NA	-1.31
ENSG00000200492		Small nucleolar RNA U3 [Source:RFAM;Acc:RF00012]	-1.40	NA	-1.37
ENSG00000239072	NA	NA	-1.41	NA	-1.37
ENSG00000222524	RN7SKP109	RNA, 7SK small nuclear pseudogene 109 [Source:HGNC Symbol;Acc:HGNC:45833]	-1.41	NA	NA

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000226659			-1.41	NA	NA
ENSG000000249465	RBMXP4	RNA binding motif protein, X-linked pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:34028]	-1.41	NA	NA
ENSG000000238460			-1.42	-1.67	NA
ENSG000000255003	CYCSBP28	cytochrome c, somatic pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:24402]	-1.42	NA	-1.65
ENSG000000255031			-1.42	NA	-1.45
ENSG000000264439			-1.43	NA	-1.63
ENSG000000213014	VN2R17P	vomeronasal 2 receptor 17 pseudogene [Source:HGNC Symbol;Acc:HGNC:33223]	-1.44	NA	-1.34
ENSG000000172769	OR5B3	olfactory receptor, family 5, subfamily B, member 3 [Source:HGNC Symbol;Acc:HGNC:8324]	-1.44	NA	NA
ENSG000000225216			-1.44	NA	NA
ENSG000000235147			-1.44	NA	-1.90
ENSG000000270798			-1.45	-1.43	NA
ENSG000000233545	CYCSBP33	cytochrome c, somatic pseudogene 33 [Source:HGNC Symbol;Acc:HGNC:24407]	-1.45	NA	NA
ENSG000000248891			-1.45	NA	-1.70
ENSG000000203691	NA	NA	-1.45	NA	NA
ENSG000000225906			-1.45	NA	NA
ENSG000000184674	NA	NA	-1.47	-1.79	NA
ENSG000000168992	OR7E102P	olfactory receptor, family 7, subfamily E, member 102 pseudogene [Source:HGNC Symbol;Acc:HGNC:15043] family with sequence similarity 228, member A [Source:HGNC Symbol;Acc:HGNC:34418]	-1.47	NA	-2.00
ENSG000000186453	FAM228A		-1.47	NA	-1.29
ENSG000000226981	ABHD17AP6	abhydrolase domain containing 17A pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:34044]	-1.47	NA	-1.45
ENSG000000183346	C10orf107	chromosome 10 open reading frame 107 [Source:HGNC Symbol;Acc:HGNC:28678]	-1.47	NA	NA
ENSG000000227274			-1.47	NA	NA
ENSG000000212338		Small nucleolar RNA SNORA67 [Source:RFAM;Acc:RF00272]	-1.47	NA	-1.42

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000255408	PCDHA3	protocadherin alpha 3 [Source:HGNC Symbol;Acc:HGNC:8669]	-1.48	NA	-1.44
ENSG00000219368	ZNF299P	zinc finger protein 299, pseudogene [Source:HGNC Symbol;Acc:HGNC:13088]	-1.48	NA	NA
ENSG000000253849			-1.48	NA	NA
ENSG000000234713			-1.48	NA	-1.41
ENSG000000263253			-1.48	NA	NA
ENSG000000213401	MAGEA12	melanoma antigen family A, 12 [Source:HGNC Symbol;Acc:HGNC:6799]	-1.48	NA	NA
ENSG000000266603	NA	NA	-1.48	-1.95	NA
ENSG000000223026	RN7SKP247	RNA, 7SK small nuclear pseudogene 247 [Source:HGNC Symbol;Acc:HGNC:45971]	-1.49	NA	-1.39
ENSG000000251062	S100P	S100 calcium binding protein P [Source:HGNC Symbol;Acc:HGNC:10504]	-1.49	NA	-1.75
ENSG00000163993	STK24-AS1	STK24 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:39935]	-1.49	NA	-1.45
ENSG000000224418			-1.50	NA	NA
ENSG000000213144	ITLN1	intelectin 1 (galactofuranose binding) [Source:HGNC Symbol;Acc:HGNC:18259]	-1.50	NA	-1.26
ENSG000000179914	OR9A1P	olfactory receptor, family 9, subfamily A, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:8486]	-1.50	NA	-1.46
ENSG000000259047			-1.51	NA	-1.25
ENSG000000237621			-1.51	NA	-1.68
ENSG000000241954			-1.51	-1.32	NA
ENSG000000231682			-1.52	NA	-1.72
ENSG000000254070			-1.52	NA	-1.49
ENSG000000258273	RN7SKP46	RNA, 7SK small nuclear pseudogene 46 [Source:HGNC Symbol;Acc:HGNC:45770]	-1.52	NA	-1.41
ENSG000000251751			-1.52	NA	-1.96
ENSG000000228513	ARHGAP26-AS1	ARHGAP26 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:40792]	-1.52	NA	-1.22
ENSG000000226272			NA	NA	

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000233643			-1.52	NA	-1.64
ENSG000000258828	KRT8P2	keratin 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:20282]	-1.53	NA	-1.35
ENSG000000234619	RPL7P11	ribosomal protein L7 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:35667]	-1.53	NA	-1.78
ENSG000000234683			-1.53	NA	NA
ENSG000000164124	TMEM144	transmembrane protein 144 [Source:HGNC Symbol;Acc:HGNC:25633]	-1.53	NA	-1.05
ENSG000000258642			-1.54	NA	-1.63
ENSG000000197753	LHFPL5	lipoma HMGIC fusion partner-like 5 [Source:HGNC Symbol;Acc:HGNC:21253]	-1.55	NA	NA
ENSG000000252672	NA	NA	-1.55	NA	-1.94
ENSG000000271415			-1.55	NA	-1.52
ENSG000000239791			-1.56	NA	NA
ENSG000000227970	NR1H5P	nuclear receptor subfamily 1, group H, member 5, pseudogene [Source:HGNC Symbol;Acc:HGNC:32673]	-1.56	NA	-1.33
ENSG000000206848	RNU6-890P	RNA, U6 small nuclear 890, pseudogene [Source:HGNC Symbol;Acc:HGNC:47853]	-1.56	NA	NA
ENSG00000177602	GSG2	germ cell associated 2 (haspin) [Source:HGNC Symbol;Acc:HGNC:19682]	-1.57	NA	-1.23
ENSG00000171794	UTF1	undifferentiated embryonic cell transcription factor 1 [Source:HGNC Symbol;Acc:HGNC:12634]	-1.58	NA	NA
ENSG000000226801	OSTTCP8	oligosaccharyltransferase complex subunit pseudogene 8 [Source:HGNC Symbol;Acc:HGNC:42869]	-1.58	NA	-1.87
ENSG000000172594	SMPDL3A	sphingomyelin phosphodiesterase, acid-like 3A [Source:HGNC Symbol;Acc:HGNC:17389]	-1.58	-1.31	NA
ENSG000000254845	NA	NA	-1.58	NA	NA
ENSG000000263493	NA	NA	-1.59	NA	NA
ENSG000000243824			-1.59	-1.64	NA
ENSG000000120586	NA	NA	-1.60	-1.55	NA
ENSG000000226104	NA	NA	-1.60	NA	NA

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000256257	CACNA1C-IT2	CACNA1C intronic transcript 2 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41313]	-1.60	NA	-1.46
ENSG000000237731	RNGTTP1	RNA guanylyltransferase and 5'-phosphatase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39652]	-1.60	NA	-1.69
ENSG000000225785			-1.60	-1.33	NA
ENSG000000173728	C1orf100	chromosome 1 open reading frame 100 [Source:HGNC Symbol;Acc:HGNC:30435]	-1.61	NA	-1.32
ENSG000000232650			-1.61	NA	-1.48
ENSG000000133116	KL	Klotho [Source:HGNC Symbol;Acc:HGNC:6344]	-1.61	NA	-1.14
ENSG000000134627	PIWI4	piwi-like RNA-mediated gene silencing 4 [Source:HGNC Symbol;Acc:HGNC:18444]	-1.61	NA	-1.27
ENSG000000257777			-1.62	NA	-1.32
ENSG000000263774			-1.62	NA	-1.58
ENSG000000234723			-1.63	-1.65	NA
ENSG000000232491			-1.63	NA	-1.59
ENSG000000235902			-1.64	NA	-1.73
ENSG000000232120			-1.64	NA	-1.37
ENSG000000186038	HTR3E	5-hydroxytryptamine (serotonin) receptor 3E, ionotropic [Source:HGNC Symbol;Acc:HGNC:24005]	-1.64	NA	-1.21
ENSG000000228648			-1.65	NA	-1.39
ENSG000000260282	EIF4EBP2P2	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:49317]	-1.65	NA	-1.52
ENSG000000252596	NA	NA	-1.66	NA	-1.62
ENSG000000270496	BNIIP3P7	BCL2/adenovirus E1B 19kDa interacting protein 3 pseudogene 7 [Source:HGNC Symbol;Acc:HGNC:49101]	-1.66	NA	-1.85
ENSG000000187689	AMTN	amelotin [Source:HGNC Symbol;Acc:HGNC:33188]	-1.67	NA	-1.26
ENSG000000225112			-1.68	NA	-1.76
ENSG000000254273			-1.68	NA	-1.76

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000266596	NA	NA	-1.69	NA	NA
ENSG000000232578			-1.69	NA	NA
ENSG000000200753		Small nucleolar RNA SNORD56 [Source:RFAIM;Acc:RF00275]	-1.69	NA	-1.74
ENSG000000239011	NA	NA	-1.69	NA	-1.64
ENSG000000258845			-1.70	NA	-1.64
ENSG000000238858	NA	NA	-1.70	NA	-1.67
ENSG000000252180	NA	NA	-1.70	NA	-1.86
ENSG000000267670			-1.71	NA	-1.80
ENSG000000212564	RNU6-1326P	RNA, U6 small nuclear 1326, pseudogene [Source:HGNC Symbol;Acc:HGNC:48289]	-1.71	NA	-1.88
ENSG000000211967	IGHV3-53	immunoglobulin heavy variable 3-53 [Source:HGNC Symbol;Acc:HGNC:5610]	-1.71	NA	-1.15
ENSG000000249429			-1.71	NA	-2.03
ENSG000000266187	RN7SL480P	RNA, 7SL, cytoplasmic 480, pseudogene [Source:HGNC Symbol;Acc:HGNC:46496]	-1.72	NA	-2.01
ENSG000000265946			-1.72	NA	NA
ENSG000000252904		Small nucleolar RNA SNORA76 [Source:RFAIM;Acc:RF00598]	-1.72	NA	-1.68
ENSG000000241757	RN7SL714P	RNA, 7SL, cytoplasmic 714, pseudogene [Source:HGNC Symbol;Acc:HGNC:46730]	-1.73	NA	NA
ENSG000000222036	POTEG	POTE ankyrin domain family, member G [Source:HGNC Symbol;Acc:HGNC:33896]	-1.73	NA	-1.08
ENSG000000230495			-1.73	NA	-1.32
ENSG000000257519			-1.73	NA	NA
ENSG000000221291			-1.74	NA	-1.70
ENSG000000223881			-1.74	-1.53	NA
ENSG000000251983	RN7SKP157	RNA, 7SK small nuclear pseudogene 157 [Source:HGNC Symbol;Acc:HGNC:45881]	-1.74	NA	NA
ENSG000000240545	RN7SL492P	RNA, 7SL, cytoplasmic 492, pseudogene [Source:HGNC Symbol;Acc:HGNC:46508]	-1.74	-1.56	NA
ENSG000000230867			-1.75	NA	-1.61

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000235154			-1.75	NA	-1.28
ENSG00000197417	SHPK	sedoheptulokinase [Source:HGNC Symbol;Acc:HGNC:1492]	-1.76	NA	-1.33
ENSG00000266941			-1.77	NA	-1.57
ENSG00000234113			-1.77	NA	-1.37
ENSG00000163793	DNAJC5G	DnaJ (Hsp40) homolog, subfamily C, member 5 gamma [Source:HGNC Symbol;Acc:HGNC:24844]	-1.79	NA	-1.26
ENSG00000240286	MEAF6P1	MYST/Esa1-associated factor 6 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:42660]	-1.79	NA	-2.10
ENSG00000207712	MIR627	microRNA 627 [Source:HGNC Symbol;Acc:HGNC:32883]	-1.80	NA	-2.13
ENSG00000121594	CD80	CD80 molecule [Source:HGNC Symbol;Acc:HGNC:1700]	-1.80	NA	-1.34
ENSG00000199470		Small nucleolar RNA SNORA64/SNORA10 family [Source:RFAM;Acc:RF00264]	-1.81	NA	-1.40
ENSG00000240808			-1.82	NA	-1.43
ENSG00000264469			-1.82	NA	NA
ENSG00000257915	GLULP5	glutamate-ammonia ligase (glutamine synthetase) pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:37989]	-1.82	NA	-1.65
ENSG00000270377			-1.83	NA	-2.22
ENSG00000227593			-1.84	NA	-1.31
ENSG00000220505	EIF4EBP2P3	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:49318]	-1.85	NA	NA
ENSG00000230515			-1.85	NA	-1.78
ENSG00000250770			-1.86	NA	-1.25
ENSG00000226939			-1.86	NA	-1.33
ENSG00000239073	NA	NA	-1.87	NA	-1.40
ENSG00000251354			-1.87	NA	NA
ENSG00000231957	GNAI2P2	guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:45110]	-1.89	-1.43	NA

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
ENSG000000141194	OR4D1	olfactory receptor, family 4, subfamily D, member 1 [Source:HGNC Symbol;Acc:HGNC:8293]	-1.90	NA	NA
ENSG000000250256			-1.90	NA	-1.60
ENSG000000259761			-1.91	NA	-1.28
ENSG000000257004			-1.93	NA	-1.65
ENSG000000259418			-1.94	NA	-1.44
ENSG000000266667			-1.95	NA	NA
ENSG000000264910	RN7SL525P	RNA, 7SL, cytoplasmic 525, pseudogene [Source:HGNC Symbol;Acc:HGNC:46541]	-1.95	NA	-1.62
ENSG000000252164	RNA5SP282	RNA, 5S ribosomal pseudogene 282 [Source:HGNC Symbol;Acc:HGNC:43182]	-1.96	NA	NA
ENSG000000239547	RN7SL843P	RNA, 7SL, cytoplasmic 843, pseudogene [Source:HGNC Symbol;Acc:HGNC:46859]	-1.96	NA	NA
ENSG000000211538	MIR501	microRNA 501 [Source:HGNC Symbol;Acc:HGNC:32135]	-1.99	NA	-1.58
ENSG000000231680			-1.99	NA	NA
ENSG000000250392			-2.00	NA	-1.35
ENSG000000087494	PTHLH	parathyroid hormone-like hormone [Source:HGNC Symbol;Acc:HGNC:9607]	-2.00	NA	-1.18
ENSG000000217557			-2.02	NA	-1.59
ENSG000000267513			-2.03	NA	NA
ENSG000000263435			-2.04	NA	-1.43
ENSG000000184108	TRIML1	tripartite motif family-like 1 [Source:HGNC Symbol;Acc:HGNC:26698]	-2.05	NA	-1.50
ENSG000000229338			-2.06	NA	-1.36
ENSG000000243290	IGKV1-12	immunoglobulin kappa variable 1-12 [Source:HGNC Symbol;Acc:HGNC:5730]	-2.07	NA	-1.37
ENSG000000272626			-2.07	NA	-1.36
ENSG000000253603			-2.08	NA	-1.40
ENSG000000249941			-2.11	NA	NA
ENSG000000243136	RN7SL22P	RNA, 7SL, cytoplasmic 22, pseudogene	-2.17	NA	-1.47

Ensembl_ID	hgnc_symbol	description	Max_hitsp_vs_Baseline.x	Max_hitsp_vs_Min_hitsp.x	Min_hitsp_vs_Baseline.x
		[Source:HGNC Symbol;Acc:HGNC:46038]			
ENSG00000206637		Small nucleolar RNA SNORA70 [Source:RFAM;Acc:RF00156]	-2.17	NA	-2.13
ENSG00000229031		vomeronasal 1 receptor 81 pseudogene [Source:HGNC Symbol;Acc:HGNC:37401]	-2.19	NA	-1.59
ENSG00000268357	VN1R81P	long intergenic non-protein coding RNA 1068 [Source:HGNC Symbol;Acc:HGNC:49106]	-2.20	NA	-1.89
ENSG00000227676	LINC01068	histone deacetylase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:45190]	-2.20	NA	-1.76
ENSG00000234724	HDAC1P1		-2.22	NA	-1.51
ENSG00000264296			-2.23	NA	-1.58
ENSG00000185296			-2.24	NA	-1.45
ENSG00000250612			-2.25	-1.79	NA
ENSG00000253784			-2.27	NA	-1.59
ENSG00000236090	LDHAP3	lactate dehydrogenase A pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:6538]	-2.29	-1.32	NA
ENSG00000244414	CFHR1	complement factor H-related 1 [Source:HGNC Symbol;Acc:HGNC:4888]	-2.50	-1.41	NA
ENSG00000253780	IGHVII-2-1	immunoglobulin heavy variable (III)-2-1 (pseudogene) [Source:HGNC Symbol;Acc:HGNC:5695]	-2.57	-1.47	NA
ENSG00000238617	NA	NA	-2.65	NA	-1.30
ENSG00000250360			-2.66	NA	-1.62
ENSG00000213048	OR5S1P	olfactory receptor, family 5, subfamily S, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15040]	-2.81	NA	-1.70

Table 29. Biomarkers that are differentially expressed in urine based on the number of head impact incidents

Ensembl_ID	hgnc_symbol	description	High_freq_hits_vs_Baseline.y	High_freq_hits_vs_Low_freq_hits.y	Low_freq_hits_vs_Baseline.y
ENSG000000210140	MT-TC	mitochondrially encoded tRNA cysteine [Source:HGNC Symbol;Acc:HGNC:7477]	NA	1.17	-1.16
ENSG000000229344			1.58	2.02	NA
ENSG000000225972	MTND1 P23	MT-ND1 pseudogene 23 [Source:HGNC Symbol;Acc:HGNC:42092]	1.06	1.22	NA
ENSG00000122585	NPY	neuropeptide Y [Source:HGNC Symbol;Acc:HGNC:7955]	NA	NA	1.07
ENSG00000198840	MT-ND3	mitochondrially encoded NADH dehydrogenase 3 [Source:HGNC Symbol;Acc:HGNC:7458]	NA	1.54	-1.01
ENSG000000210174	MT-TR	mitochondrially encoded tRNA arginine [Source:HGNC Symbol;Acc:HGNC:7496]	NA	1.67	-1.01
ENSG000000210191	MT-TL2	mitochondrially encoded tRNA leucine 2 (CUN) [Source:HGNC Symbol;Acc:HGNC:7491]	NA	1.36	-1.02
ENSG000000210156	MT-TK	mitochondrially encoded tRNA lysine [Source:HGNC Symbol;Acc:HGNC:7489]	NA	1.65	-1.02
ENSG000000210049	MT-TF	mitochondrially encoded tRNA phenylalanine [Source:HGNC Symbol;Acc:HGNC:7481]	NA	1.44	-1.08
ENSG000000210107	MT-TQ	mitochondrially encoded tRNA glutamine [Source:HGNC Symbol;Acc:HGNC:7495]	NA	1.31	-1.10
ENSG000000210196	MT-TP	mitochondrially encoded tRNA proline [Source:HGNC Symbol;Acc:HGNC:7494]	NA	1.43	-1.11
ENSG000000210100	MT-TI	mitochondrially encoded tRNA isoleucine [Source:HGNC Symbol;Acc:HGNC:7488]	NA	1.72	-1.21
ENSG000000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]	NA	1.63	NA

Ensembl_ID	hgnc_symbol	description	High_freq_hits_vs_Baseline.y	High_freq_hits_vs_Low_freq_hits.y	Low_freq_hits_vs_Baseline.y
ENSG000000209082	MT-TL1	mitochondrially encoded tRNA leucine 1 (UUA/G) [Source:HGNC Symbol;Acc:HGNC:7490]	NA	1.60	NA
ENSG000000210127	MT-TA	mitochondrially encoded tRNA alanine [Source:HGNC Symbol;Acc:HGNC:7475]	NA	1.55	NA
ENSG000000210195	MT-TT	mitochondrially encoded tRNA threonine [Source:HGNC Symbol;Acc:HGNC:7499]	NA	1.54	NA
ENSG000000210117	MT-TW	mitochondrially encoded tRNA tryptophan [Source:HGNC Symbol;Acc:HGNC:7501]	NA	1.54	NA
ENSG000000210077	MT-TV	mitochondrially encoded tRNA valine [Source:HGNC Symbol;Acc:HGNC:7500]	NA	1.41	NA
ENSG000000210176	MT-TH	mitochondrially encoded tRNA histidine [Source:HGNC Symbol;Acc:HGNC:7487]	NA	1.41	NA
ENSG000000198763	MT-ND2	mitochondrially encoded NADH dehydrogenase 2 [Source:HGNC Symbol;Acc:HGNC:7456]	NA	1.41	NA
ENSG000000198938	MT-CO3	mitochondrially encoded cytochrome c oxidase II [Source:HGNC Symbol;Acc:HGNC:7422]	NA	1.35	NA
ENSG000000198786	MT-ND5	mitochondrially encoded NADH dehydrogenase 5 [Source:HGNC Symbol;Acc:HGNC:7461]	NA	1.34	NA
ENSG000000225630	MTND2 P28	MT-ND2 pseudogene 28 [Source:HGNC Symbol;Acc:HGNC:42129]	NA	1.34	NA
ENSG000000198712	MT-CO2	mitochondrially encoded cytochrome c oxidase II [Source:HGNC Symbol;Acc:HGNC:7421]	NA	1.32	NA
ENSG000000198727	MT-CYB	mitochondrially encoded cytochrome b [Source:HGNC Symbol;Acc:HGNC:7427]	NA	1.31	NA
ENSG000000198888	MT-ND1	mitochondrially encoded NADH dehydrogenase 1 [Source:HGNC Symbol;Acc:HGNC:7455]	NA	1.25	NA

Ensembl_ID	hgnc_symbol	description	High_freq_hits_vs_Baseline.y	High_freq_hits_vs_Low_freq_hits.y	Low_freq_hits_vs_Baseline.y
ENSG000000198804	MT-CO1	mitochondrially encoded cytochrome c oxidase I [Source:HGNC Symbol;Acc:HGNC:7419]	NA	1.23	NA
ENSG000000198886	MT-ND4	mitochondrially encoded NADH dehydrogenase 4 [Source:HGNC Symbol;Acc:HGNC:7459]	NA	1.23	NA
ENSG000000198899	MT-ATP6	mitochondrially encoded ATP synthase 6 [Source:HGNC Symbol;Acc:HGNC:7414]	NA	1.22	NA
ENSG000000210184	MT-TS2	mitochondrially encoded tRNA serine 2 (AGUC) [Source:HGNC Symbol;Acc:HGNC:7498]	NA	1.15	NA
ENSG000000198695	MT-ND6	mitochondrially encoded NADH dehydrogenase 6 [Source:HGNC Symbol;Acc:HGNC:7462]	NA	1.12	NA
ENSG000000210144	MT-TY	mitochondrially encoded tRNA tyrosine [Source:HGNC Symbol;Acc:HGNC:7502]	NA	1.09	NA
ENSG000000228253	MT-ATP8	mitochondrially encoded ATP synthase 8 [Source:HGNC Symbol;Acc:HGNC:7415]	NA	1.05	NA
ENSG000000258696			NA	1.03	NA
ENSG000000175646	PRM1	protamine 1 [Source:HGNC Symbol;Acc:HGNC:9447]	NA	NA	1.01

Table 30. Biomarkers that are differentially expressed in urine based on the level of head impact

Ensembl_ID	hgnc_symbol	description	Min_hitsp_vs_Baseline.y
ENSG00000210140	MT-TC	mitochondrially encoded tRNA cysteine [Source:HGNC Symbol;Acc:HGNC:7477]	-1.00
ENSG00000122585	NPY	neuropeptide Y [Source:HGNC Symbol;Acc:HGNC:7955]	1.13

Table 31. Some biomarkers that are differentially expressed in plasma based on subjects' probability score for the risk of concussion

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X3_vs_1_x	X3_vs_2_x

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X1_vs_1_x	X2_vs_1_x	X3_vs_1_x	X3_vs_2_x
ENSG000000229344		Small nucleolar RNA SNORA67 [Source:RFAM;Acc:RF00272]	1.20	1.39	NA	NA	-1.25	-1.43	
ENSG000000212338		family with sequence similarity 228, member A [Source:HGNC Symbol;Acc:HGNC:34418]	-1.07	-1.09	NA	-1.15	NA	NA	NA
ENSG000000186453	FAM228_A		-1.13	NA	NA	NA	1.37	1.07	
ENSG000000239011	NA	NA	-1.02	-1.06	NA	NA	NA	NA	NA
ENSG000000229775			-1.10	-1.15	NA	NA	NA	NA	NA
ENSG000000252596	NA	NA	-1.36	-1.23	NA	NA	NA	NA	NA
ENSG000000237731	RNGTT_P1	RNA guanylyltransferase and 5'-phosphatase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39652]	-1.24	-1.48	NA	NA	NA	NA	NA
ENSG000000276683	FAM71_BP1	family with sequence similarity 71, member B pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49805]	NA	-1.07	NA	-1.02	NA	NA	NA
ENSG000000225181			-1.22	-1.07	NA	-1.07	NA	NA	NA
ENSG000000163993	S100P	S100 calcium binding protein P [Source:HGNC Symbol;Acc:HGNC:10504]	-1.26	NA	NA	-1.29	NA	NA	NA
ENSG000000237256	PGAM3_P	phosphoglycerate mutase 3, pseudogene [Source:HGNC Symbol;Acc:HGNC:16557]	-1.37	NA	NA	NA	1.13	NA	
ENSG000000227593			-1.20	NA	NA	NA	1.02	NA	
ENSG000000234723			NA	-1.16	NA	NA	1.02	1.80	
ENSG000000249072			1.30	1.27	NA	NA	-1.06	-1.03	
ENSG000000252670	NA	NA	1.01	1.25	NA	NA	NA	NA	
ENSG000000264386	MIR451_3	microRNA 4513 [Source:HGNC Symbol;Acc:HGNC:41855]	NA	1.07	NA	NA	NA	NA	
ENSG000000185296			NA	-1.01	NA	NA	NA	NA	
ENSG000000221291			NA	-1.04	NA	NA	NA	NA	
ENSG000000256972			-1.09	-1.10	NA	NA	NA	NA	
ENSG000000197568	HHLA3	HERV-H LTR-associating 3 [Source:HGNC Symbol;Acc:HGNC:4906]	NA	-1.12	NA	NA	NA	NA	
ENSG000000230645			-1.47	-1.16	NA	NA	NA	NA	
ENSG000000229031			NA	-1.18	NA	NA	NA	NA	

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X1_vs_1_x	X2_vs_1_x	X3_vs_1_x	X3_vs_2_x
ENSG000000232578			-1.18	-1.18	NA	NA	NA	NA	NA
ENSG000000231680			-1.25	-1.21	NA	NA	NA	NA	NA
ENSG000000226939			NA	-1.27	NA	NA	NA	NA	NA
ENSG000000258088			NA	-1.29	NA	NA	NA	NA	NA
ENSG000000250392			-1.26	-1.35	NA	NA	NA	NA	NA
ENSG000000215030	RPL13P12	ribosomal protein L13 pseudogene 12 [Source:HGNC Symbol;Acc:HGNC:35701]	NA						
ENSG000000220505	EIF4EBP2P3	eukaryotic translation initiation factor 4E binding protein 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:49318]	NA	-1.55	-1.06	NA	NA	NA	NA
ENSG000000158856	DMTN	dematin actin binding protein [Source:HGNC Symbol;Acc:HGNC:3382]	NA	NA	NA	NA	1.31	NA	NA
ENSG000000100345	MYH9	myosin, heavy chain 9, non-muscle [Source:HGNC Symbol;Acc:HGNC:7579]	NA	NA	NA	NA	1.08	NA	NA
ENSG000000242716	NA	NA	NA	NA	NA	NA	1.07	NA	NA
ENSG000000175602	CCDC85B	coiled-coil domain containing 85B [Source:HGNC Symbol;Acc:HGNC:24926]	NA	NA	NA	NA	1.03	NA	NA
ENSG000000225906			-1.01	NA	NA	-1.02	NA	NA	NA
ENSG000000201271	RNU1-112P	RNA, U1 small nuclear 112, pseudogene [Source:HGNC Symbol;Acc:HGNC:48454]	-1.14	-1.21	NA	-1.04	NA	NA	NA
ENSG000000265408	SMPDL3A	sphingomyelin phosphodiesterase, acid-like 3A [Source:HGNC Symbol;Acc:HGNC:17389]	-1.10	NA	NA	-1.05	NA	NA	NA
ENSG000000203691	NA	NA	-1.49	-1.37	NA	-1.13	NA	NA	NA
ENSG000000212564	RNU6-1326P	RNA, U6 small nuclear 1326, pseudogene [Source:HGNC Symbol;Acc:HGNC:48289]	NA	-1.17	NA	-1.13	NA	NA	NA
ENSG000000199470		Small nucleolar RNA SNORA64/SNORA10 family [Source:RFAM;Acc:RF00264]	NA	NA	NA	-1.17	NA	NA	NA
ENSG000000264469			-1.01	-1.13	NA	-1.18	NA	NA	NA
ENSG000000267670			-1.47	NA	NA	-1.20	NA	NA	NA
ENSG000000238763	NA	NA	-1.11	NA	NA	-1.35	NA	NA	NA
ENSG000000270680			-1.13	NA	NA	1.15	NA	NA	NA

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X1_vs_1_x	X2_vs_1_x	X3_vs_1_x	X3_vs_2_x
ENSG00000182393	IFNL1	interferon, lambda 1 [Source:HGNC Symbol;Acc:HGNC:18363]	NA	NA	NA	NA	NA	1.14	NA
ENSG00000249941			-1.12	NA	NA	NA	NA	1.09	NA
ENSG00000261665	TUBA8_P2	tubulin, alpha 8 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44569]	NA	NA	1.00	NA	NA	1.06	NA
ENSG00000235186			-1.02	NA	1.04	NA	NA	1.05	NA
ENSG00000249465	RBMXP_4	RNA binding motif protein, X-linked pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:34028]	-1.24	NA	NA	NA	NA	1.05	NA
ENSG00000219188	CACYB_PP3	calcyclin binding protein pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:45124]	NA	NA	-1.05	NA	NA	1.06	1.31
ENSG00000199287	NA	NA	NA	NA	-1.27	-1.10	NA	NA	1.03
ENSG00000206848	RNU6-890P	RNA, U6 small nuclear 890, pseudogene [Source:HGNC Symbol;Acc:HGNC:47853]	NA	NA	NA	NA	NA	1.01	1.01
ENSG00000252672	NA	NA	NA	NA	NA	1.33	NA	NA	-1.26
ENSG00000200510	NA	NA	NA	NA	1.95	2.01	NA	NA	-1.67
ENSG00000263740	RN7SL4_P	RNA, 7SL, cytoplasmic 4, pseudogene [Source:HGNC Symbol;Acc:HGNC:10039]	NA	NA	1.42	NA	NA	NA	NA
ENSG00000166086	JAM3	junctional adhesion molecule 3 [Source:HGNC Symbol;Acc:HGNC:15532]	1.18	1.05	NA	NA	NA	NA	-1.72
ENSG00000272468			NA	1.02	NA	NA	NA	NA	NA
ENSG00000232120			NA	-1.01	NA	NA	NA	NA	NA
ENSG00000251354			NA	-1.01	NA	NA	NA	NA	NA
ENSG00000183346	C10orf1_07	chromosome 10 open reading frame 107 [Source:HGNC Symbol;Acc:HGNC:28678]	NA	-1.01	NA	NA	NA	NA	NA
ENSG00000234683			NA	-1.02	NA	NA	NA	NA	NA
ENSG00000263774			NA	-1.03	NA	NA	NA	NA	NA
ENSG00000265946			NA	-1.03	NA	NA	NA	NA	NA
ENSG00000260229			NA	-1.03	NA	NA	NA	NA	NA
ENSG00000225785			NA	-1.05	NA	NA	NA	NA	NA
ENSG00000252164	RNA5S_F282	RNA, 5S ribosomal pseudogene 282 [Source:HGNC Symbol;Acc:HGNC:43182]	NA	-1.07	NA	NA	NA	NA	NA
ENSG00000226659			NA	-1.07	NA	NA	NA	NA	NA

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X3_vs_1_x	X3_vs_2_x	
ENSG000000266596	NA	NA	-1.05	-1.07	NA	NA	NA	
ENSG000000221083		Small nucleolar RNA SNORA77 [Source:RFAM;Acc:RF00599]	-1.03	-1.09	NA	NA	NA	
ENSG000000219368	ZNF299_P	zinc finger protein 299, pseudogene [Source:HGNC Symbol;Acc:HGNC:13088]	-1.06	-1.10	NA	NA	NA	
ENSG000000251751	RN7SK_F46	RNA, 7SK small nuclear pseudogene 46 [Source:HGNC Symbol;Acc:HGNC:457770]	-1.00	-1.12	NA	NA	NA	
ENSG000000213144		CPXCR1	CPX chromosome region, candidate 1 [Source:HGNC Symbol;Acc:HGNC:2332]	-1.11	-1.12	NA	NA	NA
ENSG000000147183		GNAI2P2	guanine nucleotide binding protein (G protein), alpha inhibiting activity polypeptide 2 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:45110]	NA	-1.12	NA	NA	NA
ENSG000000266941		LINC00320	long intergenic non-protein coding RNA 320 [Source:HGNC Symbol;Acc:HGNC:19690]	NA	-1.12	NA	NA	NA
ENSG000000231957		IMP3	IMP3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:49385]	NA	-1.13	NA	NA	NA
ENSG000000224924		HSPA1A	heat shock 70kDa protein 1A [Source:HGNC Symbol;Acc:HGNC:5232]	-1.06	-1.13	NA	NA	NA
ENSG000000225216		STK24-AS1	STK24 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:39935]	NA	-1.14	NA	NA	NA
ENSG000000266667				NA	-1.14	NA	NA	NA
ENSG000000224618				NA	-1.16	NA	NA	NA
ENSG000000241954				NA	-1.18	NA	NA	NA
ENSG000000253849				-1.04	-1.20	NA	NA	NA
ENSG000000230589	IMP3P1			-1.37	-1.21	NA	NA	NA
ENSG000000254845	NA	NA		-1.16	-1.24	NA	NA	NA
ENSG000000204389	HSPA1A			-1.07	-1.29	NA	NA	NA
ENSG000000224418		STK24 antisense RNA 1	[Source:HGNC Symbol;Acc:HGNC:39935]	-1.00	-1.30	NA	NA	NA
ENSG000000258642				NA	-1.35	NA	NA	NA
ENSG000000239791	UTF1	undifferentiated embryonic cell transcription factor 1	[Source:HGNC Symbol;Acc:HGNC:12634]	NA	NA	1.19	NA	NA
ENSG000000232491				NA	NA	1.12	NA	NA

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X1_vs_1_x	X2_vs_1_x	X3_vs_1_x	X3_vs_2_x
ENSG000000226981	ABHD17AP6	abhydrolase domain containing 17A pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:34044]	NA	NA	1.06	NA	NA	NA	NA
ENSG000000215089	KRT18P11	keratin 18 pseudogene 11 [Source:HGNC Symbol;Acc:HGNC:6431]	NA	NA	1.04	NA	NA	NA	NA
ENSG000000222524	RN7SKP109	RNA, 7SK small nuclear pseudogene 109 [Source:HGNC Symbol;Acc:HGNC:45833]	-1.27	NA	1.02	NA	NA	NA	NA
ENSG000000250461			NA	-1.13	-1.03	NA	NA	NA	NA
ENSG000000252497	RPPH1-2P	ribonuclease P RNA component H1, 2 pseudogene [Source:HGNC Symbol;Acc:HGNC:47029]	NA	-1.26	-1.09	NA	NA	NA	NA
ENSG000000221096	NA	NA	NA	-1.12	NA	NA	NA	NA	NA
ENSG000000168067	MAP4K2	mitogen-activated protein kinase kinase kinase 2 [Source:HGNC Symbol;Acc:HGNC:6864]	NA	NA	NA	NA	1.06	NA	NA
ENSG000000239617	NOS2P3	nitric oxide synthase 2 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:35124]	NA	NA	NA	NA	1.01	NA	NA
ENSG000000230528			NA	-1.09	NA	NA	-1.02	NA	NA
ENSG000000236852			NA	NA	NA	-1.03	NA	NA	NA
ENSG000000267513			NA	-1.02	NA	NA	-1.04	NA	NA
ENSG000000254683	SNRPCF6	small nuclear ribonucleoprotein polypeptide C pseudogene 6 [Source:HGNC Symbol;Acc:HGNC:49821]	NA	-1.25	NA	-1.04	NA	NA	NA
ENSG000000230019	YWHAQPG9	YWHAQ pseudogene 9 [Source:HGNC Symbol;Acc:HGNC:37688]	NA	-1.04	NA	-1.04	NA	NA	NA
ENSG000000253377			NA	-1.04	NA	-1.04	NA	NA	NA
ENSG000000266187	RN7SL480P	RNA, 7SL, cytoplasmic 480, pseudogene [Source:HGNC Symbol;Acc:HGNC:46496]	NA	NA	NA	-1.07	NA	NA	NA
ENSG000000264296			NA	NA	NA	-1.09	NA	NA	NA
ENSG000000261340			NA	-1.02	NA	-1.10	NA	NA	NA
ENSG000000172769	OR5B3	olfactory receptor, family 5, subfamily B, member 3 [Source:HGNC Symbol;Acc:HGNC:3324]	-1.06	-1.09	NA	-1.14	NA	NA	NA
ENSG000000238858	NA	NA	NA	NA	NA	-1.15	NA	NA	NA
ENSG000000257519			NA	NA	NA	-1.24	NA	NA	NA
ENSG000000224288			-1.01	-1.25	NA	-1.25	NA	NA	NA
ENSG000000270798			NA	-1.28	NA	-1.28	NA	NA	NA

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X1_vs_1_x	X2_vs_1_x	X3_vs_1_x	X3_vs_2_x
ENSG000000252863	RNU6-1183P	RNA, U6 small nuclear 1183, pseudogene [Source:HGNC Symbol;Acc:HGNC:48146]	-1.03	-1.12	NA	-1.31	NA	NA	NA
ENSG000000223881			NA	-1.45	NA	-1.32	NA	NA	NA
ENSG000000263253			-1.01	-1.24	NA	-1.39	NA	NA	NA
ENSG000000248891			NA	NA	-1.43	NA	NA	NA	NA
ENSG000000136872	ALDOB	aldolase B, fructose-bisphosphate [Source:HGNC Symbol;Acc:HGNC:417]	-1.66	-1.42	NA	-1.48	NA	NA	NA
ENSG000000270371			NA	1.16	1.09	1.19	1.12	NA	NA
ENSG000000273154			NA	1.21	1.11	1.18	1.08	NA	NA
ENSG000000233545	CYCSP33	cytochrome c, somatic pseudogene 33 [Source:HGNC Symbol;Acc:HGNC:24407]	-1.38	NA	NA	NA	1.06	NA	NA
ENSG000000231682			-1.14	NA	NA	NA	1.05	NA	NA
ENSG000000238460			NA	NA	NA	-1.06	-1.00	NA	NA
ENSG000000270457			NA	NA	NA	NA	-1.12	NA	NA
ENSG000000268995	VN1R82P	vomeronasal 1 receptor 82 pseudogene [Source:HGNC Symbol;Acc:HGNC:37402]	NA	NA	NA	NA	-1.12	NA	NA
ENSG000000198829	SUCNR1	succinate receptor 1 [Source:HGNC Symbol;Acc:HGNC:4542]	1.02	NA	NA	NA	-1.21	NA	NA
ENSG000000248538			NA	-1.05	-1.03	-1.24	-1.22	NA	NA
ENSG000000243370	RN7SL775P	RNA, 7SL, cytoplasmic 775, pseudogene [Source:HGNC Symbol;Acc:HGNC:46791]	-1.01	-1.41	NA	NA	1.04	1.44	
ENSG000000259588			NA	-1.19	NA	NA	NA	NA	1.34
ENSG000000263493	NA	MHC class I polypeptide-related sequence F (pseudogene) [Source:HGNC Symbol;Acc:HGNC:16801]	NA	-1.26	-1.09	NA	NA	NA	1.27
ENSG000000233265	MICF		NA	NA	NA	NA	1.42	1.24	
ENSG000000239547	RN7SL843P	RNA, 7SL, cytoplasmic 843, pseudogene [Source:HGNC Symbol;Acc:HGNC:46859]	-1.08	NA	NA	NA	1.34	1.20	
ENSG000000240545	RN7SL492P	RNA, 7SL, cytoplasmic 492, pseudogene [Source:HGNC Symbol;Acc:HGNC:46508]	NA	-1.16	NA	NA	NA	1.16	
ENSG000000226104	NA	NA	NA	-1.12	NA	NA	NA	NA	1.11

Ensembl_ID	hgnc_symbol	description	X1_vs_0_x	X2_vs_0_x	X3_vs_0_x	X3_vs_1_x	X3_vs_2_x
ENSG000000257723	CHCHD3P2	coiled-coil-helix-coiled-coil-helix domain containing 3 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:44698]	NA	-1.16	NA	NA	NA
ENSG000000259411	HNRNP A1P45	heterogeneous nuclear ribonucleoprotein A1 pseudogene 45 [Source:HGNC Symbol;Acc:HGNC:48775]	NA	-1.10	NA	NA	NA
ENSG000000136457	CHAD	chondroadherin [Source:HGNC Symbol;Acc:HGNC:1909]	-1.02	NA	NA	NA	1.06
ENSG000000265334			-1.14	-1.01	NA	NA	1.17
ENSG000000241757	RN7SL7_14P	RNA, 7SL, cytoplasmic 714, pseudogene [Source:HGNC Symbol;Acc:HGNC:46730]	NA	-1.02	NA	NA	NA
ENSG000000159186			-1.02	-1.12	NA	NA	NA
ENSG000000238754		Small nucleolar RNA U109 [Source:RFAM;Acc:RF01233]	NA	NA	-1.11	NA	NA
ENSG000000229196			-1.19	-1.17	NA	NA	1.04
ENSG000000259604			-1.31	-1.35	NA	NA	NA
ENSG000000236876	TMSB4_XP1	thymosin beta 4, X-linked pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:11883]	NA	1.24	NA	NA	-1.11
ENSG000000244921			NA	1.03	NA	NA	NA
ENSG000000259145	NA	NA	NA	NA	-1.25	-1.01	-1.17
ENSG000000227468			NA	1.04	NA	NA	-1.20
ENSG000000269028	MTRNR2L12	MT-RNR2-like 12 [Source:HGNC Symbol;Acc:HGNC:37169]	NA	NA	NA	-1.26	-1.22
ENSG000000201955	RNY3P_1	RNA, Ro-associated Y3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:42477]	1.00	1.06	NA	NA	-1.19
ENSG000000237973	MIR672_3	microRNA 6723 [Source:HGNC Symbol;Acc:HGNC:50152]	NA	NA	NA	NA	-1.27
ENSG000000259045			NA	1.06	NA	NA	-1.37

Table 32. Biomarkers that are differentially expressed in urine based on subjects' probability score for the risk of concussion

Ensembl_ID	hgnc_symbol	description	X1_v_s_0_y	X2_v_s_0_y	X3_v_s_0_y	X3_v_s_1_y	X3_v_s_2_y

Ensembl_ID	hgnc_symbol	description	X1_v s_0,y	X2_v s_1,y	X3_v s_0,y	X3_v s_1,y	X3_v s_2,y
ENSG00000136689	IL1RN	interleukin 1 receptor antagonist [Source:HGNC Symbol;Acc:HGNC:6000]	NA	NA	NA	1.03	NA
ENSG00000124233	SEMG1	semenogelin I [Source:HGNC Symbol;Acc:HGNC:10742]	1.02	NA	NA	NA	1.11
ENSG00000134240	HMGCS2	3-hydroxy-3-methylglutaryl-CoA synthase 2 (mitochondrial) [Source:HGNC Symbol;Acc:HGNC:5008]	NA	NA	NA	NA	NA
ENSG00000242082			NA	NA	NA	NA	NA
ENSG00000181617	FDCSP	follicular dendritic cell secreted protein [Source:HGNC Symbol;Acc:HGNC:19215]	NA	NA	NA	-1.04	NA
ENSG00000214049	UCA1	urothelial cancer associated 1 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:37126]	NA	NA	NA	NA	NA
ENSG00000153071	DAB2	Dab, mitogen-responsive phosphoprotein, homolog 2 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:2662]	NA	NA	NA	NA	NA
ENSG00000224203	RPS23P10	ribosomal protein S23 pseudogene 10 [Source:HGNC Symbol;Acc:HGNC:48342]	NA	NA	NA	NA	-1.01
ENSG00000212930			NA	NA	NA	NA	-1.01
ENSG00000240863	RN7SL645P	RNA, 7SL, cytoplasmic 645, pseudogene [Source:HGNC Symbol;Acc:HGNC:46661]	NA	NA	NA	NA	-1.02
ENSG00000237460			NA	NA	NA	NA	-1.02
ENSG00000236495			NA	NA	NA	NA	-1.02
ENSG00000226197			NA	NA	NA	NA	-1.02

Table 33. The markers listed discriminate between a subject who is exposed to frequent head impact (e.g. an athlete who plays contact sports) and subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000001626	CFTR	cystic fibrosis transmembrane conductance regulator (ATP-binding cassette sub-family C, member 7) [Source:HGNC Symbol;Acc:HGNC:1884]
ENSG00000003249	DBNDD1	dysbindin (dystrobrevin binding protein 1) domain containing 1 [Source:HGNC Symbol;Acc:HGNC:28455]
ENSG00000106018	VIPR2	vasoactive intestinal peptide receptor 2 [Source:HGNC Symbol;Acc:HGNC:12695]
ENSG00000117411	B4GALT2	UDP-Gal:betaGlcNAc beta 1,4- galactosyltransferase, polypeptide 2 [Source:HGNC Symbol;Acc:HGNC:925]
ENSG00000119614	VSX2	visual system homeobox 2 [Source:HGNC Symbol;Acc:HGNC:1975]
ENSG00000122254	HS3ST2	heparan sulfate (glucosamine) 3-O-sulfotransferase 2 [Source:HGNC Symbol;Acc:HGNC:5195]
ENSG00000122584	NXPH1	neurexophilin 1 [Source:HGNC Symbol;Acc:HGNC:20693]
ENSG00000124089	MC3R	melanocortin 3 receptor [Source:HGNC Symbol;Acc:HGNC:6931]
ENSG00000130545	CRB3	crumbs family member 3 [Source:HGNC Symbol;Acc:HGNC:20237]
ENSG00000160161	CILP2	cartilage intermediate layer protein 2 [Source:HGNC Symbol;Acc:HGNC:24213]
ENSG00000169174	PCSK9	proprotein convertase subtilisin/kexin type 9 [Source:HGNC Symbol;Acc:HGNC:20001]
ENSG00000172780	RAB43	RAB43, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:19983]
ENSG00000184154	LRTOMT	leucine rich transmembrane and O-methyltransferase domain containing [Source:HGNC Symbol;Acc:HGNC:25033]
ENSG00000185915	KLHL34	kelch-like family member 34 [Source:HGNC Symbol;Acc:HGNC:26634]
ENSG00000188833	ENTPD8	ectonucleoside triphosphate diphosphohydrolase 8 [Source:HGNC Symbol;Acc:HGNC:24860]
ENSG00000205765	C5orf51	chromosome 5 open reading frame 51 [Source:HGNC Symbol;Acc:HGNC:27750]
ENSG00000233421		
ENSG00000234944		
ENSG00000256463	SALL3	spalt-like transcription factor 3 [Source:HGNC Symbol;Acc:HGNC:10527]
ENSG00000258991	DUX4L19	double homeobox 4 like 19 [Source:HGNC Symbol;Acc:HGNC:37718]
ENSG00000266947		
ENSG00000184194	GPR173	G protein-coupled receptor 173 [Source:HGNC Symbol;Acc:HGNC:18186]
ENSG00000176956	LY6H	lymphocyte antigen 6 complex, locus H [Source:HGNC Symbol;Acc:HGNC:6728]
ENSG00000171606	ZNF274	zinc finger protein 274 [Source:HGNC Symbol;Acc:HGNC:13068]

Table 34. The markers listed discriminate between a subject who is exposed to frequent head impact (e.g. an athlete who plays contact sports) and subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000065675	PRKCQ	protein kinase C, theta [Source:HGNC Symbol;Acc:HGNC:9410]
ENSG00000105948	TTC26	tetratricopeptide repeat domain 26 [Source:HGNC Symbol;Acc:HGNC:21882]
ENSG00000116273	PHF13	PHD finger protein 13 [Source:HGNC Symbol;Acc:HGNC:22983]
ENSG00000138050	THUMPD2	THUMP domain containing 2 [Source:HGNC Symbol;Acc:HGNC:14890]
ENSG00000151093	OXSM	3-oxoacyl-ACP synthase, mitochondrial [Source:HGNC Symbol;Acc:HGNC:26063]
ENSG00000151623	NR3C2	nuclear receptor subfamily 3, group C, member 2 [Source:HGNC Symbol;Acc:HGNC:7979]
ENSG00000168491	CCDC110	coiled-coil domain containing 110 [Source:HGNC Symbol;Acc:HGNC:28504]
ENSG00000170989	S1PR1	sphingosine-1-phosphate receptor 1 [Source:HGNC Symbol;Acc:HGNC:3165]
ENSG00000175857	GAPT	GRB2-binding adaptor protein, transmembrane [Source:HGNC Symbol;Acc:HGNC:26588]
ENSG00000188488	SERPINA5	serpin peptidase inhibitor, clade A (alpha-1 antiproteinase, antitrypsin), member 5 [Source:HGNC Symbol;Acc:HGNC:8723]
ENSG00000198077	CYP2A7	cytochrome P450, family 2, subfamily A, polypeptide 7 [Source:HGNC Symbol;Acc:HGNC:2611]
ENSG00000198889	DCAF12L1	DDB1 and CUL4 associated factor 12-like 1 [Source:HGNC Symbol;Acc:HGNC:29395]
ENSG00000204666		FLJ26850 protein [Source:EntrezGene;Acc:400710]
ENSG00000228506		
ENSG00000229356	LRRC3-AS1	LRRC3 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:43636]
ENSG00000249465	RBMXP4	RNA binding motif protein, X-linked pseudogene 4 [Source:HGNC Symbol;Acc:HGNC:34028]
ENSG00000257242	C12orf79	chromosome 12 open reading frame 79 [Source:HGNC Symbol;Acc:HGNC:27409]
ENSG00000125630	POLR1B	polymerase (RNA) I polypeptide B, 128kDa [Source:HGNC Symbol;Acc:HGNC:20454]
ENSG00000198142	SOWAHC	sosondowah ankyrin repeat domain family member C [Source:HGNC Symbol;Acc:HGNC:26149]
ENSG00000113360	DROSHA	drosha, ribonuclease type III [Source:HGNC Symbol;Acc:HGNC:17904]
ENSG00000174899	C3orf55	chromosome 3 open reading frame 55 [Source:HGNC Symbol;Acc:HGNC:25146]
ENSG00000141034	GID4	GID complex subunit 4 [Source:HGNC Symbol;Acc:HGNC:28453]

Table 35. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most frequent head impact and the subject's baseline using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000006114	NA	NA
ENSG0000074582	BCS1L	BC1 (ubiquinol-cytochrome c reductase) synthesis-like [Source:HGNC Symbol;Acc:HGNC:1020]
ENSG0000084764	MAPRE3	microtubule-associated protein, RP/EB family, member 3 [Source:HGNC Symbol;Acc:HGNC:6892]
ENSG0000101098	RIMS4	regulating synaptic membrane exocytosis 4 [Source:HGNC Symbol;Acc:HGNC:16183]
ENSG0000128512	DOCK4	dedicator of cytokinesis 4 [Source:HGNC Symbol;Acc:HGNC:19192]
ENSG0000132535	DLG4	discs, large homolog 4 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:2903]
ENSG0000163704	PRRT3	proline-rich transmembrane protein 3 [Source:HGNC Symbol;Acc:HGNC:26591]
ENSG0000164093	PITX2	paired-like homeodomain 2 [Source:HGNC Symbol;Acc:HGNC:9005]
ENSG0000172071	EIF2AK3	eukaryotic translation initiation factor 2-alpha kinase 3 [Source:HGNC Symbol;Acc:HGNC:3255]
ENSG0000182552	RWDD4	RWD domain containing 4 [Source:HGNC Symbol;Acc:HGNC:23750]
ENSG0000182973	CNOT10	CCR4-NOT transcription complex, subunit 10 [Source:HGNC Symbol;Acc:HGNC:23817]
ENSG0000213414		
ENSG0000228215		
ENSG0000228327		
ENSG0000232900		
ENSG0000236540		
ENSG0000243772	KIR2DL3	killer cell immunoglobulin-like receptor, two domains, long cytoplasmic tail, 3 [Source:HGNC Symbol;Acc:HGNC:6331]
ENSG0000243916		
ENSG0000261398		
ENSG0000266677		
ENSG0000270696		
ENSG0000272645		
ENSG0000196268	ZNF493	zinc finger protein 493 [Source:HGNC Symbol;Acc:HGNC:23708]
ENSG0000181773	GPR3	G protein-coupled receptor 3 [Source:HGNC Symbol;Acc:HGNC:4484]

Table 36. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most frequent head impact and a subject who is a contact sport athlete and experienced the least frequent head impact using a blood sample.

Ensembl_ID	HGNC_symbol	Description
ENSG0000100012	SEC14L3	SEC14-like 3 (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:18655]
ENSG0000112852	PCDHB2	protocadherin beta 2 [Source:HGNC Symbol;Acc:HGNC:8687]
ENSG0000125734	GPR108	G protein-coupled receptor 108 [Source:HGNC Symbol;Acc:HGNC:17829]
ENSG0000130489	SCO2	SCO2 cytochrome c oxidase assembly protein [Source:HGNC Symbol;Acc:HGNC:10604]
ENSG0000143337	TOR1AIP1	torsin A interacting protein 1 [Source:HGNC Symbol;Acc:HGNC:29456]

Ensembl_ID	HGNC_symbol	Description
ENSG00000151240	DIP2C	DIP2 disco-interacting protein 2 homolog C (Drosophila) [Source:HGNC Symbol;Acc:HGNC:29150]
ENSG00000154764	WNT7A	wingless-type MMTV integration site family, member 7A [Source:HGNC Symbol;Acc:HGNC:12786]
ENSG00000166167	BTRC	beta-transducin repeat containing E3 ubiquitin protein ligase [Source:HGNC Symbol;Acc:HGNC:1144]
ENSG00000168280	KIF5C	kinesin family member 5C [Source:HGNC Symbol;Acc:HGNC:6325]
ENSG00000172116	CD8B	CD8b molecule [Source:HGNC Symbol;Acc:HGNC:1707]
ENSG00000180902	D2HGDH	D-2-hydroxyglutarate dehydrogenase [Source:HGNC Symbol;Acc:HGNC:28358]
ENSG00000181722	ZBTB20	zinc finger and BTB domain containing 20 [Source:HGNC Symbol;Acc:HGNC:13503]
ENSG00000187556	NANOS3	nanos homolog 3 (Drosophila) [Source:HGNC Symbol;Acc:HGNC:22048]
ENSG00000196268	ZNF493	zinc finger protein 493 [Source:HGNC Symbol;Acc:HGNC:23708]
ENSG00000225492	GBP1P1	guanylate binding protein 1, interferon-inducible pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39561]
ENSG00000227892	OR5P4P	olfactory receptor, family 5, subfamily P, member 4 pseudogene [Source:HGNC Symbol;Acc:HGNC:15295]
ENSG00000236445	LINC00608	long intergenic non-protein coding RNA 608 [Source:HGNC Symbol;Acc:HGNC:27179]
ENSG00000249831		
ENSG00000257943		
ENSG00000260288		
ENSG00000261770		
ENSG00000270275		
ENSG00000270948		
ENSG00000258071	ARL2BPP2	ADP-ribosylation factor-like 2 binding protein pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:31036]

Table 37. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most frequent head impact and a subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000131759	RARA	retinoic acid receptor, alpha [Source:HGNC Symbol;Acc:HGNC:9864]
ENSG00000140995	DEF8	differentially expressed in FDCP 8 homolog (mouse) [Source:HGNC Symbol;Acc:HGNC:25969]
ENSG00000143595	AQP10	aquaporin 10 [Source:HGNC Symbol;Acc:HGNC:16029]
ENSG00000177728	KIAA0195	KIAA0195 [Source:HGNC Symbol;Acc:HGNC:28983]
ENSG00000180613	GSX2	GS homeobox 2 [Source:HGNC Symbol;Acc:HGNC:24959]
ENSG00000181773	GPR3	G protein-coupled receptor 3 [Source:HGNC Symbol;Acc:HGNC:4484]
ENSG00000182636	NDN	necdin, melanoma antigen (MAGE) family member [Source:HGNC Symbol;Acc:HGNC:7675]
ENSG00000183921	SDR42E2	short chain dehydrogenase/reductase family 42E, member 2

		[Source:HGNC Symbol;Acc:HGNC:35414]
ENSG00000184194	GPR173	G protein-coupled receptor 173 [Source:HGNC Symbol;Acc:HGNC:18186]
ENSG00000184502	GAST	gastrin [Source:HGNC Symbol;Acc:HGNC:4164]
ENSG00000186868	MAPT	microtubule-associated protein tau [Source:HGNC Symbol;Acc:HGNC:6893]
ENSG00000189223	PAX8-AS1	PAX8 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:49271]
ENSG00000213152	RPL7AP60	ribosomal protein L7a pseudogene 60 [Source:HGNC Symbol;Acc:HGNC:35859]
ENSG00000221844		
ENSG00000230989	HSBP1	heat shock factor binding protein 1 [Source:HGNC Symbol;Acc:HGNC:5203]
ENSG00000235979		
ENSG00000237753		uncharacterized LOC400999 [Source:EntrezGene;Acc:400999]
ENSG00000244122	UGT1A7	UDP glucuronosyltransferase 1 family, polypeptide A7 [Source:HGNC Symbol;Acc:HGNC:12539]
ENSG00000244280	ECEL1P2	endothelin converting enzyme-like 1, pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:14019]
ENSG00000251624	UNC93B7	unc-93 homolog B7 pseudogene (C. elegans) [Source:HGNC Symbol;Acc:HGNC:44036]
ENSG00000253318	TMCC1P1	transmembrane and coiled-coil domain family 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:31901]
ENSG00000254966		
ENSG00000258071	ARL2BPP2	ADP-ribosylation factor-like 2 binding protein pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:31036]
ENSG00000273382		
ENSG00000260288		

Table 38. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most frequent head impact and the subject's baseline using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000061273	HDAC7	histone deacetylase 7 [Source:HGNC Symbol;Acc:HGNC:14067]
ENSG00000102287	GABRE	gamma-aminobutyric acid (GABA) A receptor, epsilon [Source:HGNC Symbol;Acc:HGNC:4085]
ENSG00000103152	MPG	N-methylpurine-DNA glycosylase [Source:HGNC Symbol;Acc:HGNC:7211]
ENSG00000116984	MTR	5-methyltetrahydrofolate-homocysteine methyltransferase [Source:HGNC Symbol;Acc:HGNC:7468]
ENSG00000130349	C6orf203	chromosome 6 open reading frame 203 [Source:HGNC Symbol;Acc:HGNC:17971]
ENSG00000130829	DUSP9	dual specificity phosphatase 9 [Source:HGNC Symbol;Acc:HGNC:3076]
ENSG00000134215	VAV3	vav 3 guanine nucleotide exchange factor [Source:HGNC Symbol;Acc:HGNC:12659]
ENSG00000138639	ARHGAP24	Rho GTPase activating protein 24 [Source:HGNC Symbol;Acc:HGNC:25361]
ENSG00000144283	PKP4	plakophilin 4 [Source:HGNC Symbol;Acc:HGNC:9026]

Ensembl_ID	HGNC_symbol	Description
ENSG00000169894	MUC3A	mucin 3A, cell surface associated [Source:HGNC Symbol;Acc:HGNC:7513]
ENSG00000184454	NCMAP	noncompact myelin associated protein [Source:HGNC Symbol;Acc:HGNC:29332]
ENSG00000188987	NA	NA
ENSG00000205927	OLIG2	oligodendrocyte lineage transcription factor 2 [Source:HGNC Symbol;Acc:HGNC:9398]
ENSG00000215070	XRCC6P5	X-ray repair complementing defective repair in Chinese hamster cells 6 pseudogene 5 [Source:HGNC Symbol;Acc:HGNC:45187]
ENSG00000234500		
ENSG00000260896		
ENSG00000264016		
ENSG00000151623	NR3C2	nuclear receptor subfamily 3, group C, member 2 [Source:HGNC Symbol;Acc:HGNC:7979]
ENSG00000085415	SEH1L	SEH1-like (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:30379]
ENSG00000112679	DUSP22	dual specificity phosphatase 22 [Source:HGNC Symbol;Acc:HGNC:16077]

Table 39. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most frequent head impact and a subject who is a contact sport athlete and experienced the least frequent head impact using a urine sample.

Ensembl_ID	HGNC_symbol	Description
ENSG00000085415	SEH1L	SEH1-like (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:30379]
ENSG00000088882	CPXM1	carboxypeptidase X (M14 family), member 1 [Source:HGNC Symbol;Acc:HGNC:15771]
ENSG00000101276	SLC52A3	solute carrier family 52 (riboflavin transporter), member 3 [Source:HGNC Symbol;Acc:HGNC:16187]
ENSG00000105865	DUS4L	dihydrouridine synthase 4-like (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:21517]
ENSG00000110448	CD5	CD5 molecule [Source:HGNC Symbol;Acc:HGNC:1685]
ENSG00000112941	PAPD7	PAP associated domain containing 7 [Source:HGNC Symbol;Acc:HGNC:16705]
ENSG00000126500	FLRT1	fibronectin leucine rich transmembrane protein 1 [Source:HGNC Symbol;Acc:HGNC:3760]
ENSG00000127511	SIN3B	SIN3 transcription regulator family member B [Source:HGNC Symbol;Acc:HGNC:19354]
ENSG00000137802	MAPKBP1	mitogen-activated protein kinase binding protein 1 [Source:HGNC Symbol;Acc:HGNC:29536]
ENSG00000164978	NUDT2	nudix (nucleoside diphosphate linked moiety X)-type motif 2 [Source:HGNC Symbol;Acc:HGNC:8049]
ENSG00000170929	OR1M1	olfactory receptor, family 1, subfamily M, member 1 [Source:HGNC Symbol;Acc:HGNC:8220]
ENSG00000186318	BACE1	beta-site APP-cleaving enzyme 1 [Source:HGNC Symbol;Acc:HGNC:933]
ENSG00000188508	KRTDAP	keratinocyte differentiation-associated protein [Source:HGNC Symbol;Acc:HGNC:16313]
ENSG00000197177	GPR123	G protein-coupled receptor 123 [Source:HGNC Symbol;Acc:HGNC:13838]
ENSG00000203620		

Ensembl_ID	HGNC_symbol	Description
ENSG00000225365		
ENSG00000226070		
ENSG00000235816	PRELID1P3	PRELI domain containing 1 pseudogene 3 [Source:HGNC Symbol;Acc:HGNC:43888]
ENSG00000236969	GGT8P	gamma-glutamyltransferase 8 pseudogene [Source:HGNC Symbol;Acc:HGNC:33438]
ENSG00000242159	ABCF2P1	ATP-binding cassette, sub-family F (GCN20), member 2 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:48841]
ENSG00000243810		
ENSG00000260664		
ENSG00000267028		
ENSG00000184454	NCMAP	noncompact myelin associated protein [Source:HGNC Symbol;Acc:HGNC:29332]

Table 40. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most forceful head impact and the subject's baseline using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000091181	IL5RA	interleukin 5 receptor, alpha [Source:HGNC Symbol;Acc:HGNC:6017]
ENSG00000103429	BFAR	bifunctional apoptosis regulator [Source:HGNC Symbol;Acc:HGNC:17613]
ENSG00000124256	ZBP1	Z-DNA binding protein 1 [Source:HGNC Symbol;Acc:HGNC:16176]
ENSG00000136274	NACAD	NAC alpha domain containing [Source:HGNC Symbol;Acc:HGNC:22196]
ENSG00000138081	FBXO11	F-box protein 11 [Source:HGNC Symbol;Acc:HGNC:13590]
ENSG00000146242	TPBG	trophoblast glycoprotein [Source:HGNC Symbol;Acc:HGNC:12004]
ENSG00000151689	INPP1	inositol polyphosphate-1-phosphatase [Source:HGNC Symbol;Acc:HGNC:6071]
ENSG00000163497	FEV	FEV (ETS oncogene family) [Source:HGNC Symbol;Acc:HGNC:18562]
ENSG00000164022	AIMP1	aminoacyl tRNA synthetase complex-interacting multifunctional protein 1 [Source:HGNC Symbol;Acc:HGNC:10648]
ENSG00000164616	FBXL21	F-box and leucine-rich repeat protein 21 (gene/pseudogene) [Source:HGNC Symbol;Acc:HGNC:13600]
ENSG00000166987	MBD6	methyl-CpG binding domain protein 6 [Source:HGNC Symbol;Acc:HGNC:20445]
ENSG00000168032	ENTPD3	ectonucleoside triphosphate diphosphohydrolase 3 [Source:HGNC Symbol;Acc:HGNC:3365]
ENSG00000181837	OR5D17P	olfactory receptor, family 5, subfamily D, member 17 pseudogene [Source:HGNC Symbol;Acc:HGNC:15284]
ENSG00000197322	C17orf102	chromosome 17 open reading frame 102 [Source:HGNC Symbol;Acc:HGNC:34412]
ENSG00000204682	CASC10	cancer susceptibility candidate 10 [Source:HGNC Symbol;Acc:HGNC:31448]
ENSG00000213759	UGT2B11	UDP glucuronosyltransferase 2 family, polypeptide B11 [Source:HGNC Symbol;Acc:HGNC:12545]
ENSG00000226149		

Ensembl_ID	HGNC_symbol	Description
ENSG00000250391		
ENSG00000254537		
ENSG00000255189	GLYATL1P1	glycine-N-acyltransferase-like 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:37866]
ENSG00000259675		
ENSG00000261351		
ENSG00000264515		
ENSG00000138286	FAM149B1	family with sequence similarity 149, member B1 [Source:HGNC Symbol;Acc:HGNC:29162]

Table 41. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most forceful head impact and a subject who is a contact sport athlete and experienced the least forceful head impact using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000091138	SLC26A3	solute carrier family 26 (anion exchanger), member 3 [Source:HGNC Symbol;Acc:HGNC:3018]
ENSG00000107262	BAG1	BCL2-associated athanogene [Source:HGNC Symbol;Acc:HGNC:937]
ENSG00000117501	MROH9	maestro heat-like repeat family member 9 [Source:HGNC Symbol;Acc:HGNC:26287]
ENSG00000128606	LRRC17	leucine rich repeat containing 17 [Source:HGNC Symbol;Acc:HGNC:16895]
ENSG00000132507	EIF5A	eukaryotic translation initiation factor 5A [Source:HGNC Symbol;Acc:HGNC:3300]
ENSG00000136155	SCEL	sciellin [Source:HGNC Symbol;Acc:HGNC:10573]
ENSG00000138286	FAM149B1	family with sequence similarity 149, member B1 [Source:HGNC Symbol;Acc:HGNC:29162]
ENSG00000143341	HMCN1	hemicentin 1 [Source:HGNC Symbol;Acc:HGNC:19194]
ENSG00000152034	MCHR2	melanin-concentrating hormone receptor 2 [Source:HGNC Symbol;Acc:HGNC:20867]
ENSG00000173250	GPR151	G protein-coupled receptor 151 [Source:HGNC Symbol;Acc:HGNC:23624]
ENSG00000175164	ABO	ABO blood group (transferase A, alpha 1-3-N-acetylgalactosaminyltransferase; transferase B, alpha 1-3-galactosyltransferase) [Source:HGNC Symbol;Acc:HGNC:79]
ENSG00000177106	EPS8L2	EPS8-like 2 [Source:HGNC Symbol;Acc:HGNC:21296]
ENSG00000177352	CCDC71	coiled-coil domain containing 71 [Source:HGNC Symbol;Acc:HGNC:25760]
ENSG00000215853	RPTN	repetin [Source:HGNC Symbol;Acc:HGNC:26809]
ENSG00000225361	PPP1R26-AS1	PPP1R26 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:48717]
ENSG00000227036	LINC00511	long intergenic non-protein coding RNA 511 [Source:HGNC Symbol;Acc:HGNC:43564]
ENSG00000230173		
ENSG00000230925		
ENSG00000231852	CYP21A2	cytochrome P450, family 21, subfamily A, polypeptide 2 [Source:HGNC Symbol;Acc:HGNC:2600]
ENSG00000236596		

Ensembl_ID	HGNC_symbol	Description
ENSG00000247381	PDX1-AS1	PDX1 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:43698]
ENSG00000253374		
ENSG00000253706		
ENSG00000259293		

Table 42. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most forceful head impact and a subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using blood samples.

Ensembl_ID	HGNC_symbol	description
ENSG0000028203	VEZT	vezatin, adherens junctions transmembrane protein [Source:HGNC Symbol;Acc:HGNC:18258]
ENSG0000063169	GLTSCR1	glioma tumor suppressor candidate region gene 1 [Source:HGNC Symbol;Acc:HGNC:4332]
ENSG0000100258	LMF2	lipase maturation factor 2 [Source:HGNC Symbol;Acc:HGNC:25096]
ENSG0000113396	SLC27A6	solute carrier family 27 (fatty acid transporter), member 6 [Source:HGNC Symbol;Acc:HGNC:11000]
ENSG0000113946	CLDN16	claudin 16 [Source:HGNC Symbol;Acc:HGNC:2037]
ENSG0000120322	PCDHB8	protocadherin beta 8 [Source:HGNC Symbol;Acc:HGNC:8693]
ENSG0000136021	SCYL2	SCY1-like 2 (<i>S. cerevisiae</i>) [Source:HGNC Symbol;Acc:HGNC:19286]
ENSG0000157322	CLEC18A	C-type lectin domain family 18, member A [Source:HGNC Symbol;Acc:HGNC:30388]
ENSG0000161912	ADCY10P1	adenylate cyclase 10 (soluble) pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44143]
ENSG0000162040	HS3ST6	heparan sulfate (glucosamine) 3-O-sulfotransferase 6 [Source:HGNC Symbol;Acc:HGNC:14178]
ENSG0000166313	APBB1	amyloid beta (A4) precursor protein-binding, family B, member 1 (Fe65) [Source:HGNC Symbol;Acc:HGNC:581]
ENSG0000166348	USP54	ubiquitin specific peptidase 54 [Source:HGNC Symbol;Acc:HGNC:23513]
ENSG0000186625	KATNA1	katanin p60 (ATPase containing) subunit A 1 [Source:HGNC Symbol;Acc:HGNC:6216]
ENSG0000188626	GOLGA8M	golgin A8 family, member M [Source:HGNC Symbol;Acc:HGNC:44404]
ENSG0000197582	GPX1P1	glutathione peroxidase pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:4560]
ENSG0000198468	FLVCR1-AS1	FLVCR1 antisense RNA 1 (head to head) [Source:HGNC Symbol;Acc:HGNC:39077]
ENSG0000198964	SGMS1	sphingomyelin synthase 1 [Source:HGNC Symbol;Acc:HGNC:29799]
ENSG0000226820		
ENSG0000236301	MRGPRG-AS1	MRGPRG antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:26691]
ENSG0000254449	SF3A3P2	splicing factor 3a, subunit 3 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:23277]
ENSG0000260423		

Ensembl_ID	HGNC_symbol	description
ENSG00000260704	LINC00543	long intergenic non-protein coding RNA 543 [Source:HGNC Symbol;Acc:HGNC:43678]
ENSG00000263551		
ENSG00000266172	NA	NA
ENSG00000205765	C5orf51	chromosome 5 open reading frame 51 [Source:HGNC Symbol;Acc:HGNC:27750]

Table 43. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most forceful head impact and the subject's baseline using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000101544	ADNP2	ADNP homeobox 2 [Source:HGNC Symbol;Acc:HGNC:23803]
ENSG00000109133	TMEM33	transmembrane protein 33 [Source:HGNC Symbol;Acc:HGNC:25541]
ENSG00000112679	DUSP22	dual specificity phosphatase 22 [Source:HGNC Symbol;Acc:HGNC:16077]
ENSG00000128165	ADM2	adrenomedullin 2 [Source:HGNC Symbol;Acc:HGNC:28898]
ENSG00000134779	TPGS2	tubulin polyglutamylase complex subunit 2 [Source:HGNC Symbol;Acc:HGNC:24561]
ENSG00000137819	PAQR5	progestin and adiponQ receptor family member V [Source:HGNC Symbol;Acc:HGNC:29645]
ENSG00000143190	POU2F1	POU class 2 homeobox 1 [Source:HGNC Symbol;Acc:HGNC:9212]
ENSG00000161281	COX7A1	cytochrome c oxidase subunit VIIa polypeptide 1 (muscle) [Source:HGNC Symbol;Acc:HGNC:2287]
ENSG00000161929	SCIMP	SLP adaptor and CSK interacting membrane protein [Source:HGNC Symbol;Acc:HGNC:33504]
ENSG00000165699	TSC1	tuberous sclerosis 1 [Source:HGNC Symbol;Acc:HGNC:12362]
ENSG00000166225	FRS2	fibroblast growth factor receptor substrate 2 [Source:HGNC Symbol;Acc:HGNC:16971]
ENSG00000178053	MLF1	myeloid leukemia factor 1 [Source:HGNC Symbol;Acc:HGNC:7125]
ENSG00000179242	CDH4	cadherin 4, type 1, R-cadherin (retinal) [Source:HGNC Symbol;Acc:HGNC:1763]
ENSG00000180818	HOXC10	homeobox C10 [Source:HGNC Symbol;Acc:HGNC:5122]
ENSG00000183495	EP400	E1A binding protein p400 [Source:HGNC Symbol;Acc:HGNC:11958]
ENSG00000183580	FBXL7	F-box and leucine-rich repeat protein 7 [Source:HGNC Symbol;Acc:HGNC:13604]
ENSG00000203482	NA	NA
ENSG00000251192	ZNF674	zinc finger protein 674 [Source:HGNC Symbol;Acc:HGNC:17625]
ENSG00000255306		
ENSG00000130349	C6orf203	chromosome 6 open reading frame 203 [Source:HGNC Symbol;Acc:HGNC:17971]
ENSG00000138639	ARHGAP24	Rho GTPase activating protein 24 [Source:HGNC Symbol;Acc:HGNC:25361]
ENSG00000164327	RICTOR	RPTOR independent companion of MTOR, complex 2 [Source:HGNC Symbol;Acc:HGNC:28611]

Table 44. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most forceful head impact and a subject who is a contact sport athlete and experienced the least forceful head impact using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000102786	INTS6	integrator complex subunit 6 [Source:HGNC Symbol;Acc:HGNC:14879]
ENSG00000103811	CTSH	cathepsin H [Source:HGNC Symbol;Acc:HGNC:2535]
ENSG00000108785	HSD17B1P1	hydroxysteroid (17-beta) dehydrogenase 1 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:5216]
ENSG00000120910	PPP3CC	protein phosphatase 3, catalytic subunit, gamma isozyme [Source:HGNC Symbol;Acc:HGNC:9316]
ENSG00000156398	SFXN2	sideroflexin 2 [Source:HGNC Symbol;Acc:HGNC:16086]
ENSG00000168209	DDIT4	DNA-damage-inducible transcript 4 [Source:HGNC Symbol;Acc:HGNC:24944]
ENSG00000178229	ZNF543	zinc finger protein 543 [Source:HGNC Symbol;Acc:HGNC:25281]
ENSG00000185880	TRIM69	tripartite motif containing 69 [Source:HGNC Symbol;Acc:HGNC:17857]
ENSG00000198108	CHSY3	chondroitin sulfate synthase 3 [Source:HGNC Symbol;Acc:HGNC:24293]
ENSG00000198690	FAN1	FANCD2/FANCI-associated nuclease 1 [Source:HGNC Symbol;Acc:HGNC:29170]
ENSG00000205002	AARD	alanine and arginine rich domain containing protein [Source:HGNC Symbol;Acc:HGNC:33842]
ENSG00000221972	C3orf36	chromosome 3 open reading frame 36 [Source:HGNC Symbol;Acc:HGNC:26170]
ENSG00000224238	WARS2-IT1	WARS2 intronic transcript 1 (non-protein coding) [Source:HGNC Symbol;Acc:HGNC:41393]
ENSG00000225944	RIOK3P1	RIO kinase 3 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:39714]
ENSG00000228794	LINC01128	long intergenic non-protein coding RNA 1128 [Source:HGNC Symbol;Acc:HGNC:49377]
ENSG00000229774		
ENSG00000238040	SALL4P2	spalt-like transcription factor 4 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:39819]
ENSG00000245060	LINC00847	long intergenic non-protein coding RNA 847 [Source:HGNC Symbol;Acc:HGNC:45050]
ENSG00000249307	LINC01088	long intergenic non-protein coding RNA 1088 [Source:HGNC Symbol;Acc:HGNC:49148]
ENSG00000253522	MIR146A	microRNA 146a [Source:HGNC Symbol;Acc:HGNC:31533]
ENSG00000257135		
ENSG00000258120	KRT128P	keratin 128 pseudogene [Source:HGNC Symbol;Acc:HGNC:48882]
ENSG00000164978	NUDT2	nudix (nucleoside diphosphate linked moiety X)-type motif 2 [Source:HGNC Symbol;Acc:HGNC:8049]
ENSG00000128165	ADM2	adrenomedullin 2 [Source:HGNC Symbol;Acc:HGNC:28898]
ENSG00000128534	LSM8	LSM8 homolog, U6 small nuclear RNA associated (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:20471]

Table 45. The markers listed discriminate between a subject who is a contact sport athlete and experienced the most forceful head impact and a subject with normal

exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000101951	PAGE4	P antigen family, member 4 (prostate associated) [Source:HGNC Symbol;Acc:HGNC:4108]
ENSG00000116701	NCF2	neutrophil cytosolic factor 2 [Source:HGNC Symbol;Acc:HGNC:7661]
ENSG00000120068	HOXB8	homeobox B8 [Source:HGNC Symbol;Acc:HGNC:5119]
ENSG00000121680	PEX16	peroxisomal biogenesis factor 16 [Source:HGNC Symbol;Acc:HGNC:8857]
ENSG00000125630	POLR1B	polymerase (RNA) I polypeptide B, 128kDa [Source:HGNC Symbol;Acc:HGNC:20454]
ENSG00000126790	L3HYPDH	L-3-hydroxyproline dehydratase (trans-) [Source:HGNC Symbol;Acc:HGNC:20488]
ENSG00000134962	KLB	klotho beta [Source:HGNC Symbol;Acc:HGNC:15527]
ENSG00000150433	TMEM218	transmembrane protein 218 [Source:HGNC Symbol;Acc:HGNC:27344]
ENSG00000157884	CIB4	calcium and integrin binding family member 4 [Source:HGNC Symbol;Acc:HGNC:33703]
ENSG00000163161	ERCC3	excision repair cross-complementation group 3 [Source:HGNC Symbol;Acc:HGNC:3435]
ENSG00000167548	KMT2D	lysine (K)-specific methyltransferase 2D [Source:HGNC Symbol;Acc:HGNC:7133]
ENSG00000167552	TUBA1A	tubulin, alpha 1a [Source:HGNC Symbol;Acc:HGNC:20766]
ENSG00000170890	PLA2G1B	phospholipase A2, group IB (pancreas) [Source:HGNC Symbol;Acc:HGNC:9030]
ENSG00000171401	KRT13	keratin 13 [Source:HGNC Symbol;Acc:HGNC:6415]
ENSG00000174083	NA	NA
ENSG00000176136	MC5R	melanocortin 5 receptor [Source:HGNC Symbol;Acc:HGNC:6933]
ENSG00000183199	HSP90AB3P	heat shock protein 90kDa alpha (cytosolic), class B member 3, pseudogene [Source:HGNC Symbol;Acc:HGNC:5259]
ENSG00000198142	SOWAHC	sosondowah ankyrin repeat domain family member C [Source:HGNC Symbol;Acc:HGNC:26149]
ENSG00000204584		
ENSG00000204622	HLA-J	major histocompatibility complex, class I, J (pseudogene) [Source:HGNC Symbol;Acc:HGNC:4967]
ENSG00000229248	WBP2P1	WW domain binding protein 2 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:31695]
ENSG00000261337	NA	NA
ENSG00000263731		
ENSG00000221972	C3orf36	chromosome 3 open reading frame 36 [Source:HGNC Symbol;Acc:HGNC:26170]

Table 46. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least frequent head impact and the subject's baseline using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000002745	WNT16	wingless-type MMTV integration site family, member 16 [Source:HGNC Symbol;Acc:HGNC:16267]

Ensembl_ID	HGNC_symbol	Description
ENSG00000006788	MYH13	myosin, heavy chain 13, skeletal muscle [Source:HGNC Symbol;Acc:HGNC:7571]
ENSG00000054654	SYNE2	spectrin repeat containing, nuclear envelope 2 [Source:HGNC Symbol;Acc:HGNC:17084]
ENSG00000101460	MAP1LC3A	microtubule-associated protein 1 light chain 3 alpha [Source:HGNC Symbol;Acc:HGNC:6838]
ENSG00000106261	ZKSCAN1	zinc finger with KRAB and SCAN domains 1 [Source:HGNC Symbol;Acc:HGNC:13101]
ENSG00000115073	ACTR1B	ARP1 actin-related protein 1 homolog B, centracin beta (yeast) [Source:HGNC Symbol;Acc:HGNC:168]
ENSG00000137392	CLPS	colipase, pancreatic [Source:HGNC Symbol;Acc:HGNC:2085]
ENSG00000138650	PCDH10	protocadherin 10 [Source:HGNC Symbol;Acc:HGNC:13404]
ENSG00000149136	SSRP1	structure specific recognition protein 1 [Source:HGNC Symbol;Acc:HGNC:11327]
ENSG00000160446	ZDHHC12	zinc finger, DHHC-type containing 12 [Source:HGNC Symbol;Acc:HGNC:19159]
ENSG00000160613	PCSK7	proprotein convertase subtilisin/kexin type 7 [Source:HGNC Symbol;Acc:HGNC:8748]
ENSG00000164430	MB21D1	Mab-21 domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21367]
ENSG00000176034	CHDC2	calponin homology domain containing 2 [Source:HGNC Symbol;Acc:HGNC:26708]
ENSG00000176956	LY6H	lymphocyte antigen 6 complex, locus H [Source:HGNC Symbol;Acc:HGNC:6728]
ENSG00000188107	EYS	eyes shut homolog (Drosophila) [Source:HGNC Symbol;Acc:HGNC:21555]
ENSG00000196228	SULT1C3	sulfotransferase family, cytosolic, 1C, member 3 [Source:HGNC Symbol;Acc:HGNC:33543]
ENSG00000196295		
ENSG00000196549	MME	membrane metallo-endopeptidase [Source:HGNC Symbol;Acc:HGNC:7154]
ENSG00000197594	ENPP1	ectonucleotide pyrophosphatase/phosphodiesterase 1 [Source:HGNC Symbol;Acc:HGNC:3356]
ENSG00000228823		
ENSG00000229622	MTND5P2	MT-ND5 pseudogene 2 [Source:HGNC Symbol;Acc:HGNC:41919]
ENSG00000249066		
ENSG00000261437		
ENSG00000266998		
ENSG00000257943		

Table 47. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least frequent head impact and a subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000049239	H6PD	hexose-6-phosphate dehydrogenase (glucose 1-dehydrogenase) [Source:HGNC Symbol;Acc:HGNC:4795]
ENSG00000107937	GTPBP4	GTP binding protein 4 [Source:HGNC Symbol;Acc:HGNC:21535]

Ensembl_ID	HGNC_symbol	Description
ENSG00000115844	DLX2	distal-less homeobox 2 [Source:HGNC Symbol;Acc:HGNC:2915]
ENSG00000118162	KPTN	kaptin (actin binding protein) [Source:HGNC Symbol;Acc:HGNC:6404]
ENSG00000139352	ASCL1	achaete-scute family bHLH transcription factor 1 [Source:HGNC Symbol;Acc:HGNC:738]
ENSG00000141316	SPACA3	sperm acrosome associated 3 [Source:HGNC Symbol;Acc:HGNC:16260]
ENSG00000144339	TMEFF2	transmembrane protein with EGF-like and two follistatin-like domains 2 [Source:HGNC Symbol;Acc:HGNC:11867]
ENSG00000149179	C11orf49	chromosome 11 open reading frame 49 [Source:HGNC Symbol;Acc:HGNC:28720]
ENSG00000166822	TMEM170A	transmembrane protein 170A [Source:HGNC Symbol;Acc:HGNC:29577]
ENSG00000169474	SPRR1A	small proline-rich protein 1A [Source:HGNC Symbol;Acc:HGNC:11259]
ENSG00000171606	ZNF274	zinc finger protein 274 [Source:HGNC Symbol;Acc:HGNC:13068]
ENSG00000182173	TSEN54	TSEN54 tRNA splicing endonuclease subunit [Source:HGNC Symbol;Acc:HGNC:27561]
ENSG00000187730	GABRD	gamma-aminobutyric acid (GABA) A receptor, delta [Source:HGNC Symbol;Acc:HGNC:4084]
ENSG00000197536	C5orf56	chromosome 5 open reading frame 56 [Source:HGNC Symbol;Acc:HGNC:33838]
ENSG00000213780	GTF2H4	general transcription factor IIH, polypeptide 4, 52kDa [Source:HGNC Symbol;Acc:HGNC:4658]
ENSG00000213930	GALT	galactose-1-phosphate uridylyltransferase [Source:HGNC Symbol;Acc:HGNC:4135]
ENSG00000228876		
ENSG00000238021	ARMC4P1	armadillo repeat containing 4 pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:44937]
ENSG00000240040		
ENSG00000244291	NA	NA
ENSG00000249215		
ENSG00000269758		
ENSG00000270127		protein kinase, X-linked, pseudogene 1 [Source:EntrezGene;Acc:441733]
ENSG00000162040	HS3ST6	heparan sulfate (glucosamine) 3-O-sulfotransferase 6 [Source:HGNC Symbol;Acc:HGNC:14178]
ENSG00000120875	DUSP4	dual specificity phosphatase 4 [Source:HGNC Symbol;Acc:HGNC:3070]

Table 48. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least frequent head impact and the subject's baseline using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000066185	ZMYND12	zinc finger, MYND-type containing 12 [Source:HGNC Symbol;Acc:HGNC:21192]
ENSG00000073169		selenoprotein O [Source:EntrezGene;Acc:83642]
ENSG00000074590	NUAK1	NUAK family, SNF1-like kinase, 1 [Source:HGNC Symbol;Acc:HGNC:14311]

Ensembl_ID	HGNC_symbol	Description
ENSG00000115241	PPM1G	protein phosphatase, Mg2+/Mn2+ dependent, 1G [Source:HGNC Symbol;Acc:HGNC:9278]
ENSG00000124839	RAB17	RAB17, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:16523]
ENSG00000125827	TMX4	thioredoxin-related transmembrane protein 4 [Source:HGNC Symbol;Acc:HGNC:25237]
ENSG00000136295	TTYH3	tweety family member 3 [Source:HGNC Symbol;Acc:HGNC:22222]
ENSG00000143061	IGSF3	immunoglobulin superfamily, member 3 [Source:HGNC Symbol;Acc:HGNC:5950]
ENSG00000144481	TRPM8	transient receptor potential cation channel, subfamily M, member 8 [Source:HGNC Symbol;Acc:HGNC:17961]
ENSG00000156853	ZNF689	zinc finger protein 689 [Source:HGNC Symbol;Acc:HGNC:25173]
ENSG00000164327	RICTOR	RPTOR independent companion of MTOR, complex 2 [Source:HGNC Symbol;Acc:HGNC:28611]
ENSG00000166173	LARP6	La ribonucleoprotein domain family, member 6 [Source:HGNC Symbol;Acc:HGNC:24012]
ENSG00000166426	CRABP1	cellular retinoic acid binding protein 1 [Source:HGNC Symbol;Acc:HGNC:2338]
ENSG00000168002	POLR2G	polymerase (RNA) II (DNA directed) polypeptide G [Source:HGNC Symbol;Acc:HGNC:9194]
ENSG00000169499	PLEKHA2	pleckstrin homology domain containing, family A (phosphoinositide binding specific) member 2 [Source:HGNC Symbol;Acc:HGNC:14336]
ENSG00000196335	STK31	serine/threonine kinase 31 [Source:HGNC Symbol;Acc:HGNC:11407]
ENSG00000196409	NA	NA
ENSG00000196532	NA	NA
ENSG00000213963		
ENSG00000226935	LINC00161	long intergenic non-protein coding RNA 161 [Source:HGNC Symbol;Acc:HGNC:17138]
ENSG00000242732	RGAG4	retrotransposon gag domain containing 4 [Source:HGNC Symbol;Acc:HGNC:29430]
ENSG00000247363		
ENSG00000260163		
ENSG00000140043	PTGR2	prostaglandin reductase 2 [Source:HGNC Symbol;Acc:HGNC:20149]
ENSG00000253688		

Table 49. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least frequent head impact and a subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using urine samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000082515	MRPL22	mitochondrial ribosomal protein L22 [Source:HGNC Symbol;Acc:HGNC:14480]
ENSG00000100197	CYP2D6	cytochrome P450, family 2, subfamily D, polypeptide 6 [Source:HGNC Symbol;Acc:HGNC:2625]
ENSG00000103528	SYT17	synaptotagmin VII [Source:HGNC Symbol;Acc:HGNC:24119]

Ensembl_ID	HGNC_symbol	Description
ENSG00000105197	TIMM50	translocase of inner mitochondrial membrane 50 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:23656]
ENSG00000105989	WNT2	wingless-type MMTV integration site family member 2 [Source:HGNC Symbol;Acc:HGNC:12780]
ENSG00000113360	DROSHA	drosha, ribonuclease type III [Source:HGNC Symbol;Acc:HGNC:17904]
ENSG00000122644	ARL4A	ADP-ribosylation factor-like 4A [Source:HGNC Symbol;Acc:HGNC:695]
ENSG00000124006	OBSL1	obscurin-like 1 [Source:HGNC Symbol;Acc:HGNC:29092]
ENSG00000129003	VPS13C	vacuolar protein sorting 13 homolog C (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:23594]
ENSG00000131435	PDLIM4	PDZ and LIM domain 4 [Source:HGNC Symbol;Acc:HGNC:16501]
ENSG00000140043	PTGR2	prostaglandin reductase 2 [Source:HGNC Symbol;Acc:HGNC:20149]
ENSG00000143493	INTS7	integrator complex subunit 7 [Source:HGNC Symbol;Acc:HGNC:24484]
ENSG00000174899	C3orf55	chromosome 3 open reading frame 55 [Source:HGNC Symbol;Acc:HGNC:25146]
ENSG00000182831	C16orf72	chromosome 16 open reading frame 72 [Source:HGNC Symbol;Acc:HGNC:30103]
ENSG00000187626	ZKSCAN4	zinc finger with KRAB and SCAN domains 4 [Source:HGNC Symbol;Acc:HGNC:13854]
ENSG00000198373	WWP2	WW domain containing E3 ubiquitin protein ligase 2 [Source:HGNC Symbol;Acc:HGNC:16804]
ENSG00000205832	C16orf96	chromosome 16 open reading frame 96 [Source:HGNC Symbol;Acc:HGNC:40031]
ENSG00000226067		long intergenic non-protein coding RNA 869 [Source:EntrezGene;Acc:57234]
ENSG00000233896		
ENSG00000242498	ARPIN	actin-related protein 2/3 complex inhibitor [Source:HGNC Symbol;Acc:HGNC:28782]
ENSG00000248445	SEMA6A-AS1	SEMA6A antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:51110]
ENSG00000270020		
ENSG00000257242	C12orf79	chromosome 12 open reading frame 79 [Source:HGNC Symbol;Acc:HGNC:27409]

Table 50. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least forceful head impact and the subject's baseline using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000073067	CYP2W1	cytochrome P450, family 2, subfamily W, polypeptide 1 [Source:HGNC Symbol;Acc:HGNC:20243]
ENSG00000127329	PTPRB	protein tyrosine phosphatase, receptor type, B [Source:HGNC Symbol;Acc:HGNC:9665]
ENSG00000134138	MEIS2	Meis homeobox 2 [Source:HGNC Symbol;Acc:HGNC:7001]
ENSG00000141524	TMC6	transmembrane channel-like 6 [Source:HGNC Symbol;Acc:HGNC:18021]
ENSG00000148795	CYP17A1	cytochrome P450, family 17, subfamily A, polypeptide 1 [Source:HGNC Symbol;Acc:HGNC:2593]

Ensembl_ID	HGNC_symbol	Description
ENSG00000151502	VPS26B	vacuolar protein sorting 26 homolog B (S. pombe) [Source:HGNC Symbol;Acc:HGNC:28119]
ENSG00000152128	TMEM163	transmembrane protein 163 [Source:HGNC Symbol;Acc:HGNC:25380]
ENSG00000164237	CMBL	carboxymethylenebutenolidase homolog (Pseudomonas) [Source:HGNC Symbol;Acc:HGNC:25090]
ENSG00000166049	PASD1	PAS domain containing 1 [Source:HGNC Symbol;Acc:HGNC:20686]
ENSG00000173638	SLC19A1	solute carrier family 19 (folate transporter), member 1 [Source:HGNC Symbol;Acc:HGNC:10937]
ENSG00000173699	SPATA3	spermatogenesis associated 3 [Source:HGNC Symbol;Acc:HGNC:17884]
ENSG00000174705	SH3PXD2B	SH3 and PX domains 2B [Source:HGNC Symbol;Acc:HGNC:29242]
ENSG00000181007	ZFP82	ZFP82 zinc finger protein [Source:HGNC Symbol;Acc:HGNC:28682]
ENSG00000196970	NXF4	nuclear RNA export factor 4 pseudogene [Source:HGNC Symbol;Acc:HGNC:8074]
ENSG00000201148	RNA5SP42	RNA, 5S ribosomal pseudogene 42 [Source:HGNC Symbol;Acc:HGNC:42818]
ENSG00000230484	OR51A10P	olfactory receptor, family 51, subfamily A, member 10 pseudogene [Source:HGNC Symbol;Acc:HGNC:15185]
ENSG00000231682		
ENSG00000239670		
ENSG00000250274		
ENSG00000259358		
ENSG00000259870		
ENSG00000260721		
ENSG00000196268	ZNF493	zinc finger protein 493 [Source:HGNC Symbol;Acc:HGNC:23708]
ENSG00000236596		
ENSG00000249066		

Table 51. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least forceful head impact and a subject with normal exposure to head impact (e.g. an athlete who does not play contact sports, like track and field) using blood samples.

Ensembl_ID	HGNC_symbol	Description
ENSG00000075945	KIFAP3	kinesin-associated protein 3 [Source:HGNC Symbol;Acc:HGNC:17060]
ENSG00000099326	MZF1	myeloid zinc finger 1 [Source:HGNC Symbol;Acc:HGNC:13108]
ENSG00000104047	DTWD1	DTW domain containing 1 [Source:HGNC Symbol;Acc:HGNC:30926]
ENSG00000118705	RPN2	ribophorin II [Source:HGNC Symbol;Acc:HGNC:10382]
ENSG00000120875	DUSP4	dual specificity phosphatase 4 [Source:HGNC Symbol;Acc:HGNC:3070]
ENSG00000167110	GOLGA2	golgin A2 [Source:HGNC Symbol;Acc:HGNC:4425]
ENSG00000170262	MRAP	melanocortin 2 receptor accessory protein [Source:HGNC Symbol;Acc:HGNC:1304]

Ensembl_ID	HGNC_symbol	Description
ENSG00000170689	HOXB9	homeobox B9 [Source:HGNC Symbol;Acc:HGNC:5120]
ENSG00000180316	PNPLA1	patatin-like phospholipase domain containing 1 [Source:HGNC Symbol;Acc:HGNC:21246]
ENSG00000182057	OGFRP1	opioid growth factor receptor pseudogene 1 [Source:HGNC Symbol;Acc:HGNC:50511]
ENSG00000187166	H1FNT	H1 histone family, member N, testis-specific [Source:HGNC Symbol;Acc:HGNC:24893]
ENSG00000197863	ZNF790	zinc finger protein 790 [Source:HGNC Symbol;Acc:HGNC:33114]
ENSG00000198814	GK	glycerol kinase [Source:HGNC Symbol;Acc:HGNC:4289]
ENSG00000214063	TSPAN4	tetraspanin 4 [Source:HGNC Symbol;Acc:HGNC:11859]
ENSG00000215305	VPS16	vacuolar protein sorting 16 homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:14584]
ENSG00000225972	MTND1P23	MT-ND1 pseudogene 23 [Source:HGNC Symbol;Acc:HGNC:42092]
ENSG00000250986		
ENSG00000253973		
ENSG00000256612	CYP2B7P	cytochrome P450, family 2, subfamily B, polypeptide 7, pseudogene [Source:HGNC Symbol;Acc:HGNC:2616]
ENSG00000259011		
ENSG00000267023	LRRC37A16P	leucine rich repeat containing 37, member A16, pseudogene [Source:HGNC Symbol;Acc:HGNC:43820]
ENSG00000273096		
ENSG00000166049	PASD1	PAS domain containing 1 [Source:HGNC Symbol;Acc:HGNC:20686]

Table 52. The markers listed discriminate between a subject who is a contact sport athlete and experienced the least forceful head impact and the subject's baseline using urine samples.

Ensembl_ID	HGNC_symbol	description
ENSG00000080839	RBL1	retinoblastoma-like 1 [Source:HGNC Symbol;Acc:HGNC:9893]
ENSG00000106948	AKNA	AT-hook transcription factor [Source:HGNC Symbol;Acc:HGNC:24108]
ENSG00000119737	GPR75	G protein-coupled receptor 75 [Source:HGNC Symbol;Acc:HGNC:4526]
ENSG00000120051	CFAP58	cilia and flagella associated protein 58 [Source:HGNC Symbol;Acc:HGNC:26676]
ENSG00000125810	CD93	CD93 molecule [Source:HGNC Symbol;Acc:HGNC:15855]
ENSG00000128534	LSM8	LSM8 homolog, U6 small nuclear RNA associated (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:20471]
ENSG00000132640	BTBD3	BTB (POZ) domain containing 3 [Source:HGNC Symbol;Acc:HGNC:15854]
ENSG00000137871	ZNF280D	zinc finger protein 280D [Source:HGNC Symbol;Acc:HGNC:25953]
ENSG00000138621	PPCDC	phosphopantethenoylcysteine decarboxylase [Source:HGNC Symbol;Acc:HGNC:28107]
ENSG00000141034	GID4	GID complex subunit 4 [Source:HGNC Symbol;Acc:HGNC:28453]
ENSG00000153015	CWC27	CWC27 spliceosome-associated protein homolog (S. cerevisiae) [Source:HGNC Symbol;Acc:HGNC:10664]

Ensembl_ID	HGNC_symbol	description
ENSG00000160959	LRRC14	leucine rich repeat containing 14 [Source:HGNC Symbol;Acc:HGNC:20419]
ENSG00000170873	MTSS1	metastasis suppressor 1 [Source:HGNC Symbol;Acc:HGNC:20443]
ENSG00000182093	WRB	tryptophan rich basic protein [Source:HGNC Symbol;Acc:HGNC:12790]
ENSG00000184210	DGAT2L6	diacylglycerol O-acyltransferase 2-like 6 [Source:HGNC Symbol;Acc:HGNC:23250]
ENSG00000188266	HYKK	hydroxyllysine kinase [Source:HGNC Symbol;Acc:HGNC:34403]
ENSG00000189433	GJB4	gap junction protein, beta 4, 30.3kDa [Source:HGNC Symbol;Acc:HGNC:4286]
ENSG00000198836	OPA1	optic atrophy 1 (autosomal dominant) [Source:HGNC Symbol;Acc:HGNC:8140]
ENSG00000229323	DLEU1-AS1	DLEU1 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:50496]
ENSG00000233527	ZNF529-AS1	ZNF529 antisense RNA 1 [Source:HGNC Symbol;Acc:HGNC:51275]
ENSG00000235524		
ENSG00000253688		
ENSG00000257531		
ENSG00000172071	EIF2AK3	eukaryotic translation initiation factor 2-alpha kinase 3 [Source:HGNC Symbol;Acc:HGNC:3255]
ENSG00000124839	RAB17	RAB17, member RAS oncogene family [Source:HGNC Symbol;Acc:HGNC:16523]

Table 53. Markers with expression that is significant different across the different biological samples

Ensembl_ID	HGNC_symbol	Description	Change in Expression
ENSG00000113889	KNG1	kininogen 1 [Source:HGNC Symbol;Acc:HGNC:6383]	Decrease
ENSG00000164825	DEFB1	defensin, beta 1 [Source:HGNC Symbol;Acc:HGNC:2766]	Decrease
ENSG00000165685	TMEM52B	transmembrane protein 52B [Source:HGNC Symbol;Acc:HGNC:26438]	Decrease
ENSG00000169344	UMOD	uromodulin [Source:HGNC Symbol;Acc:HGNC:12559]	Decrease
ENSG00000184908	CLCNKB	chloride channel, voltage-sensitive Kb [Source:HGNC Symbol;Acc:HGNC:2027]	Decrease
ENSG00000270103	RNU11	RNA, U11 small nuclear [Source:HGNC Symbol;Acc:HGNC:10108]	Decrease
ENSG00000125652	ALKBH7	alkB, alkylation repair homolog 7 (E. coli) [Source:HGNC Symbol;Acc:HGNC:21306]	Increase
ENSG00000145113	MUC4	mucin 4, cell surface associated [Source:HGNC Symbol;Acc:HGNC:7514]	Increase
ENSG00000153802	TPRSS11D	transmembrane protease, serine 11D [Source:HGNC Symbol;Acc:HGNC:24059]	Increase
ENSG00000196352	CD55	CD55 molecule, decay accelerating factor for complement (Cromer blood group) [Source:HGNC Symbol;Acc:HGNC:2665]	Increase

Ensembl_ID	HGNC_symbol	Description	Change in Expression
ENSG00000197674	OR51C1P	olfactory receptor, family 51, subfamily C, member 1 pseudogene [Source:HGNC Symbol;Acc:HGNC:15191]	Increase
ENSG00000206652	RNU1-1	RNA, U1 small nuclear 1 [Source:HGNC Symbol;Acc:HGNC:10120]	Increase
ENSG00000210194	MT-TE	mitochondrially encoded tRNA glutamic acid [Source:HGNC Symbol;Acc:HGNC:7479]	Increase
ENSG00000230140			Increase
ENSG00000254325			Increase
ENSG00000258406			Increase
ENSG00000267706			Increase
ENSG00000269364	LINC01233	long intergenic non-protein coding RNA 1233 [Source:HGNC Symbol;Acc:HGNC:49756]	Increase
ENSG00000271043	MTRNR2L2	MT-RNR2-like 2 [Source:HGNC Symbol;Acc:HGNC:37156]	Increase

CLAIMS

What is claimed is:

1. A method for determining the risk of a subject for developing mild traumatic brain injuries (mTBI), comprising:
 - obtaining a biological sample from a subject;
 - measuring the biological sample for an amount of at least one biomarker selected from the group consisting of the biomarkers listed in Table 1; and
 - comparing the amount of the at least one biomarker with the amount of the at least one biomarker in a control biological sample, wherein a change in the amount of the at least one biomarker from the subject compared with the control is indicative of the subject having an increased risk for mTBI.
2. A method for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact comprising:
 - obtaining a biological sample from a subject;
 - measuring the biological sample for an amount of at least one biomarker selected from the group consisting of the biomarkers listed in Table 1; and
 - comparing the amount of the at least one biomarker with the amount of the at least one biomarker in a control sample; and wherein a change in the amount of the at least one biomarker from the subject compared with the control is indicative of the subject being unfit for participating in the activity with increased chances of receiving a head impact.
3. The method of claim 1 or 2, wherein the at least one biomarker is selected from the group consisting of the biomarkers listed in any one of Tables 6-15 and 37-53.
4. The method of claim 1 or 2, wherein the biological sample and the control biological sample are blood samples, the at least one biomarker is selected from the group consisting of the biomarkers listed in any one of Tables 3, 6-11, 16, 18, 21, 23,

25, 27, 28, 31, 33, 35-37, 40-42, 46, 47, 50, 51, and 53; wherein the biological sample and the control biological sample are saliva samples, the at least one biomarker is selected from the group consisting of the biomarkers listed in any one of Tables 4, 17, and 20; and wherein the biological sample and the control biological sample are urine samples, the at least one biomarker is selected from the group consisting of the biomarkers listed in any one of Tables 5, 12-15, 17, 19, 22, 24, 26, 29, 30, 32, 38, 39, 43-45, 48, 49, 52, and 53.

5. The method of claim 1 or 2, wherein the control sample is from a subject that plays non-contact sports, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 16-19, 21, 26, 33, 34, 37, 42, 45, 47, 49, 51, and 53.

6. The method of claim 5, wherein the direction of change in the amount of the at least one biomarker from the subject compared with the control is the same as the direction of change indicated for the at least one biomarker in any one of 16-19, 21, 26, 33, 34, 37, 42, 45, 47, 49, 51, and 53, the subject has an increased risk for mTBI or is unfit for participating in the activity with increased chances of receiving a head impact.

7. The method of claim 5 or 6, wherein the biological sample and the control biological sample are blood samples, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 16, 18, 21, 23, 25, 33, 37, 42, 47, 51, and 53.

8. The method of claim 5 or 6, wherein the biological sample and the control biological sample are urine samples, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 17, 19, 22, 24, 26, 34, 45, 49, and 53.

9. The method of claim 5 or 6, wherein the biological sample and the control biological sample are saliva samples, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in Table 17.
10. The method of claim 1 or 2, wherein the control sample is from the subject's baseline sample, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 16-21, 23, 35, 38, 40, 43, 46, 48, 50, 52, and 53.
11. The method of claim 10, wherein the direction of change in the amount of the at least one biomarker from the subject compared with the control is the same as the direction of change indicated for the at least one biomarker in any one of Tables 16-21, 23, 35, 38, 40, 43, 46, 48, 50, 52, and 53, the subject has an increased risk for mTBI or is unfit for participating in the activity with increased chances of receiving a head impact.
12. The method of claim 10 or 11, wherein the biological sample and the control biological sample are blood samples, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 16, 18, 21, 23, 35, 40, 46, 50, and 53.
13. The method of claim 10 or 11, wherein the biological sample and the control biological sample are urine samples, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 17, 19, 22, 38, 43, 48, 52, and 53.

14. The method of claim 10 or 11, wherein the biological sample and the control biological sample are saliva samples, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 17 and 20.
15. The method of claim 3, wherein measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in Table 37.
16. The method of claim 3, wherein the control sample is from a subject that plays non-contact sports, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 33, 34, 37, 42, 45, 47, 49, 51, and 53.
17. The method of claim 15, wherein the control sample is from the subject's baseline sample, measuring the biological sample for an amount of at least one biomarker comprises measuring at least one biomarker selected from the group consisting of the biomarkers listed in any one of Tables 35, 38, 40, 43, 46, 48, 50, 52, and 53.
18. The method of claims 1 or 2, wherein the at least one biomarker is selected from the group consisting of the biomarkers listed in any one of Table 31 and 32, the direction of change in amount of the at least one biomarker from the subject compared with the control is the same as the change indicated for the at least one biomarker in any one of Table 31 and 32 determines the subject's exposure to potentially injurious head impact, wherein the level of exposure is selected from the group consisting of least exposure (probability score of 0), mild exposure (probability score of 0-0.1), moderate exposure (probability score of 0.1-0.5), and high exposure (probability score of >0.5).

19. The method of claim 18, wherein the subject has mild exposure (probability score of 0-0.1), moderate exposure (probability score of 0.1-0.5), or high exposure (probability score of >0.5) to potentially injurious head impact, the subject has an increased risk for mTBI or is unfit for participating in the activity with increased chances of receiving a head impact.
20. The method of claim 18, wherein the subject has least exposure (probability score of 0), the subject does not have an increased risk for mTBI or is not unfit for participating in the activity with increased chances of receiving a head impact.
21. The method of any one of claims 1-20, wherein the amount of the at least one biomarker is the amount of the at least one biomarker's extracellular RNA expression in the biological sample.
22. The method of any one of claims 1-21, wherein the biological sample from the subject is obtained within 48 hours after the subject received a head impact.
23. The method of any one of claims 1-21, wherein the biological sample from the subject is obtained within 48 hours after the subject suspected of having a head impact.
24. The method of any one of claims 1 and 21-23, wherein at least 6 biomarkers selected from the group consisting of the biomarkers listed in Tables are measured and compared, wherein a change in the amount of the at least 6 biomarkers from the subject compared with the control is indicative of the subject having an increased risk for mTBI.
25. The method of claim 24, wherein the at least 6 biomarkers are selected from Table 37.
26. The method of claim 24 or 25, wherein decreased expression of ENSG00000113889, ENSG00000164825, ENSG00000165685, ENSG00000169344, ENSG00000184908, and ENSG00000270103 is indicative of the subject being at

increased risk for mTBI or unfit for participating in the activity with increased chances of receiving a head impact.

27. The method of any one of claims 24-26, wherein increased expression of ENSG00000125652, ENSG00000145113, ENSG00000153802, ENSG00000196352, ENSG00000197674, ENSG00000206652, ENSG00000210194, ENSG00000230140, ENSG00000254325, ENSG00000258406, ENSG00000267706, ENSG00000269364, and ENSG00000271043 is indicative of the subject being at increased risk for mTBI or unfit for participating in the activity with increased chances of receiving a head impact.

28. A kit for determining the risk of a subject for developing mild traumatic brain injuries (mTBI) comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from Table 1; and

a control sample,

wherein comparing the expression of the at least one biomarker in the subject with the control sample determines the risk of the subject for developing mTBI.

29. A kit for determining the risk of a subject for developing mild traumatic brain injuries (mTBI) comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from Table 1 in the subject; and

a dataset comprising the expression level of the at least one biomarker in normal subjects,

wherein comparing the expression of the at least one biomarker in the subject with the dataset determines the risk of the subject for developing mTBI.

30. A kit for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 16-30 and 53;

a control sample; and

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the control sample as depicted in any one of Tables 16-30 and 53 that demonstrates the subject has increased risk of the subject for developing mTBI.

31. A kit for determining the risk of a subject for developing mild traumatic brain injuries (mTBI) comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 16-30 and 53 in the subject; and

a dataset comprising the expression level of the at least one biomarker in normal subjects,

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the dataset as depicted in any one of Tables 16-30 and 53 that demonstrates the subject has increased risk of the subject for developing mTBI.

32. A kit for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32;

a control sample; and

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the control sample as depicted in any one of Tables 31 and 32 that demonstrates the subject has a probability score of 0-0.1 for the risk in developing a concussion.

33. A kit for determining the risk of a subject for developing mild traumatic brain injuries (mTBI) comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32 in the subject; and

a dataset comprising the expression level of the at least one biomarker in normal subjects,

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the dataset as depicted in any one of Tables 31 and 32 that demonstrates the subject has a probability score of 0-0.1 for the risk in developing a concussion.

34. A kit for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32;

a control sample; and

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the control sample as depicted in any one of Tables 31 and 32 that demonstrates the subject has a probability score of 0.1-0.5 for the risk in developing a concussion.

35. A kit for determining the risk of a subject for developing mild traumatic brain injuries (mTBI) comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32 in the subject; and

a dataset comprising the expression level of the at least one biomarker in normal subjects,

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the dataset as depicted in any one of Tables 31 and 32 that demonstrates the subject has a probability score of 0.1-0.5 for the risk in developing a concussion.

36. A kit for determining the fitness of a subject for participating in an activity with increased chances of receiving a head impact comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32;

a control sample; and

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the control sample as depicted in any one of Tables 31 and 32 that demonstrates the subject has a probability score of higher than 0.5 for the risk in developing a concussion.

37. A kit for determining the risk of a subject for developing mild traumatic brain injuries (mTBI) comprising:

a primer or probe that specifically determines the expression level of at least one biomarker selected from any one of Tables 31 and 32 in the subject; and

a dataset comprising the expression level of the at least one biomarker in normal subjects,

instructions listing the direction of change in the expression of the at least one biomarker in the subject in relation to the dataset as depicted in any one of Tables 31 and 32 that demonstrates the subject has a probability score of higher than 0.5 for the risk in developing a concussion.

38. A kit according to any one of claims 28 to 37, further comprising a DNA polymerase and a buffer.

39. A kit according to any one of claims 28 to 37, wherein the probe is covalently attached to the surface of a solid support.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2016/024588

A. CLASSIFICATION OF SUBJECT MATTER IPC(8) - G01N 33/48; G01N 33/50; G06F 19/20 (2016.01) CPC - A61B 5/0042; G01N 33/6896; G01N 2800/28; G06F 19/20; Y10S 436/811 (2016.05) According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC(8) - G01N 33/48; G01N 33/50; G06F 19/20 (2016.01) CPC - A61B 5/0042; G01N 33/6896; G01N 2800/28; G06F 19/20; Y10S 436/811 (2016.05)		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched USPC - 424/9.1; 435/7.1, 287.2; 436/501, 811; 506/16; 600/300 (keyword delimited)		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) Orbit, Google Patents, Google Scholar. Search terms used: method, system, process, marker, biomarker, injury, mild, trauma, blood, urine, saliva, cerebral, brain, probability, score, table		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	REDELL et al. "Analysis of functional pathways altered after mild traumatic brain injury," J Neurotrauma. 07 May 2013 (07.05.2013), Vol. 30, No. 9, Pgs. 752-64 and Supplemental Tables 5 and 8. entire document	1-3, 10, 11, 15, 17-20, 28-39
--		-----
Y	WO 2014/152773 A1 (THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA) 25 September 2014 (25.09.2014) entire document	4-6, 16
Y	JORDAN, B. "The clinical spectrum of sport-related traumatic brain injury," Nat Rev Neurol. 12 March 2013 (12.03.2013), Vol. 9, No. 4, Pgs. 222-30. entire document	4
A	WO 2013/090285 A1 (UNIVERSITY OF ROCHESTER) 20 June 2013 (20.06.2013) entire document	5, 6, 16
		1-6, 10, 11, 15-20, 28-39
<input type="checkbox"/> Further documents are listed in the continuation of Box C.		<input type="checkbox"/> See patent family annex.
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		
"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 25 May 2016		Date of mailing of the international search report 01 JUL 2016
Name and mailing address of the ISA/ Mail Stop PCT, Attn: ISA/US, Commissioner for Patents P.O. Box 1450, Alexandria, VA 22313-1450 Facsimile No. 571-273-8300		Authorized officer Blaine R. Copenheaver PCT Helpdesk: 571-272-4300 PCT OSP: 571-272-7774

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US2016/024588

Box No. II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:

2. Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

3. Claims Nos.: 7-9, 12-14, 21-27
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box No. III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying additional fees, this Authority did not invite payment of additional fees.
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- The additional search fees were accompanied by the applicant's protest and, where applicable, the payment of a protest fee.
- The additional search fees were accompanied by the applicant's protest but the applicable protest fee was not paid within the time limit specified in the invitation.
- No protest accompanied the payment of additional search fees.